

MRL Order No. 323

August 2016

The Alberta Energy Regulator (AER) pursuant to the Oil and Gas Conservation Act, being Chapter O-5 of the Revised Statutes of Alberta, 1980 hereby orders as follows:

1. (1) The monthly base maximum rate limitation (base MRL) in a conventional crude oil pool designated by AER order and named in Appendix I to this order shall be,
 - (a) for a well, equal to the product of the number of days in a month and the base MRL per well prescribed for the pool or pool type as set out in column 5 of Appendix I,
 - (b) for a block, equal to the number of days in a month and the base MRL as prescribed in clause 9 of the Special Provisions as set out in Appendix I.
- (2) The monthly MRL for a well or block named in clause 8 of Appendix II to this order shall be the product of the off-target penalty factor and the base MRL prescribed accordance with subclause (1). The off-target penalty will not normally reduce the basic well rate to less than 5.0 cubic metres per day unless so directed by the AER pursuant to [Interim Directive \(ID\) 94-02](#).
- (3) Notwithstanding subclause (2) hereof, a monthly base MRL prescribed under subclause (1) shall be reduced through multiplication by the GOR penalty, calculated using the GOR penalty base* specified in column 6 of Appendix I, and any applicable provision in Appendix II or other AER orders or approvals held by operators of the pool.
2. (1) A well completed in a conventional crude oil pool not referred to elsewhere in this order shall have a base MRL approved by the AER following application for a new well MRL ([AER Form O-38: Application for a New Well Base Allowable or Base MRL](#)) by the operator. The monthly base MRL will be equal to the product of the number of days in a month and the daily base MRL as prescribed on the Form O-38.
- (2) The base MRL, determined in accordance with subclause (1), shall be reduced by any applicable penalty factors.
3. When a new well commences production in an MRL pool, it may produce under the conditions of the new oil well production period (NOWPP) as outlined in the [Directive 007-1: Allowables Handbook](#).

* The base by which the GOR penalty factor is determined is as set out in the Oil and Gas Conservation Rules, Section 10.050, and is applied in accordance with [Directive 007-1: Allowables Handbook](#).

4. Wells in pools may be subject to special provisions listed in Appendix II to this order or other AER orders or approvals held by operators of the pools.
5. Good Production Practice (GPP), as defined in the Oil and Gas Conservation Rules, Section 1.020(2) 9, may be rescinded by the AER when conditions change substantially in a pool or when GPP is no longer considered appropriate.
6. Pools listed as subject to GPP status may contain wells that have outstanding overproduction from previous MRL administration. Any such overproduction must be retired at the GPP retirement rate (GRR) defined in [Directive 007-1: Allowables Handbook](#).
7. The schemes for concurrent production of the oil accumulations and the associated gas caps in the pools or parts of the pools shown in column 7 of Appendix I are hereby approved on the terms and conditions set out in Appendix II to this order or in other AER orders or approvals.
8. This order comes into force on August 1, 2016.

MADE at the City of Calgary, in the Province of Alberta, this 26th day of July 2016.

ALBERTA ENERGY REGULATOR

Definitions for Appendix I	
Column 1	Field/pool name.
Column 2	Recovery mechanism for the pool or portion of a pool.
Column 3	Codes – field, pool, and pool type codes as defined by AER classifications.
Column 4	The basic well rate (BWR) in accordance with Schedule 5 of the Oil and Gas Conservation Rules.
Column 5	The base MRL/day/well for a pool or pool type.
Column 6	The GOR penalty base is calculated in accordance with Schedule 6, Part A, of the Oil and Gas Conservation Rules.
Column 7	Special provisions that are applicable to pools or to individual wells or groups of wells in a pool type; the specific clauses appear in Appendix II.

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ACHESON								
BLAIRMORE A	Prim	0009	244001	00	8.0	GPP		
BLAIRMORE B	Prim	0009	244002	00	8.0	GPP		
BLAIRMORE J	Prim	0009	244010	00	8.0	GPP	12a	
BLAIRMORE K	Prim	0009	244011	00	8.0	GPP		
BLAIRMORE X	Prim	0009	244024	00	8.0	GPP		
BLAIRMORE AA	Prim	0009	244027	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0009	250004	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0009	250005	00	8.0	GPP		
ELLERSLIE D	Prim	0009	336004	00	8.0	GPP		
ELLERSLIE I	Prim	0009	336009	00	8.0	GPP		
ELLERSLIE J	Prim	0009	336010	00	8.0	GPP		
DETRITAL A	Prim	0009	350001	00	8.0	GPP		
WABAMUN C	Prim	0009	658003	00	8.0	GPP		
WABAMUN D	Prim	0009	658004	00	8.0	GPP		
WABAMUN E	Prim	0009	658005	00	8.0	GPP		
WABAMUN J	Prim	0009	658010	00	8.0	GPP		
WABAMUN N	Prim	0009	658014	00	8.0	GPP		
WABAMUN O	Prim	0009	658015	00	8.0	GPP		
WABAMUN P	Prim	0009	658016	00	8.0	GPP		
WABAMUN Q	Prim	0009	658017	00	8.0	GPP		
D-2 A	Prim	0009	696001	00	8.0	GPP		
D-2 C	Prim	0009	696003	00	8.0	GPP		
D-3 A	Prim	0009	720001	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0009	800160	00	8.0	GPP	12, 12a	
ACHESON EAST								
BLAIRMORE A	Prim	0011	244001	00	8.0	GPP		
BLAIRMORE B	Prim	0011	244002	00	8.0	GPP		
BLAIRMORE K	Prim	0011	244011	00	8.0	GPP		
BLAIRMORE P	WF	0011	244016	20	8.0	GPP		
BLAIRMORE S	Prim	0011	244019	00	8.0	GPP		
BLAIRMORE V	Prim	0011	244022	00	8.0	GPP		
BLAIRMORE X	Prim	0011	244024	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0011	800160	00	8.0	GPP		
ADAMS								
GILWOOD B	Prim	0007	765502	00	8.5	GPP		
ADEN								
LOWER MANNVILLE H	Prim	0014	310008	00	8.0	GPP		
AERIAL								
MANNVILLE Q	Prim	0020	248017	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0020	801160	00	8.0	GPP		
COMMINGLED POOL 011	GF	0020	801160	40	8.0	GPP		
ALBRIGHT								
NIKANASSIN B	Prim	0040	408002	00	8.5	GPP		
CHARLIE LAKE B	Prim	0040	508002	00	10.0	GPP		
CHARLIE LAKE D	Prim	0040	508004	00	11.0	GPP		
MONTNEY E	Prim	0040	524005	00	13.0	GPP	6e	
ALDERSON								
UPPER MANNVILLE POOLS	Prim	0043	250000	00	8.0	GPP		
UPPER MANNVILLE D	WF	0043	250004	20	8.0	GPP		
UPPER MANNVILLE S	WF	0043	250019	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ALDERSON (continued)								
UPPER MANNVILLE YY	WF	0043	250051	20	8.0	GPP		
UPPER MANNVILLE VVV	WF	0043	250722	20	8.0	GPP		
UPPER MANNVILLE W3W	WF	0043	251123	20	8.0	GPP		
UPPER MANNVILLE N4N	WF	0043	251140	20	8.0	GPP		
LOWER MANNVILLE POOLS	Prim	0043	310000	00	8.0	GPP		
LOWER MANNVILLE B	Prim	0043	310002	00	8.0	GPP		
LOWER MANNVILLE B	WF	0043	310002	20	8.0	GPP		
LOWER MANNVILLE W	Prim	0043	310023	00	8.0	GPP		5
LOWER MANNVILLE W	WF	0043	310023	20	8.0	GPP		
LOWER MANNVILLE DD	Prim	0043	310030	00	8.0	GPP		
LOWER MANNVILLE TT	Prim	0043	310046	00	8.0	8.0	80	
LOWER MANNVILLE TT	WF	0043	310046	20	8.0	GPP		12d
LOWER MANNVILLE K2K	WF	0043	310137	20	8.0	GPP		12a
LOWER MANNVILLE Z2Z	Prim	0043	310152	00	8.0	GPP		12a
LOWER MANNVILLE Z2Z	WF	0043	310152	20	8.0	GPP		12a
LOWER MANNVILLE D3D	WF	0043	310204	20	8.0	GPP		
LOWER MANNVILLE E3E	WF	0043	310205	20	8.0	GPP		12a
LOWER MANNVILLE N3N	WF	0043	310214	20	8.0	GPP		
LOWER MANNVILLE D4D	WF	0043	310230	20	8.0	GPP		
LOWER MANNVILLE M4M	WF	0043	310239	20	8.0	GPP		
LOWER MANNVILLE B5B	Prim	0043	310302	00	8.0	8.0	90	
LOWER MANNVILLE C5C	Prim	0043	310303	00	8.0	GPP		
LOWER MANNVILLE C5C	WF	0043	310303	20	8.0	GPP		
LOWER MANNVILLE S5S	WF	0043	310319	20	8.0	GPP		
LOWER MANNVILLE W5W	Prim	0043	310323	00	8.0	8.0	130	
LOWER MANNVILLE W5W	WF	0043	310323	20	8.0	GPP		
LOWER MANNVILLE X5X	WF	0043	310324	20	8.0	GPP		
LOWER MANNVILLE Y5Y	WF	0043	310325	20	8.0	GPP		
DETRITAL F	Prim	0043	350006	00	8.0	GPP		
PEKISKO POOLS	Prim	0043	642000	00	8.0	GPP		
PEKISKO K	Prim	0043	642011	00	8.0	GPP		
PEKISKO K	WF	0043	642011	20	8.0	GPP		
PEKISKO M	Prim	0043	642013	00	8.0	GPP		
PEKISKO M	WF	0043	642013	20	8.0	GPP		
ARCS D	WF	0043	694004	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0043	800260	00	8.0	GPP		12
COMMINGLED POOL 003	Prim	0043	800360	00	8.0	GPP		
COMMINGLED POOL 003	WF	0043	800360	20	8.0	GPP		
COMMINGLED POOL 004	WF	0043	800460	20	8.0	GPP		
COMMINGLED POOL 021	Prim	0043	802160	00	8.0	GPP		
ALEXANDER								
LOWER MANNVILLE H	Prim	0046	310008	00	8.0	GPP		3
BASAL QUARTZ D	Prim	0046	334004	00	8.0	GPP		
BASAL QUARTZ G	Prim	0046	334007	00	8.0	GPP		12f
BASAL QUARTZ V	Prim	0046	334022	00	8.0	GPP		
DETRITAL C	Prim	0046	350003	00	8.0	GPP		
ALSASK								
COMMINGLED POOL 001	Prim	0045	800160	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ALSIKE BANFF B	Prim	0049	644002	00	8.0	GPP		
ALTARIO								
MCLAREN I	Prim	0059	268009	00	8.0	GPP		
GENERAL PETROLEUM B	Prim	0059	286002	00	8.0	GPP		
BAKKEN A	Prim	0059	646001	00	8.0	GPP		
AMBER								
KEG RIVER HH	Prim	0052	772134	00	8.0	GPP	12	
KEG RIVER LL	Prim	0052	772138	00	8.0	GPP		
KEG RIVER TTT	Prim	0052	772220	00	8.0	GPP		
KEG RIVER YYY	Prim	0052	772225	00	8.0	GPP		
KEG RIVER B2B	Prim	0052	772228	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0052	800260	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0052	800460	00	8.0	GPP		
AMELIA								
BOW ISLAND A	Prim	0008	213001	00	8.0	GPP		
LWR BANFF-EXSHAW-BV A	Prim	0008	649001	00	14.0	GPP		
LWR BANFF-EXSHAW-BV B	Prim	0008	649002	00	20.0	GPP	3	
LWR BANFF-EXSHAW-BV C	Prim	0008	649003	00	19.0	GPP	3	
ANKERTON								
UPPER MANNVILLE A	Prim	0064	250001	00	8.0	GPP	12	
ANSELL								
BELLY RIVER S	Prim	0058	126019	00	8.0	GPP		
CARDIUM MM	Prim	0058	176039	00	11.0	GPP		
COMMINGLED MFP9529	Prim	0058	952960	00	8.0	GPP		
ANTE CREEK NORTH								
DUNVEGAN C	Prim	0056	192003	00	8.0	GPP		
NORDEGG A	Prim	0056	444001	00	8.0	GPP		
NORDEGG B	Prim	0056	444002	00	8.0	GPP		
NORDEGG C	Prim	0056	444003	00	8.0	GPP		
TRIASSIC A	Prim	0056	500001	00	8.0	GPP	12	
TRIASSIC C	Prim	0056	500003	00	8.0	GPP	12	
TRIASSIC E	Prim	0056	500005	00	8.0	GPP	12	
TRIASSIC E	WF	0056	500005	20	8.0	GPP	12a	
TRIASSIC P	Prim	0056	500016	00	8.0	GPP		
MONTNEY A	Prim	0056	524001	00	8.0	GPP	12	
MONTNEY F	Prim	0056	524006	00	8.0	GPP	3	
MONTNEY G	Prim	0056	524007	00	8.0	GPP	3	
MONTNEY H	Prim	0056	524008	00	8.5	GPP		
MONTNEY I	Prim	0056	524009	00	8.0	GPP	3	
MONTNEY J	Prim	0056	524010	00	8.0	GPP	3	
MONTNEY M	Prim	0056	524013	00	10.0	GPP		
MONTNEY Q	Prim	0056	524017	00	8.5	GPP		
MONTNEY R	Prim	0056	524018	00	9.0	GPP	3	
MONTNEY S	Prim	0056	524019	00	9.0	GPP		
MONTNEY T	Prim	0056	524020	00	9.0	GPP		
MONTNEY V	Prim	0056	524022	00	9.5	GPP		
MONTNEY W	Prim	0056	524023	00	9.0	GPP	3	
MONTNEY X	Prim	0056	524024	00	9.5	9.5	180	
MONTNEY Y	Prim	0056	524025	00	8.0	GPP	9a	
MONTNEY Z	Prim	0056	524026	00	8.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ANTE CREEK NORTH (continued)								
BEAVERHILL LAKE A	Prim	0056	744001	00	20.0	GPP		
BEAVERHILL LAKE B	Prim	0056	744002	00	20.0	GPP		
COMMINGLED POOL 004	Prim	0056	800460	00	9.5	GPP		
ANTELOPE								
VIKING G	Prim	0060	218007	00	8.0	GPP		
VIKING I	Prim	0060	218009	00	8.0	GPP		
DETRITAL C	Prim	0060	350003	00	8.0	GPP		
ANTHONY								
TRIASSIC C	Prim	0015	500003	00	8.0	GPP		
ARMADA								
UPPER MANNVILLE A	WF	0062	250001	20	8.0	GPP		12a
UPPER MANNVILLE F	Prim	0062	250006	00	8.0	GPP		
UPPER MANNVILLE H	Prim	0062	250008	00	8.0	GPP		
UPPER MANNVILLE P	Prim	0062	250016	00	8.0	GPP		
UPPER MANNVILLE DD	Prim	0062	250030	00	8.0	GPP		
UPPER MANNVILLE LL	Prim	0062	250038	00	8.0	GPP		
BASAL QUARTZ P	Prim	0062	334016	00	8.0	GPP		
BASAL QUARTZ Q	Prim	0062	334017	00	8.0	GPP		
ARMISIE								
BLAIRMORE	Prim	0070	244000	00	8.0	GPP		12
ARNESON								
LOWER MANNVILLE H	Prim	0063	310008	00	8.0	GPP		
ASTOTIN								
VIKING H	Prim	0073	218008	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0073	250004	00	8.0	GPP		12
UPPER MANNVILLE H	Prim	0073	250008	00	8.0	GPP		
UPPER MANNVILLE I	Prim	0073	250009	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0073	250012	00	8.0	GPP		
ATLEE-BUFFALO								
UPPER MANNVILLE A	Prim	0085	250001	00	8.0	GPP		
UPPER MANNVILLE F	Prim	0085	250006	00	8.0	GPP		
UPPER MANNVILLE F	WF	0085	250006	20	8.0	GPP		
UPPER MANNVILLE G	WF	0085	250007	20	8.0	GPP		12
UPPER MANNVILLE EE	Prim	0085	250031	00	8.0	GPP		
UPPER MANNVILLE PPP	Prim	0085	250716	00	8.0	GPP		
UPPER MANNVILLE VVV	Prim	0085	250722	00	8.0	GPP		
GLAUCONITIC G	Prim	0085	300007	00	8.0	GPP		
GLAUCONITIC H	WF	0085	300008	20	8.0	GPP		
GLAUCONITIC L	Prim	0085	300012	00	8.0	GPP		
GLAUCONITIC P	Prim	0085	300016	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0085	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0085	800360	00	8.0	GPP		12
COMMINGLED POOL 006	Prim	0085	800660	00	8.0	GPP		
BADGER								
UPPER MANNVILLE B	Prim	0090	250002	00	8.0	GPP		
UPPER MANNVILLE B	WF	0090	250002	20	8.0	GPP		12a, 12c
UPPER MANNVILLE D	Prim	0090	250004	00	8.0	GPP		
UPPER MANNVILLE P	Prim	0090	250016	00	8.0	GPP		12a
UPPER MANNVILLE FF	Prim	0090	250032	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BANTRY								
MANNVILLE POOLS	Prim	0092	248000	00	8.0	GPP		
MANNVILLE A	Prim	0092	248001	00	8.0	GPP		
MANNVILLE A	WF	0092	248001	20	8.0	GPP		
MANNVILLE D	Prim	0092	248004	00	8.0	GPP	12	
MANNVILLE F	Prim	0092	248006	00	8.0	GPP		
MANNVILLE F	WF	0092	248006	20	8.0	GPP		
MANNVILLE S	Prim	0092	248019	00	8.0	GPP	12	
MANNVILLE G4G	Prim	0092	248233	00	8.0	GPP		
MANNVILLE G4G	WF	0092	248233	20	8.0	GPP	12a, 12b, 12c	
MANNVILLE V10V	Prim	0092	248548	00	8.0	GPP	3	
MANNVILLE V10V	WF	0092	248548	20	8.0	GPP		
SUNBURST A	Prim	0092	332001	00	8.0	GPP		
SUNBURST C	Prim	0092	332003	00	8.0	GPP		
SUNBURST D	Prim	0092	332004	00	8.0	GPP		
SUNBURST E	Prim	0092	332005	00	8.0	GPP		
SUNBURST G	Prim	0092	332007	00	8.0	GPP		
SUNBURST I	Prim	0092	332009	00	8.0	GPP		
SUNBURST L	Prim	0092	332012	00	8.0	GPP		
SUNBURST M	Prim	0092	332013	00	8.0	GPP		
SUNBURST O	Prim	0092	332015	00	8.0	GPP		
SUNBURST P	Prim	0092	332016	00	8.0	GPP		
SUNBURST Q	Prim	0092	332017	00	8.0	GPP		
SUNBURST Y	Prim	0092	332025	00	8.0	GPP		
SUNBURST-PEKISKO A	WF	0092	332701	20	8.0	GPP		
DETRITAL D	Prim	0092	350004	00	8.0	GPP		
PEKISKO A	Prim	0092	642001	00	8.0	GPP		
PEKISKO J	Prim	0092	642010	00	8.0	GPP		
PEKISKO L	Prim	0092	642012	00	8.0	GPP		
PEKISKO L	WF	0092	642012	20	8.0	GPP		
PEKISKO S	Prim	0092	642019	00	8.0	GPP		
PEKISKO V	Prim	0092	642022	00	8.0	GPP	12a	
PEKISKO V	WF	0092	642022	20	8.0	GPP	12a	
PEKISKO DD	Prim	0092	642030	00	8.0	GPP		
PEKISKO DD	WF	0092	642030	20	8.0	GPP		
PEKISKO GG	Prim	0092	642033	00	8.0	GPP		
PEKISKO GG	WF	0092	642033	20	8.0	GPP		
PEKISKO HH	WF	0092	642034	20	8.0	GPP		
PEKISKO JJ	Prim	0092	642036	00	8.0	GPP		
PEKISKO KK	Prim	0092	642037	00	8.0	GPP		
PEKISKO LL	Prim	0092	642038	00	8.0	GPP		
PEKISKO MM	Prim	0092	642039	00	8.0	GPP		
PEKISKO NN	Prim	0092	642040	00	8.0	GPP		
PEKISKO OO	Prim	0092	642041	00	8.0	GPP		
PEKISKO PP	Prim	0092	642042	00	8.0	GPP		
ARCS A	Prim	0092	694001	00	8.0	GPP		
BAPTISTE								
MANNVILLE DDD	Prim	0093	248104	00	8.0	GPP		
MANNVILLE GGG	Prim	0093	248107	00	8.0	GPP	3	
BARONS								
COLORADO	Prim	0094	160000	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BARONS (continued)								
BARONS A	Prim	0094	204001	00	8.0	GPP		
BARONS C	Prim	0094	204003	00	8.0	GPP		
BARONS D	Prim	0094	204004	00	8.0	GPP		
BARONS F	Prim	0094	204006	00	8.0	GPP		
LWR BANFF-EXSHAW-BV A	Prim	0094	649001	00	8.5	GPP		
BARRHEAD								
ELLERSLIE C	Prim	0102	336003	00	8.0	GPP		
DETRITAL A	Prim	0102	350001	00	8.0	GPP		
BANFF A	Prim	0102	644001	00	8.0	GPP		12
BANFF H	Prim	0102	644008	00	8.0	GPP		
BASHAW								
BASAL MANNVILLE FF	Prim	0096	320032	00	8.0	GPP		12
BASAL MANNVILLE HHH	Prim	0096	320608	00	8.0	GPP		
D-2 B	Prim	0096	696002	00	8.0	GPP		
D-2 C	Prim	0096	696003	00	8.0	GPP		12a
D-2 E	Prim	0096	696005	00	8.0	GPP		
D-2 F	Prim	0096	696006	00	8.0	GPP		
D-2 G	Prim	0096	696007	00	8.0	8.0	330	
D-2 G	WF	0096	696007	20	8.0	GPP		12a
D-2 L	WF	0096	696012	20	8.0	GPP		
D-2 M	Prim	0096	696013	00	8.0	GPP		
D-2 O	WF	0096	696015	20	8.0	GPP		
D-2 P	WF	0096	696016	20	8.0	GPP		12
IRETON A	Prim	0096	710001	00	8.0	GPP		
D-3 B	Prim	0096	720002	00	8.0	GPP		12e
COMMINGLED POOL 002	Prim	0096	800260	00	8.0	GPP		12, 12a
BEATON								
GETHING I	Prim	0107	326009	00	8.0	GPP		
MONTNEY E	Prim	0107	524005	00	8.0	GPP		
BELLIS								
UPPER MANNVILLE N2N	Prim	0110	250740	00	8.0	GPP		
UPPER MANNVILLE N2N	WF	0110	250740	20	8.0	GPP		
UPPER MANNVILLE P2P	Prim	0110	250742	00	8.0	GPP		
UPPER MANNVILLE B7B	Prim	0110	251902	00	8.0	GPP		
BELLOV								
D-1 B	Prim	0113	658002	00	8.5	GPP		
D-1 D	Prim	0113	658004	00	9.0	GPP		
D-1 G	Prim	0113	658007	00	8.5	GPP		
D-1 J	Prim	0113	658010	00	8.5	GPP		
D-1 L	Prim	0113	658012	00	8.5	GPP		
D-1 V	Prim	0113	658022	00	8.5	GPP		
D-1 Y	Prim	0113	658025	00	9.0	40.0	200	6a
D-1 DD	Prim	0113	658030	00	8.5	GPP		
D-1 EE	Prim	0113	658031	00	8.5	GPP		
D-1 FF	Prim	0113	658032	00	8.0	GPP		
D-1 GG	Prim	0113	658033	00	9.0	GPP		
D-1 HH	Prim	0113	658034	00	9.0	GPP		
D-1 II	Prim	0113	658035	00	9.0	GPP		
D-1 KK	Prim	0113	658037	00	9.0	GPP		3

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BELLO (continued)								
D-1 LL	Prim	0113	658038	00	9.0	GPP		
D-1 MM	Prim	0113	658039	00	9.0	GPP		
D-1 NN	Prim	0113	658040	00	9.0	GPP		
D-1 OO	Prim	0113	658041	00	9.0	GPP		6a
D-1 QQ	Prim	0113	658043	00	8.5	GPP		3
COMMINGLED POOL 001	Prim	0113	800160	00	8.0	GPP		
BELLSHILL LAKE								
VIKING A	Prim	0115	218001	00	8.0	GPP		
BLAIRMORE	Prim	0115	244000	00	8.0	GPP		
BLAIRMORE G	Prim	0115	244007	00	8.0	GPP		
BLAIRMORE H	Prim	0115	244008	00	8.0	GPP		
LLOYDMINSTER A	Prim	0115	294001	00	8.0	GPP		
GLAUCONITIC F	Prim	0115	300006	00	8.0	GPP		
GLAUCONITIC H	Prim	0115	300008	00	8.0	GPP		
GLAUCONITIC I	Prim	0115	300009	00	8.0	GPP		
GLAUCONITIC J	Prim	0115	300010	00	8.0	GPP		
GLAUCONITIC K	Prim	0115	300011	00	8.0	GPP		
LOWER MANNVILLE A	Prim	0115	310001	00	8.0	GPP		
ELLERSLIE A	Prim	0115	336001	00	8.0	GPP		
BERLAND RIVER								
CARDIUM A	Prim	0121	176001	00	8.0	GPP		
CARDIUM D	Prim	0121	176004	00	8.0	GPP		
DUNVEGAN A	Prim	0121	192001	00	10.0	GPP		
DUNVEGAN I	Prim	0121	192009	00	11.0	11.0	220	9a
BERLAND RIVER WEST								
CARDIUM B	Prim	0122	176002	00	9.0	GPP		
BERRY								
UPPER MANNVILLE C	Prim	0123	250003	00	8.0	GPP		12e
UPPER MANNVILLE Q	Prim	0123	250017	00	8.0	GPP		12a
UPPER MANNVILLE X	Prim	0123	250024	00	8.0	GPP		
UPPER MANNVILLE EE	Prim	0123	250031	00	8.0	GPP		
UPPER MANNVILLE HH	Prim	0123	250034	00	8.0	GPP		12d
UPPER MANNVILLE SS	Prim	0123	250045	00	8.0	GPP		
UPPER MANNVILLE XX	Prim	0123	250050	00	8.0	GPP		
UPPER MANNVILLE ZZ	Prim	0123	250052	00	8.0	GPP		
UPPER MANNVILLE DDD	Prim	0123	250704	00	8.0	GPP		12
UPPER MANNVILLE NNN	Prim	0123	250714	00	8.0	GPP		
UPPER MANNVILLE ZZZ	Prim	0123	250726	00	8.0	GPP		
UPPER MANNVILLE G2G	Prim	0123	250733	00	8.0	GPP		12
UPPER MANNVILLE L2L	Prim	0123	250738	00	8.0	GPP		
UPPER MANNVILLE Z2Z	Prim	0123	250752	00	8.0	GPP		3
UPPER MANNVILLE B3B	Prim	0123	251102	00	8.0	GPP		
UPPER MANNVILLE C3C	Prim	0123	251103	00	8.0	GPP		
UPPER MANNVILLE F3F	Prim	0123	251106	00	8.0	GPP		
LOWER MANNVILLE W	Prim	0123	310023	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0123	800260	00	8.0	GPP		
BEZANSON								
MONTNEY A	Prim	1008	524001	00	8.0	GPP		6e
BEAVERHILL LAKE A	Prim	1008	744001	00	20.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BIG BEND								
COLONY D	Prim	0125	256004	00	8.0	GPP		12
GRAND RAPIDS N3N	Prim	0125	263414	00	8.0	GPP		
BIGORAY								
BELLY RIVER C	Prim	0126	126003	00	8.0	GPP		
BELLY RIVER F	Prim	0126	126006	00	8.0	GPP		
CARDIUM C	Prim	0126	176003	00	8.0	GPP	200	
OSTRACOD	Prim	0126	312000	00	8.0	8.0		
OSTRACOD	WF	0126	312000	20	8.0	GPP		
OSTRACOD G	Prim	0126	312007	00	8.0	GPP		
OSTRACOD G	WF	0126	312007	20	8.0	GPP		
OSTRACOD O	Prim	0126	312015	00	8.0	GPP		
ELLERSLIE A	Prim	0126	336001	00	8.0	GPP		
ELLERSLIE B	Prim	0126	336002	00	8.0	GPP		
ELLERSLIE D	Prim	0126	336004	00	8.0	GPP		
ELLERSLIE J	Prim	0126	336010	00	8.0	GPP		
ELLERSLIE L	Prim	0126	336012	00	8.0	GPP		12a
ELLERSLIE-ROCK CK A	Prim	0126	336201	00	8.0	GPP		12
PEKISKO A	Prim	0126	642001	00	8.0	GPP		12
NISKU A	WF	0126	696001	20	11.0	GPP		
NISKU B	Prim	0126	696002	00	10.5	GPP		12
NISKU C	WF	0126	696003	20	11.5	GPP		
NISKU D	Prim	0126	696004	00	12.5	GPP		
NISKU D	WF	0126	696004	20	12.5	GPP		
NISKU E	WF	0126	696005	20	12.5	GPP		
NISKU F	Prim	0126	696006	00	11.5	GPP		
NISKU G	WF	0126	696007	20	11.0	GPP		
NISKU H	WF	0126	696008	20	10.5	GPP		
NISKU I	WF	0126	696009	20	10.0	GPP		
NISKU K	WF	0126	696011	20	10.5	GPP		
BIGSTONE								
CARDIUM B	Prim	0130	176002	00	8.0	GPP		
CARDIUM G	Prim	0130	176007	00	8.0	GPP		
BILAWCHUK								
CHARLIE LAKE B	Prim	0086	508002	00	8.0	GPP		
CHARLIE LAKE C	Prim	0086	508003	00	8.0	GPP		
CHARLIE LAKE E	Prim	0086	508005	00	8.0	GPP		
BIRCH								
GENERAL PETROLEUM A	Prim	0141	286001	00	8.0	GPP		
BITTERN LAKE								
ELLERSLIE M	Prim	0143	336013	00	8.0	GPP		
ELLERSLIE GG	Prim	0143	336033	00	8.0	GPP		
BLACK								
MUSKWA A	Prim	0144	743501	00	8.0	GPP		
MUSKWA B	Prim	0144	743502	00	8.0	GPP		
MUSKWA C	Prim	0144	743503	00	8.0	GPP		
MUSKEG A	Prim	0144	768501	00	8.0	GPP		
MUSKEG C	WF	0144	768503	20	8.0	GPP		
KEG RIVER A	SF	0144	772101	10	8.0	GPP		
KEG RIVER C	Prim	0144	772103	00	8.0	GPP		
KEG RIVER E	Prim	0144	772105	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BLACK (continued)								
KEG RIVER H	Prim	0144	772108	00	8.0	GPP		12
KEG RIVER I	Prim	0144	772109	00	8.0	GPP		12
KEG RIVER J	Prim	0144	772110	00	8.0	GPP		12
KEG RIVER K	Prim	0144	772111	00	8.0	GPP		
BLACKFOOT								
GLAUCONITIC D	Prim	0138	300004	00	8.0	GPP		
GLAUCONITIC F	Prim	0138	300006	00	8.0	GPP		12
GLAUCONITIC H	Prim	0138	300008	00	8.0	GPP		12a
GLAUCONITIC S	Prim	0138	300019	00	8.0	GPP		12a
GLAUCONITIC T	Prim	0138	300020	00	8.0	GPP		
ELLERSLIE G	Prim	0138	336007	00	8.0	GPP		
COMMINGLED POOL 001	WF	0138	800160	20	8.0	GPP		12, 12a
COMMINGLED MFP9501	Prim	0138	950160	00	8.0	GPP		12a
BLOOD								
BIG VALLEY A	Prim	0149	660001	00	11.0	GPP		3
BLUEBERRY								
CHARLIE LAKE D	Prim	0147	508004	00	8.0	8.0	110	9a
KISKATINAW K	Prim	0147	606011	00	8.0	GPP		
BOLLOQUE								
UPPER MANNVILLE G	Prim	0150	250007	00	8.0	GPP		
UPPER MANNVILLE U2U	Prim	0150	250747	00	8.0	GPP		
UPPER MANNVILLE W2W	Prim	0150	250749	00	8.0	GPP		
BONANZA								
BALDONNEL L	Prim	0153	506012	00	8.0	GPP		
BALDONNEL N	Prim	0153	506014	00	8.0	GPP		
BALDONNEL T	Prim	0153	506020	00	8.0	GPP		
BALDONNEL V	Prim	0153	506022	00	8.0	GPP		
CHARLIE LAKE D	Prim	0153	508004	00	8.0	GPP		
CHARLIE LAKE F	Prim	0153	508006	00	8.0	GPP		
BOUNDARY A	Prim	0153	510001	00	8.0	GPP		
BOUNDARY A	WF	0153	510001	20	8.0	GPP		
DOIG A	Prim	0153	520001	00	8.0	GPP		
DOIG B	Prim	0153	520002	00	8.0	GPP		
DOIG C	Prim	0153	520003	00	8.0	GPP		
DOIG D	Prim	0153	520004	00	8.0	GPP		
KISKATINAW V	Prim	0153	606022	00	8.0	GPP		12
KISKATINAW Y	Prim	0153	606025	00	8.5	GPP		12
KISKATINAW AA	Prim	0153	606027	00	8.0	GPP		
KISKATINAW EE	Prim	0153	606031	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0153	800860	00	8.0	GPP		
COMMINGLED POOL 009	Prim	0153	800960	00	8.5	GPP		
BONNIE GLEN								
CARDIUM A	Prim	0151	176001	00	8.0	GPP		
D-3 A	Prim	0151	720001	00	9.0	GPP		12e
BORRADAILE								
COLONY F	Prim	0155	256006	00	8.0	GPP		
SPARKY D	Prim	0155	276004	00	8.0	GPP		
SPARKY E	Prim	0155	276005	00	8.0	GPP		
LLOYDMINSTER B	Prim	0155	294002	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BORRADAILE (continued)								
LLOYDMINSTER C	Prim	0155	294003	00	8.0	GPP		
LLOYDMINSTER D	Prim	0155	294004	00	8.0	GPP		
BOTTREL								
CARDIUM E	Prim	0156	176005	00	12.0	GPP		
BOUNDARY LAKE SOUTH								
TRIASSIC C	Prim	0157	500003	00	8.0	GPP		
TRIASSIC C	WF	0157	500003	20	8.0	GPP		
TRIASSIC E	Prim	0157	500005	00	8.0	GPP		
TRIASSIC E	WF	0157	500005	20	8.0	GPP		
TRIASSIC H	Prim	0157	500008	00	8.0	GPP		
TRIASSIC H	WF	0157	500008	20	8.0	GPP		
TRIASSIC I	Prim	0157	500009	00	8.0	GPP		
TRIASSIC N	Prim	0157	500014	00	8.0	GPP		12a
TRIASSIC N	WF	0157	500014	20	8.0	GPP		12a, 12d
TRIASSIC S	Prim	0157	500019	00	8.0	GPP		
TRIASSIC T	Prim	0157	500020	00	8.0	GPP		
TRIASSIC Y	Prim	0157	500025	00	8.0	GPP		
TRIASSIC BB	Prim	0157	500028	00	8.0	GPP		
TRIASSIC CC	Prim	0157	500029	00	8.0	GPP		
TRIASSIC EE	Prim	0157	500031	00	8.0	GPP		
TRIASSIC II	Prim	0157	500035	00	8.0	GPP		
CHARLIE LAKE F	Prim	0157	508006	00	8.0	GPP		
CHARLIE LAKE S	Prim	0157	508019	00	8.0	GPP		
CHARLIE LAKE T	Prim	0157	508020	00	8.0	GPP		
BOUNDARY G	Prim	0157	510007	00	8.0	8.0	140	9a
HALFWAY E	Prim	0157	516005	00	8.0	GPP		
HALFWAY I	Prim	0157	516009	00	8.0	GPP		
HALFWAY I	WF	0157	516009	20	8.0	GPP		
KISKATINAW Q	Prim	0157	606017	00	8.0	GPP		
KISKATINAW GG	Prim	0157	606033	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0157	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0157	800260	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0157	801060	00	8.0	GPP		12
BOW ISLAND								
GLAUCONITIC A	Prim	0160	300001	00	8.0	GPP		
GLAUCONITIC C	Prim	0160	300003	00	8.0	GPP		
GLAUCONITIC D	Prim	0160	300004	00	8.0	GPP		
GLAUCONITIC E	Prim	0160	300005	00	8.0	GPP		
GLAUCONITIC E	WF	0160	300005	20	8.0	GPP		
LOWER MANNVILLE A	Prim	0160	310001	00	8.0	GPP		
LOWER MANNVILLE D	Prim	0160	310004	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0160	310006	00	8.0	GPP		
SAWTOOTH POOLS	Prim	0160	428000	00	8.0	GPP		
BRANCH								
LWR BANFF-EXSHAW-BV A	Prim	0053	649001	00	8.0	GPP		
BRAZEAU RIVER								
BELLY RIVER POOLS	Prim	0168	126000	00	8.0	GPP		
BELLY RIVER X	Prim	0168	126024	00	8.0	GPP		
BELLY RIVER X	WF	0168	126024	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BRAZEAU RIVER (continued)								
BELLY RIVER FF	Prim	0168	126032	00	8.0	GPP		12a
BELLY RIVER NNN	Prim	0168	126314	00	8.0	GPP		
BELLY RIVER C6C	Prim	0168	127529	00	8.0	GPP		
BELLY RIVER C6C	GF	0168	127529	40	8.0	GPP		
BELLY RIVER P6P	Prim	0168	127542	00	8.0	GPP		
BELLY RIVER P6P	GF	0168	127542	40	8.0	GPP		
BASAL BELLY RIVER H	Prim	0168	134008	00	8.0	GPP		
BASAL BELLY RIVER M	Prim	0168	134013	00	8.0	GPP		12a
BASAL BELLY RIVER M	WF	0168	134013	20	8.0	GPP		12a
BASAL BELLY RIVER N	Prim	0168	134014	00	8.0	GPP		
BASAL BELLY RIVER V	Prim	0168	134022	00	8.0	GPP		
BASAL BELLY RIVER X	Prim	0168	134024	00	8.0	GPP		
BASAL BELLY RIVER Y	Prim	0168	134025	00	8.0	GPP		
BASAL BELLY RIVER AA	Prim	0168	134027	00	8.0	GPP		
BASAL BELLY RIVER JJ	Prim	0168	134036	00	8.0	GPP		
BASAL BELLY RIVER LL	Prim	0168	134038	00	8.0	GPP		
CARDIUM I	Prim	0168	176009	00	11.5	GPP		
CARDIUM O	Prim	0168	176015	00	11.0	GPP		
CARDIUM P	Prim	0168	176016	00	11.0	GPP		
CARDIUM Q	Prim	0168	176017	00	11.5	GPP		
CARDIUM BB	Prim	0168	176028	00	10.0	GPP		
CARDIUM CC	Prim	0168	176029	00	10.5	GPP		
CARDIUM EE	Prim	0168	176031	00	12.0	GPP		
CARDIUM KK	Prim	0168	176037	00	9.5	GPP		
CARDIUM PP	Prim	0168	176042	00	16.0	GPP		
CARDIUM QQ	Prim	0168	176043	00	8.5	GPP		
CARDIUM SS	Prim	0168	176045	00	9.5	GPP		
CARDIUM VV	Prim	0168	176048	00	11.0	GPP		3
CARDIUM WW	Prim	0168	176049	00	8.5	GPP		3
CARDIUM XX	Prim	0168	176050	00	8.0	GPP		3
CARDIUM YY	Prim	0168	176051	00	8.0	GPP		
SECOND WHITE SPECKS B	Prim	0168	186002	00	11.0	GPP		
SECOND WHITE SPECKS D	Prim	0168	186004	00	8.0	GPP		
SECOND WHITE SPECKS E	Prim	0168	186005	00	11.0	GPP		
VIKING A	Prim	0168	218001	00	12.0	GPP		
VIKING D	Prim	0168	218004	00	13.0	GPP		
VIKING D	WF	0168	218004	20	13.0	GPP		
LOWER MANNVILLE C	Prim	0168	310003	00	20.0	GPP		
LOWER MANNVILLE J	Prim	0168	310010	00	13.5	GPP		12a
LOWER MANNVILLE U	Prim	0168	310021	00	12.0	GPP		
LOWER MANNVILLE FF	Prim	0168	310032	00	12.0	GPP		
LOWER MANNVILLE VV	Prim	0168	310048	00	20.0	GPP		
LOWER MANNVILLE ZZ	Prim	0168	310052	00	20.0	GPP		
LOWER MANNVILLE A2A	Prim	0168	310127	00	12.0	GPP		
CADOMIN A	Prim	0168	348001	00	20.0	GPP		12
ROCK CREEK B	Prim	0168	432002	00	16.0	GPP		
ROCK CREEK M	Prim	0168	432013	00	15.0	GPP		12a
ROCK CREEK UUU	Prim	0168	432521	00	8.5	GPP		
ROCK CREEK XXX	Prim	0168	432524	00	14.5	GPP		3

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
BRAZEAU RIVER (continued)								
ROCK CREEK YYY	Prim	0168	432525	00	14.5	GPP		
ROCK CREEK A2A	Prim	0168	432527	00	17.0	GPP		
ROCK CREEK B2B	Prim	0168	432528	00	14.5	GPP		
ROCK CREEK C2C	Prim	0168	432529	00	19.0	GPP		
NISKU C	Prim	0168	696003	00	20.0	GPP		
NISKU D	SF	0168	696004	10	20.0	GPP		
NISKU E	Prim	0168	696005	00	20.0	GPP		
NISKU L	WF	0168	696012	20	20.0	GPP		
NISKU X	WF	0168	696024	20	20.0	GPP		
COMMINGLED POOL 001	Prim	0168	800160	00	8.5	GPP		
COMMINGLED POOL 001	WF	0168	800160	20	8.5	GPP		
COMMINGLED POOL 002	Prim	0168	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0168	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0168	800460	00	8.0	GPP	12	
COMMINGLED POOL 006	Prim	0168	800660	00	8.0	GPP		
COMMINGLED POOL 007	Prim	0168	800760	00	8.0	GPP	12	
COMMINGLED POOL 008	Prim	0168	800860	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0168	801060	00	17.0	GPP		
COMMINGLED POOL 011	Prim	0168	801160	00	12.5	GPP		
COMMINGLED POOL 012	Prim	0168	801260	00	8.0	GPP		
COMMINGLED POOL 050	Prim	0168	805060	00	8.0	GPP		
COMMINGLED POOL 051	Prim	0168	805160	00	8.0	GPP		
COMMINGLED POOL 056	Prim	0168	805660	00	8.0	GPP		
COMMINGLED POOL 057	Prim	0168	805760	00	8.0	GPP		
COMMINGLED POOL 064	Prim	0168	806460	00	8.0	GPP		
COMMINGLED POOL 065	Prim	0168	806560	00	19.5	GPP		
COMMINGLED POOL 067	Prim	0168	806760	00	12.0	GPP		
COMMINGLED POOL 071	Prim	0168	807160	00	8.5	GPP		
COMMINGLED POOL 076	Prim	0168	807660	00	12.0	GPP		
BROWN CREEK								
CARDIUM A	Prim	0074	176001	00	8.0	GPP		
CARDIUM H	Prim	0074	176008	00	8.0	GPP		
CARDIUM K	Prim	0074	176011	00	8.0	GPP		
CARDIUM L	Prim	0074	176012	00	8.0	GPP		
BUFFALO LAKE								
D-3 B	Prim	0176	720002	00	8.0	GPP		
CABIN CREEK								
CARDIUM B	Prim	1015	176002	00	9.5	GPP		
CALAIS								
MONTNEY B	Prim	0183	524002	00	8.0	GPP	12	
CAMPBELL-NAMAO								
BLAIRMORE C	Prim	0185	244003	00	8.0	GPP		
BLAIRMORE D	Prim	0185	244004	00	8.0	GPP		
BLAIRMORE G	Prim	0185	244007	00	8.0	GPP	12a	
BLAIRMORE P	Prim	0185	244016	00	8.0	GPP	12	
ELLERSLIE B	Prim	0185	336002	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0185	800160	00	8.0	GPP	12	
CARDIFF								
ELLERSLIE B	Prim	0193	336002	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CARDIFF (continued) WABAMUN A	Prim	0193	658001	00	8.0	GPP		
CARIBOU ELLERSLIE A	Prim	0195	336001	00	8.0	GPP	12	
ELLERSLIE B	Prim	0195	336002	00	8.0	GPP		
BEAVERHILL LAKE A	Prim	0195	744001	00	12.5	GPP		
BEAVERHILL LAKE C	Prim	0195	744003	00	13.0	GPP		
CARMANGAY BARONS A	Prim	1020	204001	00	8.0	8.0	90	
BARONS A	WF	1020	204001	20	8.0	GPP		
GLAUCONITIC A	Prim	1020	300001	00	8.0	GPP	3	
SUNBURST A	WF	1020	332001	20	8.0	GPP	12a	
SUNBURST B	Prim	1020	332002	00	8.0	GPP	12d	
CAROLINE CARDIUM A	Prim	0194	176001	00	10.0	GPP		
CARDIUM B	Prim	0194	176002	00	11.0	GPP	12	
CARDIUM C	Prim	0194	176003	00	11.5	GPP		
CARDIUM D	Prim	0194	176004	00	11.0	GPP		
CARDIUM E	Prim	0194	176005	00	12.5	12.5	450	
CARDIUM E	SF	0194	176005	10	12.5	GPP	10q	
CARDIUM E	WF	0194	176005	20	12.5	GPP		
CARDIUM K	Prim	0194	176011	00	11.5	GPP		
CARDIUM R	Prim	0194	176018	00	12.5	GPP	12	
CARDIUM R	WF	0194	176018	20	12.5	GPP	12	
CARDIUM V	Prim	0194	176022	00	10.5	GPP		
CARDIUM FF	Prim	0194	176032	00	13.5	GPP		
CARDIUM JJ	Prim	0194	176036	00	20.0	GPP		
CARDIUM SS	Prim	0194	176045	00	8.5	GPP		
CARDIUM WW	Prim	0194	176049	00	9.0	GPP		
CARDIUM XX	Prim	0194	176050	00	10.5	GPP		
CARDIUM YY	Prim	0194	176051	00	9.0	GPP	3	
VIKING H	Prim	0194	218008	00	16.0	GPP		
VIKING L	Prim	0194	218012	00	12.0	GPP		
VIKING M	Prim	0194	218013	00	11.5	GPP		
VIKING N	Prim	0194	218014	00	12.0	GPP		
VIKING S	Prim	0194	218019	00	16.0	GPP		
VIKING T	Prim	0194	218020	00	12.0	GPP		
VIKING U	Prim	0194	218021	00	11.5	GPP		
VIKING AA	Prim	0194	218027	00	13.0	GPP		
VIKING GGG	Prim	0194	220407	00	14.5	GPP	3	
OSTRACOD H	Prim	0194	316008	00	16.0	GPP		
BASAL MANNVILLE O3O	Prim	0194	320715	00	18.5	GPP		
BASAL MANNVILLE M4M	Prim	0194	320739	00	15.0	GPP		
BASAL MANNVILLE R4R	Prim	0194	320744	00	16.0	GPP		
BASAL MANNVILLE C8C	Prim	0194	321229	00	14.0	GPP		
BASAL MANNVILLE X8X	Prim	0194	321250	00	17.0	GPP		
BASAL MANNVILLE A9A	Prim	0194	321301	00	14.5	GPP		
RUNDLE D	Prim	0194	610004	00	15.5	GPP		
ELKTON M	Prim	0194	638013	00	15.0	GPP		
ELKTON W	Prim	0194	638023	00	17.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CAROLINE (continued)								
COMMINGLED POOL 002	Prim	0194	800260	00	13.5	GPP		
COMMINGLED POOL 003	Prim	0194	800360	00	14.5	GPP	12	
COMMINGLED POOL 009	Prim	0194	800960	00	13.0	GPP		
COMMINGLED POOL 010	Prim	0194	801060	00	15.0	GPP		
COMMINGLED POOL 010	WF	0194	801060	20	15.0	GPP		
COMMINGLED POOL 011	Prim	0194	801160	00	14.0	GPP		
CARROT CREEK								
BELLY RIVER A	Prim	0196	126001	00	8.0	GPP		
CARDIUM A	Prim	0196	176001	00	8.0	GPP		
CARDIUM A	WF	0196	176001	20	8.0	GPP		
CARDIUM E	Prim	0196	176005	00	8.0	GPP		
CARDIUM F	Prim	0196	176006	00	8.0	GPP		
CARDIUM F	WF	0196	176006	20	8.0	GPP		
CARDIUM H	Prim	0196	176008	00	8.0	GPP		
CARDIUM FF	Prim	0196	176032	00	8.0	GPP		
CARDIUM GG	WF	0196	176033	20	8.0	GPP		
CARDIUM JJ	Prim	0196	176036	00	8.0	GPP		
CARDIUM XX	Prim	0196	176050	00	8.0	GPP		
CARDIUM ZZ	Prim	0196	176052	00	8.0	GPP		
CARDIUM AAA	Prim	0196	176301	00	8.0	8.0	100	
CARDIUM AAA	GF	0196	176301	40	8.0	GPP		
CARDIUM CCC	Prim	0196	176303	00	8.0	GPP	12	
CARDIUM DDD	Prim	0196	176304	00	8.0	GPP		
CARDIUM FFF	Prim	0196	176306	00	8.0	GPP		
SECOND WHITE SPECKS A	Prim	0196	186001	00	8.0	GPP		
VIKING H	Prim	0196	218008	00	8.5	GPP		
LOWER MANNVILLE A	Prim	0196	310001	00	9.5	GPP		
LOWER MANNVILLE V	Prim	0196	310022	00	8.5	GPP		
LOWER MANNVILLE K2K	Prim	0196	310137	00	10.0	GPP		
LOWER MANNVILLE L2L	Prim	0196	310138	00	9.5	GPP		
JURASSIC B2B	Prim	0196	446328	00	11.0	GPP	3	
JURASSIC W2W	Prim	0196	446349	00	9.5	GPP		
COMMINGLED POOL 003	Prim	0196	800360	00	9.0	GPP		
COMMINGLED POOL 004	Prim	0196	800460	00	9.5	GPP	12	
COMMINGLED POOL 027	Prim	0196	802760	00	8.5	GPP		
COMMINGLED POOL 031	Prim	0196	803160	00	8.0	GPP		
COMMINGLED MFP9538	Prim	0196	953860	00	10.0	GPP		
CARSON CREEK								
BEAVERHILL LAKE C	Prim	0198	744003	00	13.5	GPP		
SWAN HILLS B	Prim	0198	756002	00	13.5	GPP		
CARSON CREEK NORTH								
GETHING D	Prim	0200	326004	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0200	800160	00	14.0	14.0	320	
COMMINGLED POOL 001	WF	0200	800160	20	14.0	GPP	9a 12e	
CARSTAIRS								
CARDIUM A	Prim	0202	176001	00	8.0	GPP		
CARDIUM C	Prim	0202	176003	00	8.5	GPP		
VIKING E	Prim	0202	218005	00	9.5	GPP		
VIKING J	Prim	0202	218010	00	10.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CARSTAIRS (continued) COMMINGLED POOL 003	Prim	0202	800360	00	12.0	GPP		
CAVALIER GLAUCONITIC A GLAUCONITIC Z	Prim Prim	0167 0167	300001 300026	00 00	8.0 8.0	GPP GPP	12	
ELLERSLIE I COMMINGLED POOL 001	Prim Prim	0167 0167	336009 800160	00 00	8.0 8.0	GPP GPP	12, 12a	
CECIL CHARLIE LAKE A CHARLIE LAKE O CHARLIE LAKE O	Prim Prim WF	0204 0204 0204	508001 508015 508015	00 00 20	8.0 8.0 8.0	GPP GPP GPP		
CHARLIE LAKE HH CHARLIE LAKE II CHARLIE LAKE JJ	Prim Prim Prim	0204 0204 0204	508034 508035 508036	00 00 00	8.0 8.0 8.0	GPP GPP 8.0	120	
CHARLIE LAKE JJ CHARLIE LAKE QQ CHARLIE LAKE RR	WF Prim Prim	0204 0204 0204	508036 508043 508044	20 00 00	8.0 8.0 8.0	GPP GPP GPP		
HALFWAY A HALFWAY E DOIG B	Prim Prim Prim	0204 0204 0204	516001 516005 520002	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
KISKATINAW A KISKATINAW G KISKATINAW I	Prim Prim Prim	0204 0204 0204	606001 606007 606009	00 00 00	8.0 8.0 8.0	GPP GPP GPP	12a	
KISKATINAW K KISKATINAW M KISKATINAW N	WF Prim Prim	0204 0204 0204	606011 606013 606014	20 00 00	8.0 8.0 8.0	GPP GPP GPP	12	
COMMINGLED POOL 001 COMMINGLED POOL 002 COMMINGLED POOL 003	Prim Prim Prim	0204 0204 0204	800160 800260 800360	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
CESSFORD BASAL COLORADO A BASAL COLORADO A	Prim WF	0206 0206	242001 242001	00 20	8.0 8.0	GPP GPP	12 12	
MANNVILLE C MANNVILLE C MANNVILLE X	Prim WF Prim	0206 0206 0206	248003 248003 248024	00 20 00	8.0 8.0 8.0	GPP GPP GPP	12 12	
MANNVILLE Y2Y MANNVILLE Z3Z MANNVILLE T4T	Prim Prim Prim	0206 0206 0206	248151 248226 248246	00 00 00	8.0 8.0 8.0	GPP GPP GPP	12a 12a	
MANNVILLE W5W MANNVILLE O6O MANNVILLE C9C	Prim Prim WF	0206 0206 0206	248323 248341 248503	00 00 20	8.0 8.0 8.0	GPP GPP GPP		
MANNVILLE H9H MANNVILLE J9J MANNVILLE P13P	Prim Prim Prim	0206 0206 0206	248508 248510 248716	00 00 00	8.0 8.0 8.0	GPP GPP GPP	3	
MANNVILLE Q13Q MANNVILLE R13R MANNVILLE S13S	Prim Prim Prim	0206 0206 0206	248717 248718 248719	00 00 00	8.0 8.0 8.0	GPP GPP GPP	3	
MANNVILLE T13T GLAUCONITIC A BASAL QUARTZ C	Prim Prim Prim	0206 0206 0206	248720 300001 334003	00 00 00	8.0 8.0 8.0	GPP GPP GPP	12 3 12	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CESSFORD (continued)								
BASAL QUARTZ G	Prim	0206	334007	00	8.0	GPP		
DETRITAL H	Prim	0206	350008	00	8.0	GPP		
PEKISKO D	Prim	0206	642004	00	8.0	GPP		
BANFF B	Prim	0206	644002	00	8.0	GPP		12b, 12d
BANFF M	Prim	0206	644013	00	8.0	GPP		
BANFF O	Prim	0206	644015	00	8.0	GPP		
BANFF Q	Prim	0206	644017	00	8.0	GPP		
BANFF T	Prim	0206	644020	00	8.0	GPP		3
BANFF U	Prim	0206	644021	00	8.0	GPP		3
COMMINGLED POOL 002	Prim	0206	800260	00	8.0	GPP		12, 12d
COMMINGLED POOL 003	Prim	0206	800360	00	8.0	GPP		
CHAIN								
VIKING D	Prim	0207	218004	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0207	310006	00	8.0	GPP		
LOWER MANNVILLE G	Prim	0207	310007	00	8.0	GPP		
BANFF F	Prim	0207	644006	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0207	800260	00	8.0	GPP		
CHARLIE								
GETHING M	Prim	0165	326013	00	8.0	GPP		12
GETHING N	Prim	0165	326014	00	8.0	GPP		
MONTNEY A	Prim	0165	524001	00	8.0	GPP		
MONTNEY B	Prim	0165	524002	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0165	800160	00	8.0	GPP		
CHAUNCEY								
BOW ISLAND A	Prim	1023	213001	00	8.0	GPP		
CHAUVIN								
MANNVILLE B	Prim	0210	248002	00	8.0	GPP		
MANNVILLE B	WF	0210	248002	20	8.0	GPP		
SPARKY D	Prim	0210	276004	00	8.0	GPP		
SPARKY G	Prim	0210	276007	00	8.0	GPP		
SPARKY H	Prim	0210	276008	00	8.0	GPP		
SPARKY L	WF	0210	276012	20	8.0	GPP		
LLOYDMINSTER D	WF	0210	294004	20	8.0	GPP		
CUMMINGS A	Prim	0210	302001	00	8.0	GPP		
CUMMINGS B	Prim	0210	302002	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0210	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0210	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0210	800260	00	8.0	GPP		
COMMINGLED POOL 002	WF	0210	800260	20	8.0	GPP		
COMMINGLED POOL 003	Prim	0210	800360	00	8.0	GPP		
COMMINGLED POOL 003	WF	0210	800360	20	8.0	GPP		
CHAUVIN SOUTH								
COLONY A	Prim	0212	256001	00	8.0	GPP		
COLONY B	Prim	0212	256002	00	8.0	GPP		
COLONY GG	Prim	0212	256033	00	8.0	GPP		
COLONY HH	Prim	0212	256034	00	8.0	GPP		12
SPARKY W	WF	0212	276023	20	8.0	GPP		
SPARKY CC	Prim	0212	276029	00	8.0	GPP		
SPARKY II	Prim	0212	276035	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CHAUVIN SOUTH (continued)								
SPARKY MM	Prim	0212	276039	00	8.0	GPP		
SPARKY MM	WF	0212	276039	20	8.0	GPP		
GENERAL PETROLEUM C	Prim	0212	286003	00	8.0	GPP		
GENERAL PETROLEUM J	Prim	0212	286010	00	8.0	GPP		
GENERAL PETROLEUM L	Prim	0212	286012	00	8.0	GPP		
GENERAL PETROLEUM M	Prim	0212	286013	00	8.0	GPP		
GENERAL PETROLEUM N	Prim	0212	286014	00	8.0	GPP		
REX D	Prim	0212	288004	00	8.0	GPP		
REX F	Prim	0212	288006	00	8.0	GPP		
CUMMINGS D	Prim	0212	302004	00	8.0	GPP		
CUMMINGS E	Prim	0212	302005	00	8.0	GPP		
CUMMINGS F	Prim	0212	302006	00	8.0	GPP		
CUMMINGS G	Prim	0212	302007	00	8.0	GPP		
LEDUC A	Prim	0212	720001	00	8.0	GPP		
LEDUC B	Prim	0212	720002	00	8.0	GPP		
LEDUC D	Prim	0212	720004	00	8.0	GPP		
LEDUC E	Prim	0212	720005	00	8.0	GPP		
LEDUC F	Prim	0212	720006	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0212	800160	00	8.0	8.0	70	
COMMINGLED POOL 001	WF	0212	800160	20	8.0	GPP		
COMMINGLED POOL 003	Prim	0212	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0212	800460	00	8.0	GPP		
COMMINGLED POOL 004	WF	0212	800460	20	8.0	GPP		
COMMINGLED POOL 013	WF	0212	801360	20	8.0	GPP		
CHEDDERSVILLE								
VIKING A	WF	0226	218001	20	14.0	GPP		
VIKING C	Prim	0226	218003	00	12.5	GPP		
CHERHILL								
BASAL BELLY RIVER K	Prim	0213	134011	00	8.0	GPP		
VIKING C	Prim	0213	218003	00	8.0	GPP		
BANFF A	Prim	0213	644001	00	8.0	GPP		
BANFF A	WF	0213	644001	20	8.0	GPP	12a	
BANFF C	Prim	0213	644003	00	8.0	GPP	12	
BANFF F	Prim	0213	644006	00	8.0	GPP	12	
BANFF H	Prim	0213	644008	00	8.0	GPP	12	
CHICKADEE								
GETHING O	Prim	0235	326015	00	8.0	GPP		
CHIGWELL								
BELLY RIVER H	Prim	0214	126008	00	8.0	GPP		
BELLY RIVER V	Prim	0214	126022	00	8.0	GPP		
BELLY RIVER RR	Prim	0214	126044	00	8.0	8.0	70	
BELLY RIVER RR	WF	0214	126044	20	8.0	GPP		
VIKING B	Prim	0214	218002	00	8.0	GPP		
VIKING B	WF	0214	218002	20	8.0	GPP		
VIKING E	Prim	0214	218005	00	8.0	8.0	80	
VIKING E	SF	0214	218005	10	8.0	GPP		
VIKING I	SF	0214	218009	10	8.0	GPP	12a	
MANNVILLE B	Prim	0214	248002	00	8.0	GPP		
MANNVILLE WW	Prim	0214	248049	00	8.0	GPP	12	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CHIGWELL (continued)								
MANNVILLE AAA	Prim	0214	248101	00	8.0	GPP		
D-2 A	Prim	0214	696001	00	8.0	GPP		
D-2 B	Prim	0214	696002	00	8.0	GPP		
D-2 C	Prim	0214	696003	00	8.0	GPP		
D-3 B	Prim	0214	720002	00	8.0	GPP		
D-3 G	Prim	0214	720007	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0214	800160	00	8.0	GPP		
CHIGWELL NORTH								
D-3 B	Prim	0238	720002	00	8.0	GPP		
D-3 C	Prim	0238	720003	00	8.0	GPP		
CHIN COULEE								
BASAL MANNVILLE B	Prim	0217	320002	00	8.0	GPP		
BASAL MANNVILLE D	Prim	0217	320004	00	8.0	GPP		
SAWTOOTH B	Prim	0217	428002	00	8.0	GPP		
SAWTOOTH B	WF	0217	428002	20	8.0	GPP		5
SAWTOOTH C	Prim	0217	428003	00	8.0	GPP		
SAWTOOTH D	Prim	0217	428004	00	8.0	GPP		
SAWTOOTH G	Prim	0217	428007	00	8.0	GPP		
SAWTOOTH H	Prim	0217	428008	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0217	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0217	800160	20	8.0	GPP		
CHINCHAGA								
BLSK-GETH-MONT B	Prim	0220	304402	00	8.0	GPP		
SLAVE POINT D	Prim	0220	758004	00	11.5	GPP		
SLAVE POINT I	Prim	0220	758009	00	11.5	GPP		
SLAVE POINT J	Prim	0220	758010	00	11.0	GPP		
SLAVE POINT M	Prim	0220	758013	00	10.5	GPP		
SLAVE POINT X	Prim	0220	758024	00	10.0	GPP		
SLAVE POINT Y	Prim	0220	758025	00	10.5	GPP		12
SLAVE POINT GG	Prim	0220	758033	00	11.5	11.5	330	
SLAVE POINT GG	WF	0220	758033	20	11.0	GPP		
SLAVE POINT HH	Prim	0220	758034	00	10.0	GPP		
SLAVE POINT RR	Prim	0220	758044	00	9.5	GPP		5, 10m, 12a
CINDY								
D-1 C	Prim	0236	658003	00	9.0	40.0	270	6a
D-1 D	Prim	0236	658004	00	9.0	GPP		
D-1 E	Prim	0236	658005	00	9.0	GPP		3
D-1 F	Prim	0236	658006	00	9.5	GPP		
D-1 G	Prim	0236	658007	00	9.5	GPP		
D-1 H	Prim	0236	658008	00	9.5	GPP		
D-1 I	Prim	0236	658009	00	10.0	GPP		3
D-1 J	Prim	0236	658010	00	11.0	GPP		
D-1 K	Prim	0236	658011	00	9.5	GPP		
COMMINGLED POOL 001	Prim	0236	800160	00	8.0	GPP		12
CLAIR								
DOE CREEK A	Prim	0239	190001	00	8.0	GPP		12a
DOE CREEK A	WF	0239	190001	20	8.0	GPP		12a
DUNVEGAN B	Prim	0239	192002	00	8.0	GPP		
CHARLIE LAKE E	Prim	0239	508005	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CLAIR (continued)								
HALFWAY D	Prim	0239	516004	00	8.0	GPP		
HALFWAY G	Prim	0239	516007	00	8.0	GPP	12	
HALFWAY I	Prim	0239	516009	00	8.0	GPP		
CLARESHOLM								
BARONS D	Prim	0223	204004	00	8.0	GPP	12a	
BARONS E	Prim	0223	204005	00	8.0	GPP		
BARONS F	Prim	0223	204006	00	8.0	GPP		
BARONS G	Prim	0223	204007	00	8.0	GPP		
BARONS H	Prim	0223	204008	00	8.0	GPP		
BARONS J	Prim	0223	204010	00	8.0	GPP		
BARONS M	Prim	0223	204013	00	8.0	GPP		
BARONS N	Prim	0223	204014	00	8.0	GPP		
RUNDLE F	Prim	0223	610006	00	9.0	GPP		
LWR BANFF-EXSHAW-BV A	Prim	0223	649001	00	11.0	GPP		
CLAYHURST								
CHARLIE LAKE H	Prim	0228	508008	00	8.0	GPP		
CLEAR HILLS								
CHARLIE LAKE B	Prim	1033	508002	00	8.0	GPP		
CHARLIE LAKE C	Prim	1033	508003	00	8.0	GPP		
HALFWAY A	Prim	1033	516001	00	8.0	GPP		
CLEAR PRAIRIE								
NORDEGG B	Prim	0229	444002	00	8.0	GPP		
CLIVE								
GLAUCONITIC C	Prim	0224	300003	00	8.0	GPP		
D-2 A	Prim	0224	696001	00	8.0	GPP	12a	
D-2 A	WF	0224	696001	20	8.0	GPP	12a	
D-2 B	Prim	0224	696002	00	8.0	GPP		
D-2 B	WF	0224	696002	20	8.0	GPP		
D-2 E	Prim	0224	696005	00	8.0	GPP		
D-3 A	Prim	0224	720001	00	8.0	12.0	250	
D-3 A	WF	0224	720001	20	8.0	GPP	1, 8	
COCHRANE								
CARDIUM D	Prim	1037	176004	00	11.5	GPP		
CARDIUM E	Prim	1037	176005	00	11.5	GPP	3	
CARDIUM F	Prim	1037	176006	00	11.5	GPP	3	
COMPEER								
VIKING C	Prim	0249	218003	00	8.0	GPP	3	
VIKING D	Prim	0249	218004	00	8.0	GPP	3	
VIKING E	Prim	0249	218005	00	8.0	GPP	3	
UPPER MANNVILLE S	Prim	0249	250019	00	8.0	GPP		
LOWER MANNVILLE A	Prim	0249	310001	00	8.0	GPP		
LOWER MANNVILLE C	Prim	0249	310003	00	8.0	GPP		
BANFF A	Prim	0249	644001	00	8.0	GPP		
BAKKEN A	Prim	0249	646001	00	8.0	GPP		
CONNEMARA								
RUNDLE A	Prim	0253	610001	00	10.5	GPP	12a	
RUNDLE B	Prim	0253	610002	00	10.5	GPP		
CONNORSVILLE								
GLAUCONITIC Z	Prim	0251	300026	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CONNORSVILLE (continued)								
ELLERSLIE H	Prim	0251	336008	00	8.0	GPP	12	
CONRAD								
ELLIS	Prim	0255	418000	00	8.0	GPP		
ELLIS	WF	0255	418000	20	8.0	GPP		
SAWTOOTH A	Prim	0255	428001	00	8.0	GPP		
SAWTOOTH C	Prim	0255	428003	00	8.0	GPP		
SAWTOOTH D	Prim	0255	428004	00	8.0	GPP		
SAWTOOTH D	WF	0255	428004	20	8.0	GPP		
SAWTOOTH F	Prim	0255	428006	00	8.0	GPP		
SAWTOOTH F	WF	0255	428006	20	8.0	GPP		
CORBETT								
VIKING H	Prim	0257	218008	00	8.0	GPP		
VIKING J	Prim	0257	218010	00	8.0	GPP		
NORDEGG A	Prim	0257	444001	00	8.0	GPP		
CORNWALL								
BLUERIDGE A	Prim	0252	680001	00	17.0	GPP		
COUNTESS								
UPPER MANNVILLE POOLS	Prim	0259	250000	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0259	250004	00	8.0	GPP		
UPPER MANNVILLE D	WF	0259	250004	20	8.0	GPP		
UPPER MANNVILLE F	WF	0259	250006	20	8.0	GPP	12	
UPPER MANNVILLE H	ASP	0259	250008	70	8.0	GPP	12	
UPPER MANNVILLE J	Prim	0259	250010	00	8.0	GPP	12a	
UPPER MANNVILLE O	WF	0259	250015	20	8.0	GPP		
UPPER MANNVILLE UU	WF	0259	250047	20	8.0	GPP		
UPPER MANNVILLE VV	Prim	0259	250048	00	8.0	GPP	12a	
UPPER MANNVILLE YY	WF	0259	250051	20	8.0	GPP		
UPPER MANNVILLE HHH	WF	0259	250708	20	8.0	GPP		
UPPER MANNVILLE L3L	Prim	0259	251112	00	8.0	GPP	12a	
UPPER MANNVILLE F4F	Prim	0259	251132	00	8.0	GPP	12	
UPPER MANNVILLE N5N	Prim	0259	251514	00	8.0	GPP	12	
UPPER MANNVILLE K6K	Prim	0259	251537	00	8.0	GPP	12	
UPPER MANNVILLE N6N	Prim	0259	251540	00	8.0	GPP	12	
UPPER MANNVILLE Q9Q	Prim	0259	253017	00	8.0	GPP	12a	
UPPER MANNVILLE Y9Y	Prim	0259	253025	00	8.0	GPP	12a	
UPPER MANNVILLE J10J	Prim	0259	253036	00	8.0	8.0	130	
UPPER MANNVILLE Q10Q	Prim	0259	253043	00	8.0	GPP	12a	
UPPER MANNVILLE M22M	WF	0259	259339	20	8.0	GPP		
UPPER MANNVILLE L24L	Prim	0259	259438	00	8.0	GPP		
UPPER MANNVILLE L24L	WF	0259	259438	20	8.0	GPP	12e	
UPPER MANNVILLE M24M	WF	0259	259439	20	8.0	GPP	12e	
UPPER MANNVILLE N25N	Prim	0259	259514	00	8.0	GPP	12a	
UPPER MANNVILLE V25V	WF	0259	259522	20	8.0	GPP		
UPPER MANNVILLE E26E	Prim	0259	259531	00	8.0	GPP		
GLAUCONITIC KKK	Prim	0259	300911	00	8.0	GPP		
GLAUCONITIC PPP	Prim	0259	300916	00	8.0	GPP		
GLAUCONITIC QQQ	Prim	0259	300917	00	8.0	GPP	3	
LOWER MANNVILLE POOLS	Prim	0259	310000	00	8.0	GPP		
LOWER MANNVILLE Z	WF	0259	310026	20	8.0	GPP	12a	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
COUNTESS (continued)								
LOWER MANNVILLE NN	Prim	0259	310040	00	8.0	GPP		12a
LOWER MANNVILLE RR	WF	0259	310044	20	8.0	GPP		12a
LOWER MANNVILLE A2A	Prim	0259	310127	00	8.0	GPP		12, 12a
LOWER MANNVILLE J3J	Prim	0259	310210	00	8.0	GPP		12
LOWER MANNVILLE S5S	Prim	0259	310319	00	8.0	GPP		12
OSTRACOD N	Prim	0259	316014	00	8.0	GPP		
BASAL QUARTZ D	Prim	0259	334004	00	8.0	GPP		
BASAL QUARTZ I	Prim	0259	334009	00	8.0	GPP		
PEKISKO O	Prim	0259	642015	00	8.0	GPP		
PEKISKO S	Prim	0259	642019	00	8.0	GPP		
PEKISKO T	Prim	0259	642020	00	8.0	GPP		
PEKISKO U	Prim	0259	642021	00	8.0	GPP		
PEKISKO X	Prim	0259	642024	00	8.0	GPP		
PEKISKO Y	Prim	0259	642025	00	8.0	GPP		
PEKISKO Z	Prim	0259	642026	00	8.0	GPP		
PEKISKO II	Prim	0259	642035	00	8.0	GPP		
PEKISKO JJ	Prim	0259	642036	00	8.0	GPP		
PEKISKO LL	Prim	0259	642038	00	8.0	GPP		
PEKISKO MM	Prim	0259	642039	00	8.0	GPP		
PEKISKO PP	Prim	0259	642042	00	8.0	GPP		
PEKISKO RR	Prim	0259	642044	00	8.0	GPP		
PEKISKO WW	Prim	0259	642049	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0259	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0259	800460	00	8.0	GPP		12, 12a
COMMINGLED POOL 005	Prim	0259	800560	00	8.0	GPP		12
COMMINGLED POOL 059	WF	0259	805960	20	8.0	GPP		12, 12a
COMMINGLED MFP9501	Prim	0259	950160	00	8.0	GPP		12
COUTTS								
LOWER MANNVILLE A	Prim	0260	310001	00	8.0	GPP		
MOULTON D	Prim	0260	330004	00	8.0	GPP		
MOULTON G	Prim	0260	330007	00	8.0	GPP		
MOULTON I	Prim	0260	330009	00	8.0	GPP		
MOULTON J	Prim	0260	330010	00	8.0	GPP		
MOULTON L	Prim	0260	330012	00	8.0	GPP		
MOULTON N	Prim	0260	330014	00	8.0	GPP		
CUTBANK L	Prim	0260	344012	00	8.0	GPP		
RUNDLE D	Prim	0260	610004	00	8.0	GPP		
RUNDLE H	Prim	0260	610008	00	8.0	GPP		
RUNDLE I	Prim	0260	610009	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0260	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0260	800260	00	8.0	GPP		
COMMINGLED POOL 002	WF	0260	800260	20	8.0	GPP		
COYOTE								
UPPER MANNVILLE A	Prim	0264	250001	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0264	250004	00	8.0	GPP		
ELLERSLIE B	Prim	0264	336002	00	8.0	GPP		
ELLERSLIE C	Prim	0264	336003	00	8.0	GPP		
ELLERSLIE D	Prim	0264	336004	00	8.0	GPP		3
ELLERSLIE F	Prim	0264	336006	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
COYOTE (continued) BANFF F	Prim	0264	644006	00	8.0	GPP		
CRAIGMYLE UPPER MANNVILLE M UPPER MANNVILLE W	Prim Prim	0262 0262	250013 250023	00 00	8.0 8.0	GPP GPP		
OSTRACOD C ELLERSLIE P DETRITAL K	Prim Prim Prim	0262 0262 0262	316003 336016 350011	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
BANFF A BANFF I BANFF R	Prim Prim Prim	0262 0262 0262	644001 644009 644018	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
BANFF U COMMINGLED POOL 003 COMMINGLED POOL 003	Prim Prim WF	0262 0262 0262	644021 800360 800360	00 00 20	8.0 8.0 8.0	GPP GPP GPP		
CRANBERRY SLAVE POINT D SLAVE POINT D	Prim WF	0263 0263	758004 758004	00 20	12.0 12.0	12.0 GPP	240 9a	
SLAVE POINT F	Prim	0263	758006	00	10.5	GPP		
CROSSFIELD CARDIUM A CARDIUM A CARDIUM B CARDIUM D	Prim WF Prim Prim	0267 0267 0267 0267	176001 176001 176002 176004	00 20 00 00	8.5 8.5 8.0 8.5	GPP GPP GPP GPP		
JUMPING POUND A VIKING A VIKING B	Prim Prim Prim	0267 0267 0267	184001 218001 218002	00 00 00	8.5 9.5 10.0	GPP GPP GPP		
VIKING C VIKING E VIKING F	Prim Prim Prim	0267 0267 0267	218003 218005 218006	00 00 00	10.0 10.0 9.0	GPP GPP GPP		
VIKING J VIKING K OSTRACOD A	Prim Prim Prim	0267 0267 0267	218010 218011 316001	00 00 00	10.0 11.0 10.0	GPP GPP GPP		
RUNDLE C RUNDLE E RUNDLE G	Prim Prim Prim	0267 0267 0267	610003 610005 610007	00 00 00	13.5 9.0 13.5	GPP GPP GPP	12	
RUNDLE M RUNDLE P	Prim Prim	0267 0267	610013 610016	00 00	9.0 8.5	GPP GPP	12a, 12b	
CROSSFIELD EAST CARDIUM B CARDIUM D VIKING A	Prim Prim Prim	0269 0269 0269	176002 176004 218001	00 00 00	8.0 8.0 9.0	GPP GPP GPP		
ELLERSLIE G ELLERSLIE H ELLERSLIE I	Prim Prim Prim	0269 0269 0269	336007 336008 336009	00 00 00	8.5 9.0 8.5	GPP GPP GPP	12 12	
ELLERSLIE L ELKTON F ELKTON G ELKTON I	Prim Prim Prim Prim	0269 0269 0269 0269	336012 638006 638007 638009	00 00 00 00	9.5 10.5 10.5 14.0	GPP GPP GPP GPP	12	
CULP WABAMUN A	Prim	0270	658001	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
CULP (continued)								
WABAMUN D	Prim	0270	658004	00	8.0	GPP		12
WABAMUN E	Prim	0270	658005	00	8.0	GPP		12
WABAMUN F	Prim	0270	658006	00	8.0	GPP		12
WABAMUN Q	Prim	0270	658017	00	8.0	GPP		
BEAVERHILL LAKE A	Prim	0270	744001	00	11.5	GPP		
CUTPICK								
CARDIUM B	Prim	1043	176002	00	11.0	GPP		
CYGNET								
VIKING A	Prim	0321	218001	00	8.0	GPP		
VIKING C	Prim	0321	218003	00	8.0	GPP		
VIKING H	Prim	0321	218008	00	8.0	GPP		
VIKING O	Prim	0321	218015	00	8.0	GPP		
GLAUCONITIC B	Prim	0321	300002	00	8.0	GPP		
GLAUCONITIC E	Prim	0321	300005	00	8.0	GPP		
OSTRACOD A	Prim	0321	316001	00	8.0	GPP		
ELLERSLIE C	Prim	0321	336003	00	8.0	GPP		
ELLERSLIE V	Prim	0321	336022	00	8.0	GPP		
ELLERSLIE DD	Prim	0321	336030	00	8.0	GPP		12
ELLERSLIE EE	Prim	0321	336031	00	8.0	GPP		12
DUVERNAY A	Prim	0321	728001	00	8.0	GPP		3
CYN-PEM								
COMMINGLED POOL 002	Prim	0271	800260	00	11.0	GPP		
COMMINGLED POOL 003	Prim	0271	800360	00	9.5	GPP		
DAVEY								
BASAL BELLY RIVER B	Prim	0272	134002	00	8.0	GPP		12a, 12e
BASAL BELLY RIVER B	WF	0272	134002	20	8.0	GPP		12a, 12e
BASAL BELLY RIVER C	Prim	0272	134003	00	8.0	GPP		
BASAL BELLY RIVER D	Prim	0272	134004	00	8.0	GPP		12
ELLERSLIE E	Prim	0272	336005	00	8.5	GPP		
ELLERSLIE F	Prim	0272	336006	00	8.0	GPP		3
PEKISKO A	Prim	0272	642001	00	8.0	GPP		
PEKISKO F	Prim	0272	642006	00	8.0	GPP		12
DAWSON								
SLAVE POINT E	Prim	0297	758005	00	8.5	GPP		
SLAVE POINT F	Prim	0297	758006	00	8.5	GPP		
SLAVE POINT H	Prim	0297	758008	00	8.0	GPP		
SLAVE POINT J	Prim	0297	758010	00	8.0	GPP		
SLAVE POINT M	Prim	0297	758013	00	8.0	GPP		
SLAVE POINT N	WF	0297	758014	20	8.5	GPP		
SLAVE POINT O	Prim	0297	758015	00	8.0	GPP		
SLAVE POINT Q	WF	0297	758017	20	8.0	GPP		
SLAVE POINT S	Prim	0297	758019	00	8.5	GPP		
SLAVE POINT U	WF	0297	758021	20	8.5	GPP		
SLAVE POINT Y	Prim	0297	758025	00	8.5	GPP		
SLAVE POINT Y	WF	0297	758025	20	8.0	GPP		
SLAVE POINT Z	WF	0297	758026	20	8.5	GPP		
SLAVE POINT BB	Prim	0297	758028	00	8.5	GPP		
SLAVE POINT CC	WF	0297	758029	20	8.5	GPP		
SLAVE POINT EE	Prim	0297	758031	00	8.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
DAWSON (continued)								
SLAVE POINT II	WF	0297	758035	20	9.0	GPP		
SLAVE POINT JJ	Prim	0297	758036	00	9.0	GPP		
SLAVE POINT KK	Prim	0297	758037	00	8.0	GPP		
SLAVE POINT LL	Prim	0297	758038	00	8.0	GPP		
SLAVE POINT NN	WF	0297	758040	20	8.0	GPP		
SLAVE POINT OO	Prim	0297	758041	00	8.0	GPP		
SLAVE POINT PP	Prim	0297	758042	00	9.0	GPP		
SLAVE POINT QQ	WF	0297	758043	20	9.0	GPP		
SLAVE POINT SS	Prim	0297	758045	00	9.0	GPP		
SLAVE POINT WW	Prim	0297	758049	00	8.5	GPP		
SLAVE POINT YY	Prim	0297	758051	00	8.5	GPP		
SLAVE PT-GRAN WASH A	Prim	0297	758101	00	9.0	GPP		
SLAVE PT-GRAN WASH B	Prim	0297	758102	00	9.0	GPP		
SLAVE PT-GRAN WASH C	Prim	0297	758103	00	9.0	GPP		
SLAVE POINT AAA	WF	0297	758601	20	9.0	GPP		
SLAVE POINT DDD	Prim	0297	758604	00	8.0	GPP		
SLAVE POINT HHH	Prim	0297	758608	00	9.0	GPP		
SLAVE POINT III	Prim	0297	758609	00	9.0	GPP		
SLAVE POINT LLL	Prim	0297	758612	00	8.0	GPP		
SLAVE POINT MMM	Prim	0297	758613	00	8.0	GPP		
SLAVE POINT OOO	Prim	0297	758615	00	8.0	GPP		
SLAVE POINT PPP	Prim	0297	758616	00	8.5	GPP		
SLAVE POINT TTT	Prim	0297	758620	00	9.5	GPP		
SLAVE POINT UUU	Prim	0297	758621	00	8.5	GPP		3
GRANITE WASH G	Prim	0297	797507	00	8.0	GPP		
GRANITE WASH I	Prim	0297	797509	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0297	800160	00	8.0	GPP		
DEANNE								
BELLY RIVER A	Prim	0308	126001	00	8.5	GPP		
DECRENE								
CLEARWATER C	Prim	0281	280003	00	8.0	GPP		
DEL BONITA								
RUNDLE	Prim	0275	610000	00	8.0	GPP		
LWR BANFF-EXSHAW-BV B	Prim	0275	649002	00	12.0	GPP		
DEVIL								
PEACE RIVER F	Prim	0293	228006	00	8.0	GPP		
PEACE RIVER G	Prim	0293	228007	00	8.0	GPP		12
PEACE RIVER G	WF	0293	228007	20	8.0	GPP		
DIMSDALE								
CHARLIE LAKE A	Prim	0316	508001	00	8.5	GPP		
CHARLIE LAKE B	Prim	0316	508002	00	8.0	GPP		3
HALFWAY G	Prim	0316	516007	00	8.5	GPP		
DINA								
SPARKY	Prim	0280	276000	00	8.0	GPP		
SPARKY B	Prim	0280	276002	00	8.0	GPP		
SPARKY D	Prim	0280	276004	00	8.0	GPP		
DIXONVILLE								
MONTNEY C	Prim	0282	524003	00	8.0	GPP		
MONTNEY C	WF	0282	524003	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
DOE								
BOUNDARY C	Prim	0294	510003	00	8.0	GPP		
BOUNDARY D	Prim	0294	510004	00	8.0	GPP		
HALFWAY A	Prim	0294	516001	00	8.0	GPP		
DOIG C	Prim	0294	520003	00	8.0	GPP		
DOIG G	Prim	0294	520007	00	8.0	GPP		
DOIG I	Prim	0294	520009	00	8.0	GPP		12
DOIG N	Prim	0294	520014	00	8.0	GPP		12
COMMINGLED POOL 001	Prim	0294	800160	00	8.0	GPP		12, 12a
COMMINGLED POOL 002	Prim	0294	800260	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0294	800460	00	8.0	GPP		12, 12a
DOLCY								
LLOYDMINSTER C	WF	0313	294003	20	8.0	GPP		
COMMINGLED POOL 001	WF	0313	800160	20	8.0	GPP		
DOWLING LAKE								
LOWER MANNVILLE C	Prim	0289	310003	00	8.0	GPP		
DUHAMEL								
BASAL QUARTZ M	Prim	0296	334013	00	8.0	GPP		12
BASAL QUARTZ N	Prim	0296	334014	00	8.0	GPP		
BASAL QUARTZ O	Prim	0296	334015	00	8.0	GPP		
BASAL QUARTZ V	Prim	0296	334022	00	8.0	GPP		
D-2 A	Prim	0296	696001	00	8.0	GPP		
D-3 B	Prim	0296	720002	00	8.0	GPP		12
DUNVEGAN								
MONTNEY N	Prim	0300	524014	00	8.0	GPP		
MONTNEY O	Prim	0300	524015	00	8.0	GPP		
DEBOLT BB	WF	0300	612028	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0300	800260	00	8.5	GPP		
DYBERG								
ELLERSLIE E	Prim	0307	336005	00	8.0	GPP		
EAGLESHAM								
D-1 F	Prim	0315	658006	00	8.5	GPP		12
D-1 N	Prim	0315	658014	00	8.5	GPP		
D-1 O	Prim	0315	658015	00	8.5	GPP		
D-1 P	Prim	0315	658016	00	8.5	GPP		
EAGLESHAM NORTH								
MONTNEY I	Prim	0317	524009	00	8.0	GPP		
D-1 C	Prim	0317	658003	00	8.0	GPP		
D-1 E	Prim	0317	658005	00	8.0	GPP		
D-1 F	Prim	0317	658006	00	8.0	GPP		
D-1 H	Prim	0317	658008	00	8.0	GPP		
D-1 Z	Prim	0317	658026	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0317	800560	00	8.0	GPP		
EARRING								
CHARLIE LAKE B	Prim	0314	508002	00	8.0	GPP		
CHARLIE LAKE D	Prim	0314	508004	00	8.0	GPP		
CHARLIE LAKE F	Prim	0314	508006	00	8.0	GPP		
CHARLIE LAKE I	Prim	0314	508009	00	8.0	GPP		
CHARLIE LAKE J	Prim	0314	508010	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0314	800160	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
EASTMONT								
CARDIUM A	Prim	1322	176001	00	8.0	GPP		
CARDIUM C	Prim	1322	176003	00	9.5	GPP		
CARDIUM D	Prim	1322	176004	00	9.0	GPP		
BARONS A	Prim	1322	204001	00	8.0	GPP		
COMMINGLED POOL 002	Prim	1322	800260	00	13.5	GPP		
COMMINGLED POOL 014	Prim	1322	801460	00	13.5	GPP		
EDBERG								
BASAL BELLY RIVER C	Prim	0319	134003	00	8.0	GPP	12a	
EDGERTON								
REX A	Prim	0318	288001	00	8.0	GPP		
REX A	WF	0318	288001	20	8.0	GPP		
REX C	Prim	0318	288003	00	8.0	GPP		
REX D	Prim	0318	288004	00	8.0	GPP		
LLOYDMINSTER B	Prim	0318	294002	00	8.0	GPP		
LLOYDMINSTER F	Prim	0318	294006	00	8.0	GPP		
LLOYDMINSTER G	Prim	0318	294007	00	8.0	GPP		
LLOYDMINSTER K	Prim	0318	294011	00	8.0	GPP		
D-2 D	Prim	0318	696004	00	8.0	GPP		
WOODBEND A	Prim	0318	704001	00	8.0	GPP		
COMMINGLED POOL 001	WF	0318	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0318	800260	00	8.0	GPP		
EDSON								
CARDIUM B	Prim	0320	176002	00	8.0	GPP		
CARDIUM J	Prim	0320	176010	00	8.0	GPP		
CARDIUM T	Prim	0320	176020	00	8.0	GPP		
CARDIUM U	Prim	0320	176021	00	8.0	GPP		
CARDIUM EE	Prim	0320	176031	00	8.5	GPP		
CARDIUM KK	Prim	0320	176037	00	8.0	GPP		
CARDIUM KKK	Prim	0320	176311	00	9.0	GPP		
CARDIUM MMM	Prim	0320	176313	00	8.0	GPP		
CARDIUM OOO	Prim	0320	176315	00	8.5	GPP		
CARDIUM TTT	Prim	0320	176320	00	9.0	GPP		
CARDIUM F2F	Prim	0320	176332	00	9.0	GPP		
CARDIUM H2H	Prim	0320	176334	00	8.0	GPP		
SECOND WHITE SPECKS A	Prim	0320	186001	00	9.0	GPP		
SECOND WHITE SPECKS B	Prim	0320	186002	00	8.5	GPP		
SECOND WHITE SPECKS D	Prim	0320	186004	00	8.0	GPP		
SECOND WHITE SPECKS E	Prim	0320	186005	00	9.0	GPP		
SECOND WHITE SPECKS F	Prim	0320	186006	00	8.0	GPP		
SECOND WHITE SPECKS J	Prim	0320	186010	00	8.0	GPP		
VIKING U	Prim	0320	218021	00	10.0	GPP		
GETHING PPP	Prim	0320	326616	00	11.0	GPP	3	
ROCK CREEK BB	Prim	0320	432028	00	11.0	GPP		
COMMINGLED POOL 001	Prim	0320	800160	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0320	800360	00	8.5	GPP	12	
COMMINGLED POOL 005	Prim	0320	800560	00	14.5	GPP		
COMMINGLED MFP9538	Prim	0320	953860	00	11.0	GPP		
EDWARD								
GLAUCONITIC E	Prim	0325	300005	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ELMWORTH								
DOE CREEK B	Prim	0333	190002	00	8.0	8.0	130	1, 12a
DOE CREEK B	WF	0333	190002	20	8.0	GPP		12a
DOE CREEK S	Prim	0333	190019	00	8.0	GPP		
DUNVEGAN B	Prim	0333	192002	00	8.0	GPP		
DUNVEGAN J	Prim	0333	192010	00	8.0	GPP		
DUNVEGAN VV	Prim	0333	192048	00	8.0	GPP		
DUNVEGAN CCC	Prim	0333	195803	00	8.0	GPP		12a
DUNVEGAN DDD	Prim	0333	195804	00	20.0	GPP		
DUNVEGAN HHH	Prim	0333	195808	00	8.0	GPP		
DUNVEGAN JJJ	Prim	0333	195810	00	8.0	GPP		
DUNVEGAN KKK	Prim	0333	195811	00	8.0	GPP		
DUNVEGAN MMM	Prim	0333	195813	00	8.0	GPP		
DUNVEGAN PPP	Prim	0333	195816	00	8.0	GPP		3
DUNVEGAN YYY	Prim	0333	195825	00	8.0	GPP		
DUNVEGAN F2F	Prim	0333	195832	00	8.0	GPP		
DUNVEGAN G2G	Prim	0333	195833	00	8.0	GPP		
DUNVEGAN H2H	Prim	0333	195834	00	8.0	GPP		
DUNVEGAN I2I	Prim	0333	195835	00	8.0	GPP		3
DUNVEGAN J2J	Prim	0333	195836	00	8.0	8.0	150	9a
PADDY C	Prim	0333	230003	00	8.0	GPP		12a
CADOTTE H	Prim	0333	232008	00	8.0	GPP		12a
SPIRIT RIVER X	Prim	0333	264024	00	8.0	GPP		
GETHING K2K	Prim	0333	326637	00	8.0	GPP		
CADOMIN J	Prim	0333	348010	00	9.0	GPP		
CHARLIE LAKE A	Prim	0333	508001	00	11.5	11.5	180	
CHARLIE LAKE A	WF	0333	508001	20	11.5	GPP		
CHARLIE LAKE H	Prim	0333	508008	00	8.5	GPP		12a
CHARLIE LAKE N	Prim	0333	508014	00	10.0	GPP		
CHARLIE LAKE X	Prim	0333	508024	00	9.0	GPP		
CHARLIE LAKE Y	Prim	0333	508025	00	11.0	GPP		
CHARLIE LAKE DD	Prim	0333	508030	00	9.0	GPP		
HALFWAY EEE	WF	0333	516205	20	11.0	GPP		
HALFWAY GGG	WF	0333	516207	20	8.5	GPP		12
HALFWAY HHH	Prim	0333	516208	00	11.5	GPP		
HALFWAY KKK	Prim	0333	516211	00	11.5	GPP		
HALFWAY RRR	Prim	0333	516218	00	13.5	GPP		3
MONTNEY JJJ	Prim	0333	524310	00	11.0	GPP		6e
MONTNEY KKK	Prim	0333	524311	00	10.5	GPP		6e
MONTNEY QQQ	Prim	0333	524317	00	10.0	GPP		6e
COMMINGLED POOL 044	Prim	0333	804460	00	8.0	GPP		12
COMMINGLED POOL 046	Prim	0333	804660	00	9.0	GPP		
COMMINGLED POOL 047	Prim	0333	804760	00	9.5	GPP		
COMMINGLED POOL 048	Prim	0333	804860	00	8.0	GPP		12
COMMINGLED MFP9513	Prim	0333	951360	00	8.0	GPP		
ELNORA								
VIKING B	Prim	0334	218002	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0334	250005	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0334	250012	00	8.0	GPP		
UPPER MANNVILLE BB	Prim	0334	250028	00	8.0	GPP		12a
LOWER MANNVILLE D	Prim	0334	310004	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ELNORA (continued)								
LOWER MANNVILLE Q	Prim	0334	310017	00	8.0	GPP		
LOWER MANNVILLE II	Prim	0334	310035	00	8.0	GPP		
NISKU A	Prim	0334	696001	00	8.0	GPP		
NISKU B	WF	0334	696002	20	8.0	GPP		
NISKU D	Prim	0334	696004	00	8.0	GPP		3
NISKU E	Prim	0334	696005	00	8.0	8.0	140	
ENCHANT								
UPPER MANNVILLE K	Prim	0336	250011	00	8.0	GPP		
UPPER MANNVILLE S	Prim	0336	250019	00	8.0	GPP		
UPPER MANNVILLE T	Prim	0336	250020	00	8.0	GPP		
UPPER MANNVILLE AA	Prim	0336	250027	00	8.0	GPP		
UPPER MANNVILLE BB	Prim	0336	250028	00	8.0	GPP		
UPPER MANNVILLE UU	Prim	0336	250047	00	8.0	GPP		
UPPER MANNVILLE WW	Prim	0336	250049	00	8.0	GPP		
UPPER MANNVILLE NNN	WF	0336	250714	20	8.0	GPP		
UPPER MANNVILLE G2G	Prim	0336	250733	00	8.0	GPP		
UPPER MANNVILLE S2S	Prim	0336	250745	00	8.0	GPP		
UPPER MANNVILLE Q3Q	Prim	0336	251117	00	8.0	GPP		
UPPER MANNVILLE V3V	Prim	0336	251122	00	8.0	GPP		
UPPER MANNVILLE Z3Z	Prim	0336	251126	00	8.0	GPP		
UPPER MANNVILLE F4F	Prim	0336	251132	00	8.0	GPP		
UPPER MANNVILLE M4M	Prim	0336	251139	00	8.0	GPP		
UPPER MANNVILLE N4N	Prim	0336	251140	00	8.0	GPP		
LOWER MANNVILLE I	Prim	0336	310009	00	8.0	GPP		
LOWER MANNVILLE L	Prim	0336	310012	00	8.0	GPP		
LOWER MANNVILLE O	Prim	0336	310015	00	8.0	GPP		
LOWER MANNVILLE P	Prim	0336	310016	00	8.0	GPP		
LOWER MANNVILLE T	Prim	0336	310020	00	8.0	GPP		
SUNBURST FF	Prim	0336	332032	00	8.0	GPP		
SUNBURST HH	Prim	0336	332034	00	8.0	GPP		
SUNBURST II	Prim	0336	332035	00	8.0	GPP		
DETR-LIVINGSTONE A	Prim	0336	350701	00	8.0	GPP		
ELLIS B	Prim	0336	418002	00	8.0	GPP		
ELLIS C	Prim	0336	418003	00	8.0	GPP		
ELLIS D	Prim	0336	418004	00	8.0	GPP		
ELLIS F	Prim	0336	418006	00	8.0	GPP		
ELLIS I	Prim	0336	418009	00	8.0	GPP		
ELLIS K	Prim	0336	418011	00	8.0	GPP		
ELLIS L	Prim	0336	418012	00	8.0	GPP		
ELLIS P	Prim	0336	418016	00	8.0	GPP		
ELLIS Q	Prim	0336	418017	00	8.0	GPP		
ELLIS T	Prim	0336	418020	00	8.0	GPP		
ELLIS V	Prim	0336	418022	00	8.0	GPP		
ELLIS V	WF	0336	418022	20	8.0	GPP		
ELLIS W	Prim	0336	418023	00	8.0	GPP		
ELLIS AA	Prim	0336	418027	00	8.0	GPP		
SAWTOOTH C	Prim	0336	428003	00	8.0	GPP		
SAWTOOTH D	Prim	0336	428004	00	8.0	GPP		
SAWTOOTH E	Prim	0336	428005	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ENCHANT (continued)								
SAWTOOTH G	Prim	0336	428007	00	8.0	GPP		
SAWTOOTH I	Prim	0336	428009	00	8.0	GPP		
LIVINGSTONE I	Prim	0336	628009	00	8.0	GPP		
LIVINGSTONE L	Prim	0336	628012	00	8.0	GPP		
ARCS E	Prim	0336	694005	00	8.0	GPP		
ARCS I	WF	0336	694009	20	8.0	GPP		
ARCS S	Prim	0336	694019	00	8.0	GPP		
ARCS LL	Prim	0336	694038	00	8.0	GPP		
ARCS OO	Prim	0336	694041	00	8.0	GPP		
ARCS TTT	Prim	0336	694120	00	8.0	GPP		
ARCS UUU	Prim	0336	694121	00	8.0	GPP		
ARCS XXX	Prim	0336	694124	00	8.0	GPP		
ARCS YYY	Prim	0336	694125	00	8.0	GPP		
ARCS B2B	Prim	0336	694128	00	8.0	GPP		
ARCS D2D	Prim	0336	694130	00	8.0	GPP		
ARCS M2M	Prim	0336	694139	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0336	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0336	800260	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0336	800460	00	8.0	GPP		
COMMINGLED POOL 005	SF	0336	800560	10	8.0	GPP		
COMMINGLED POOL 006	WF	0336	800660	20	8.0	GPP		
COMMINGLED POOL 007	WF	0336	800760	20	8.0	GPP		
COMMINGLED POOL 008	Prim	0336	800860	00	8.0	GPP		
COMMINGLED POOL 009	WF	0336	800960	20	8.0	GPP		
COMMINGLED POOL 010	WF	0336	801060	20	8.0	GPP		
COMMINGLED POOL 011	Prim	0336	801160	00	8.0	8.0	140	
COMMINGLED POOL 011	WF	0336	801160	20	8.0	GPP		
COMMINGLED POOL 012	WF	0336	801260	20	8.0	GPP		
COMMINGLED POOL 013	Prim	0336	801360	00	8.0	GPP		
COMMINGLED POOL 014	Prim	0336	801460	00	8.0	8.0	140	9a
COMMINGLED POOL 014	WF	0336	801460	20	8.0	GPP		
COMMINGLED POOL 016	Prim	0336	801660	00	8.0	GPP		
COMMINGLED POOL 017	SF	0336	801760	10	8.0	GPP		
COMMINGLED POOL 018	WF	0336	801860	20	8.0	GPP		
COMMINGLED POOL 019	Prim	0336	801960	00	8.0	GPP		
COMMINGLED POOL 020	Prim	0336	802060	00	8.0	GPP		
COMMINGLED POOL 027	Prim	0336	802760	00	8.0	GPP		
COMMINGLED POOL 029	Prim	0336	802960	00	8.0	GPP		
COMMINGLED POOL 030	Prim	0336	803060	00	8.0	GPP		
ENTICE								
UPPER MANNVILLE E	Prim	0339	250005	00	8.0	GPP		
UPPER MANNVILLE F	Prim	0339	250006	00	8.5	GPP		
UPPER MANNVILLE L	Prim	0339	250012	00	8.0	GPP		3
UPPER MANNVILLE M	Prim	0339	250013	00	8.0	GPP		3
LOWER MANNVILLE B	WF	0339	310002	20	8.0	GPP		12a
LOWER MANNVILLE F	Prim	0339	310006	00	8.0	GPP		
LOWER MANNVILLE AA	Prim	0339	310027	00	8.0	GPP		
LOWER MANNVILLE WW	Prim	0339	310049	00	8.0	GPP		
LOWER MANNVILLE XX	Prim	0339	310050	00	8.0	GPP		3

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ENTICE (continued)								
WABAMUN H	Prim	0339	658008	00	9.5	GPP		
BIG VALLEY A	Prim	0339	660001	00	8.0	GPP		
ENTWISTLE								
OSTRACOD A	Prim	1073	316001	00	8.0	GPP		
EQUISETUM								
KEG RIVER C	Prim	0357	772103	00	8.0	GPP		
ERSKINE								
BLAIRMORE G	Prim	0343	244007	00	8.0	GPP		
BLAIRMORE J	Prim	0343	244010	00	8.0	GPP		
BLAIRMORE X	Prim	0343	244024	00	8.0	GPP		
D-2	Prim	0343	696000	00	8.0	GPP		
D-3	Prim	0343	720000	00	8.0	GPP	12b, 12e	
COMMINGLED POOL 001	Prim	0343	800160	00	8.0	GPP		
ESTHER								
VIKING E	Prim	0348	218005	00	8.0	GPP		
VIKING F	Prim	0348	218006	00	8.0	GPP	12	
VIKING G	Prim	0348	218007	00	8.0	GPP		
VIKING N	Prim	0348	218014	00	8.0	GPP		
VIKING P	Prim	0348	218016	00	8.0	GPP		
VIKING Q	Prim	0348	218017	00	8.0	GPP		
VIKING V	Prim	0348	218022	00	8.0	GPP	12, 12a	
VIKING CC	Prim	0348	218029	00	8.0	GPP	12	
VIKING ZZ	Prim	0348	218052	00	8.0	GPP		
VIKING FFF	Prim	0348	220406	00	8.0	GPP	3	
UPPER MANNVILLE B	Prim	0348	250002	00	8.0	GPP		
UPPER MANNVILLE K	Prim	0348	250011	00	8.0	GPP	12	
UPPER MANNVILLE R	Prim	0348	250018	00	8.0	GPP	12a	
UPPER MANNVILLE X	Prim	0348	250024	00	8.0	GPP		
UPPER MANNVILLE DD	Prim	0348	250030	00	8.0	GPP	12	
UPPER MANNVILLE FF	Prim	0348	250032	00	8.0	GPP		
UPPER MANNVILLE II	Prim	0348	250035	00	8.0	GPP		
UPPER MANNVILLE SS	Prim	0348	250045	00	8.0	GPP		
BAKKEN C	Prim	0348	646003	00	8.0	GPP		
BAKKEN E	Prim	0348	646005	00	8.0	GPP		
BAKKEN G	Prim	0348	646007	00	8.0	GPP		
BAKKEN I	Prim	0348	646009	00	8.0	GPP		
BAKKEN J	Prim	0348	646010	00	8.0	GPP		
BAKKEN K	Prim	0348	646011	00	8.0	GPP		
BAKKEN L	Prim	0348	646012	00	8.0	GPP		
BAKKEN M	Prim	0348	646013	00	8.0	GPP		
BAKKEN O	Prim	0348	646015	00	8.0	GPP		
BAKKEN P	Prim	0348	646016	00	8.0	GPP		
BAKKEN Q	Prim	0348	646017	00	8.0	GPP		
BAKKEN R	Prim	0348	646018	00	8.0	GPP		
BAKKEN S	Prim	0348	646019	00	8.0	GPP		
BAKKEN RR	Prim	0348	646044	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0348	800160	00	8.0	GPP		
EVI								
SLAVE POINT POOLS	Prim	0353	758000	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
EVI (continued)								
GILWOOD POOLS	Prim	0353	765000	00	8.0	GPP		
GRANITE WASH POOLS	Prim	0353	797000	00	8.0	GPP		6c
COMMINGLED POOL 001	Prim	0353	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0353	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0353	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0353	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0353	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0353	800560	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0353	800660	00	8.0	GPP		
EWING LAKE								
ELLERSLIE A	Prim	0362	336001	00	8.0	GPP		
D-1 B	Prim	0362	658002	00	8.0	GPP		
D-1 C	Prim	0362	658003	00	8.0	GPP		
D-2 C	Prim	0362	696003	00	8.0	GPP		
D-2 D	Prim	0362	696004	00	8.0	GPP		
D-3 A	Prim	0362	720001	00	8.0	GPP		
EXCELSIOR								
MANNVILLE A	Prim	0364	248001	00	8.0	GPP		12
MANNVILLE F	Prim	0364	248006	00	8.0	GPP		
D-2	Prim	0364	696000	00	8.0	GPP		
EYREMORE								
UPPER MANNVILLE R	Prim	0365	250018	00	8.0	GPP		
UPPER MANNVILLE OO	Prim	0365	250041	00	8.0	GPP		
LOWER MANNVILLE J	Prim	0365	310010	00	8.0	GPP		12
LOWER MANNVILLE S	Prim	0365	310019	00	8.0	GPP		
FAIRYDELL-BON ACCORD								
LOWER VIKING A	Prim	0367	224001	00	8.0	GPP		
BASAL MANNVILLE A	Prim	0367	320001	00	8.0	GPP		12
BASAL MANNVILLE C	Prim	0367	320003	00	8.0	GPP		12
D-2 B	Prim	0367	696002	00	8.0	GPP		
D-3 A	Prim	0367	720001	00	8.0	GPP		
D-3 B	Prim	0367	720002	00	8.0	GPP		
FARMINGTON								
DOIG A	Prim	0370	520001	00	8.0	GPP		
FENN WEST								
D-2 A	Prim	0373	696001	00	8.0	GPP		
D-2 G	Prim	0373	696007	00	8.0	GPP		
D-2 G	WF	0373	696007	20	8.0	GPP		
D-2 H	Prim	0373	696008	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0373	800160	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0373	800460	00	8.0	GPP		12
FENN-BIG VALLEY								
UPPER MANNVILLE A	Prim	0371	250001	00	8.0	GPP		
UPPER MANNVILLE K	Prim	0371	250011	00	8.0	GPP		12a
UPPER MANNVILLE CC	Prim	0371	250029	00	8.0	GPP		
UPPER MANNVILLE EE	Prim	0371	250031	00	8.0	GPP		12
UPPER MANNVILLE PP	Prim	0371	250042	00	8.0	GPP		12b
UPPER MANNVILLE QQ	Prim	0371	250043	00	8.0	GPP		
D-2 A	Prim	0371	696001	00	8.0	GPP		12

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
FENN-BIG VALLEY (continued)								
D-2 A	WF	0371	696001	20	8.0	GPP		
D-2 B	Prim	0371	696002	00	8.0	8.0	140	
D-2 C	Prim	0371	696003	00	8.0	GPP		
D-2 D	Prim	0371	696004	00	8.0	GPP		
D-2 E	Prim	0371	696005	00	8.0	GPP		
D-3 A	Prim	0371	720001	00	8.0	GPP		
D-3 B	Prim	0371	720002	00	8.0	GPP		
D-3 C	Prim	0371	720003	00	8.0	GPP		12
D-3 E	Prim	0371	720005	00	8.0	GPP		12
D-3 F	Prim	0371	720006	00	8.0	GPP		
D-3 G	Prim	0371	720007	00	8.0	GPP		
D-3 H	Prim	0371	720008	00	8.0	GPP		
D-3 I	Prim	0371	720009	00	8.0	GPP		
FERGUSON								
LOWER MANNVILLE A	Prim	0331	310001	00	8.0	GPP		
LOWER MANNVILLE A	WF	0331	310001	20	8.0	GPP		
LOWER MANNVILLE F	Prim	0331	310006	00	8.0	GPP		
LWR BANFF-EXSHAW-BV B	Prim	0331	649002	00	8.0	13.7	110	9a
LWR BANFF-EXSHAW-BV B	GF	0331	649002	40	8.0	GPP		
FERINTOSH								
UPPER MANNVILLE J	Prim	0376	250010	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0376	250012	00	8.0	GPP		3
FERRIER								
BELLY RIVER Y	Prim	0377	126025	00	8.0	GPP		
BASAL BELLY RIVER A	Prim	0377	134001	00	8.0	8.0	110	9a
BASAL BELLY RIVER A	WF	0377	134001	20	8.0	GPP		
BASAL BELLY RIVER R	Prim	0377	134018	00	10.5	GPP		3
CARDIUM X	Prim	0377	176024	00	9.5	GPP		
CARDIUM VV	Prim	0377	176048	00	11.0	GPP		3
CARDIUM K2K	Prim	0377	176337	00	10.5	GPP		
CARDIUM U2U	Prim	0377	176347	00	9.5	GPP		
CARDIUM V2V	Prim	0377	176348	00	9.5	GPP		
SECOND WHITE SPECKS B	Prim	0377	186002	00	12.5	GPP		3
SECOND WHITE SPECKS F	Prim	0377	186006	00	14.5	GPP		
SECOND WHITE SPECKS G	Prim	0377	186007	00	14.0	GPP		
SECOND WHITE SPECKS H	Prim	0377	186008	00	12.5	GPP		
VIKING G	Prim	0377	218007	00	11.0	GPP		
VIKING K	Prim	0377	218011	00	11.0	GPP		
VIKING O	Prim	0377	218015	00	11.5	GPP		
VIKING Y	Prim	0377	218025	00	11.0	GPP		
VIKING BB	Prim	0377	218028	00	10.5	GPP		
VIKING EE	Prim	0377	218031	00	11.0	GPP		
VIKING JJ	Prim	0377	218036	00	12.0	GPP		
VIKING LL	Prim	0377	218038	00	11.5	GPP		
VIKING MM	Prim	0377	218039	00	12.0	GPP		
VIKING NN	Prim	0377	218040	00	11.5	GPP		3
VIKING PP	Prim	0377	218042	00	15.0	GPP		
ELLERSLIE L	Prim	0377	336012	00	18.0	GPP		
ELKTON B	Prim	0377	638002	00	20.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
FERRIER (continued)								
COMMINGLED POOL 001	Prim	0377	800160	00	8.5	GPP	12	
COMMINGLED POOL 001	WF	0377	800160	20	8.5	GPP	12	
COMMINGLED POOL 003	Prim	0377	800360	00	10.0	GPP		
COMMINGLED POOL 004	Prim	0377	800460	00	12.5	GPP	12	
COMMINGLED POOL 006	Prim	0377	800660	00	12.0	GPP		
FERRYBANK								
BASAL BELLY RIVER P	Prim	0378	134016	00	8.0	GPP		
GLAUCONITIC Q	Prim	0378	300017	00	8.0	GPP		
GLAUCONITIC HH	Prim	0378	300034	00	8.0	GPP		
LOWER MANNVILLE M	Prim	0378	310013	00	8.0	GPP		
LOWER MANNVILLE EE	Prim	0378	310031	00	8.0	GPP		
LOWER MANNVILLE KK	Prim	0378	310037	00	8.0	GPP		
LOWER MANNVILLE WW	Prim	0378	310049	00	8.0	GPP		
BANFF D	Prim	0378	644004	00	8.0	GPP		
BANFF F	Prim	0378	644006	00	8.0	GPP	12a	
COMMINGLED POOL 001	Prim	0378	800160	00	8.0	GPP	12	
COMMINGLED POOL 001	WF	0378	800160	20	8.0	GPP	12	
COMMINGLED POOL 002	Prim	0378	800260	00	8.0	GPP		
FINCASTLE								
TABER A	Prim	1083	346001	00	8.0	GPP		
FIRE								
COMMINGLED POOL 001	Prim	0381	800160	00	8.0	GPP		
FLOOD								
MONTNEY C	Prim	0383	524003	00	8.0	GPP		
MONTNEY D	Prim	0383	524004	00	8.0	GPP		
MONTNEY E	Prim	0383	524005	00	8.0	GPP		
MONTNEY F	Prim	0383	524006	00	8.0	GPP		
FOLEY LAKE								
VIKING A	Prim	1085	218001	00	8.0	GPP		
VIKING B	Prim	1085	218002	00	8.0	GPP		
FORESTBURG								
VIKING G	Prim	0385	218007	00	8.0	GPP		
VIKING I	Prim	0385	218009	00	8.0	GPP		
FORT SASKATCHEWAN								
LOWER MANNVILLE B	Prim	0391	310002	00	8.0	GPP		
FORTY MILE								
SAWTOOTH A	Prim	0392	428001	00	8.0	GPP		
FOX CREEK								
DUNVEGAN A	Prim	0395	192001	00	8.0	GPP		
DUNVEGAN B	Prim	0395	192002	00	8.0	GPP		
DUNVEGAN C	Prim	0395	192003	00	8.0	GPP		
DUNVEGAN D	Prim	0395	192004	00	8.0	GPP		
GETHING B	Prim	0395	326002	00	8.0	GPP		
GETHING T	Prim	0395	326020	00	8.0	GPP		
GETHING MM	Prim	0395	326039	00	8.0	GPP		
MONTNEY D	Prim	0395	524004	00	8.0	GPP		
MONTNEY E	Prim	0395	524005	00	8.0	GPP		
BEAVERHILL LAKE A	Prim	0395	744001	00	20.0	GPP		
COMMINGLED MFP9510	Prim	0395	951060	00	8.0	GPP	12	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GADSBY								
MANNVILLE Q	Prim	0403	248017	00	8.0	GPP		
MANNVILLE JJ	Prim	0403	248036	00	8.0	GPP		
GALAHAD								
VIKING B	Prim	0404	218002	00	8.0	GPP		
LLOYDMINSTER I	Prim	0404	294009	00	8.0	GPP		
LLOYDMINSTER J	Prim	0404	294010	00	8.0	GPP		
ELLERSLIE A	Prim	0404	336001	00	8.0	GPP		
ELLERSLIE F	Prim	0404	336006	00	8.0	GPP		
ELLERSLIE I	Prim	0404	336009	00	8.0	GPP		12
ELLERSLIE L	Prim	0404	336012	00	8.0	GPP		
ELLERSLIE W	Prim	0404	336023	00	8.0	GPP		
ELLERSLIE Y	Prim	0404	336025	00	8.0	GPP		
ELLERSLIE Z	Prim	0404	336026	00	8.0	GPP		
ELLERSLIE AA	Prim	0404	336027	00	8.0	GPP		
ELLERSLIE BB	Prim	0404	336028	00	8.0	GPP		
ELLERSLIE DD	Prim	0404	336030	00	8.0	GPP		
GARDEN PLAINS								
UPPER MANNVILLE K	Prim	0406	250011	00	8.0	GPP		12
GARRINGTON								
CARDIUM Q	Prim	0405	176017	00	9.5	GPP		
CARDIUM X	Prim	0405	176024	00	8.0	GPP		
CARDIUM BB	Prim	0405	176028	00	8.0	GPP		
CARDIUM KK	Prim	0405	176037	00	8.5	GPP		
CARDIUM NN	Prim	0405	176040	00	8.0	GPP		
CARDIUM OO	Prim	0405	176041	00	9.5	GPP		
SECOND WHITE SPECKS G	Prim	0405	186007	00	10.0	GPP		
SECOND WHITE SPECKS K	Prim	0405	186011	00	11.5	GPP		
SECOND WHITE SPECKS N	Prim	0405	186014	00	9.5	GPP		
VIKING F	Prim	0405	218006	00	8.5	GPP		
VIKING K	Prim	0405	218011	00	10.0	GPP		
VIKING L	Prim	0405	218012	00	8.5	GPP		
VIKING P	Prim	0405	218016	00	11.5	GPP		12
VIKING Z	Prim	0405	218026	00	12.0	GPP		
VIKING EE	Prim	0405	218031	00	9.5	GPP		
VIKING HH	Prim	0405	218034	00	12.5	GPP		
VIKING OO	Prim	0405	218041	00	8.5	GPP		
VIKING PP	Prim	0405	218042	00	8.5	GPP		
MANNVILLE I	Prim	0405	248009	00	14.0	GPP		
MANNVILLE BB	Prim	0405	248028	00	15.0	GPP		12
MANNVILLE CC	Prim	0405	248029	00	8.0	GPP		
MANNVILLE II	Prim	0405	248035	00	10.0	GPP		12a, 12d
MANNVILLE NN	Prim	0405	248040	00	10.5	GPP		
MANNVILLE UU	Prim	0405	248047	00	10.5	GPP		
LOWER MANNVILLE E	Prim	0405	310005	00	14.0	GPP		
LOWER MANNVILLE T	Prim	0405	310020	00	13.5	GPP		
LOWER MANNVILLE NN	Prim	0405	310040	00	11.0	GPP		
LOWER MANNVILLE OO	Prim	0405	310041	00	11.0	GPP		
LOWER MANNVILLE DDD	Prim	0405	310104	00	12.5	GPP		
LOWER MANNVILLE EEE	Prim	0405	310105	00	12.5	GPP		
LOWER MANNVILLE FFF	Prim	0405	310106	00	12.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GARRINGTON (continued)								
LOWER MANNVILLE GGG	Prim	0405	310107	00	14.0	GPP		12
LOWER MANNVILLE SSS	Prim	0405	310119	00	11.5	GPP		
LOWER MANNVILLE D2D	Prim	0405	310130	00	12.5	GPP		
LOWER MANNVILLE K2K	Prim	0405	310137	00	12.0	GPP		
LOWER MANNVILLE T2T	Prim	0405	310146	00	15.5	GPP		
LOWER MANNVILLE X2X	Prim	0405	310150	00	12.0	GPP		
LOWER MANNVILLE E3E	Prim	0405	310205	00	12.0	GPP		
LOWER MANNVILLE M3M	Prim	0405	310213	00	11.5	GPP		
LOWER MANNVILLE N3N	Prim	0405	310214	00	11.5	GPP		
LOWER MANNVILLE F4F	Prim	0405	310232	00	12.0	GPP		
LOWER MANNVILLE I4I	Prim	0405	310235	00	12.0	GPP		
LOWER MANNVILLE J4J	Prim	0405	310236	00	11.0	GPP		
LOWER MANNVILLE T4T	Prim	0405	310246	00	11.0	GPP		12a
LOWER MANNVILLE U4U	Prim	0405	310247	00	12.0	GPP		
LOWER MANNVILLE B5B	Prim	0405	310302	00	10.5	GPP		
LOWER MANNVILLE G5G	Prim	0405	310307	00	12.5	GPP		3
NORDEGG D	Prim	0405	444004	00	11.5	GPP		
ELKTON H	Prim	0405	638008	00	12.5	GPP		
ELKTON K	Prim	0405	638011	00	13.0	GPP		
PEKISKO F	Prim	0405	642006	00	11.0	GPP		
PEKISKO L	Prim	0405	642012	00	11.5	GPP		12a
PEKISKO M	Prim	0405	642013	00	11.0	GPP		
WABAMUN A	Prim	0405	658001	00	15.5	GPP		12e
LEDUC G	WF	0405	720007	20	20.0	GPP		
LEDUC H	Prim	0405	720008	00	20.0	GPP		
COMMINGLED POOL 001	Prim	0405	800160	00	12.5	GPP		
COMMINGLED POOL 002	Prim	0405	800260	00	8.0	GPP		7, 12b
COMMINGLED POOL 002	WF	0405	800260	20	8.0	GPP		
COMMINGLED POOL 004	Prim	0405	800460	00	11.0	GPP		
COMMINGLED POOL 005	Prim	0405	800560	00	9.5	GPP		
COMMINGLED POOL 006	Prim	0405	800660	00	9.5	GPP		
COMMINGLED POOL 007	Prim	0405	800760	00	13.5	GPP		
COMMINGLED POOL 008	Prim	0405	800860	00	14.0	GPP		12e
COMMINGLED POOL 009	Prim	0405	800960	00	11.0	GPP		
COMMINGLED POOL 010	Prim	0405	801060	00	11.0	GPP		
COMMINGLED POOL 013	Prim	0405	801360	00	13.0	GPP		12
COMMINGLED POOL 015	Prim	0405	801560	00	13.0	GPP		
COMMINGLED POOL 017	Prim	0405	801760	00	13.5	GPP		
COMMINGLED POOL 018	Prim	0405	801860	00	8.0	GPP		
COMMINGLED POOL 024	Prim	0405	802460	00	9.5	GPP		
COMMINGLED POOL 031	Prim	0405	803160	00	8.5	GPP		
COMMINGLED POOL 034	Prim	0405	803460	00	8.0	GPP		
COMMINGLED POOL 036	Prim	0405	803660	00	12.5	GPP		
COMMINGLED POOL 038	Prim	0405	803860	00	10.0	GPP		
COMMINGLED POOL 041	Prim	0405	804160	00	12.5	GPP		
GEORGE								
MONTNEY B	Prim	0410	524002	00	8.0	GPP		12a
MONTNEY G	Prim	0410	524007	00	8.0	GPP		
MONTNEY I	WF	0410	524009	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GEORGE (continued)								
KISKATINAW F	Prim	0410	606006	00	8.0	GPP		
KISKATINAW O	Prim	0410	606015	00	8.0	GPP		
GERE								
UPPER MANNVILLE A	Prim	0458	250001	00	8.0	GPP		
BEAVERHILL LAKE A	Prim	0458	744001	00	10.5	GPP		
GHOST PINE								
UPPER MANNVILLE HH	Prim	0408	250034	00	8.0	GPP		
UPPER MANNVILLE RR	Prim	0408	250044	00	8.0	GPP	12a	
UPPER MANNVILLE EEE	Prim	0408	250705	00	8.0	GPP	12a	
UPPER MANNVILLE E2E	Prim	0408	250731	00	8.0	GPP		
UPPER MANNVILLE W2W	Prim	0408	250749	00	8.0	GPP		
UPPER MANNVILLE A3A	Prim	0408	251101	00	8.0	GPP		
UPPER MANNVILLE S4S	Prim	0408	251145	00	8.0	GPP	12b	
UPPER MANNVILLE E5E	Prim	0408	251505	00	8.0	GPP		
UPPER MANNVILLE F5F	Prim	0408	251506	00	8.0	GPP	12a	
GLAUCONITIC D	Prim	0408	300004	00	8.0	GPP		
LOWER MANNVILLE L	WF	0408	310012	20	8.0	GPP		
PEKISKO F	Prim	0408	642006	00	8.0	GPP		
PEKISKO V	Prim	0408	642022	00	8.0	GPP		
PEKISKO X	Prim	0408	642024	00	8.0	GPP		
D-2 A	Prim	0408	696001	00	8.0	GPP		
D-3 A	Prim	0408	720001	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0408	800560	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0408	800660	00	8.0	GPP		
COMMINGLED POOL 007	Prim	0408	800760	00	8.0	GPP	12	
COMMINGLED POOL 008	Prim	0408	800860	00	8.0	GPP		
COMMINGLED POOL 009	Prim	0408	800960	00	8.0	GPP		
COMMINGLED POOL 022	Prim	0408	802260	00	8.0	GPP		
COMMINGLED MFP9501	Prim	0408	950160	00	8.0	GPP	12	
GIFT								
SLAVE POINT A	WF	0322	758001	20	8.0	GPP		
SLAVE POINT C	WF	0322	758003	20	8.0	GPP		
SLAVE POINT D	Prim	0322	758004	00	8.0	GPP		
SLAVE POINT E	Prim	0322	758005	00	8.0	GPP		
SLAVE POINT H	WF	0322	758008	20	8.0	GPP		
SLAVE POINT J	Prim	0322	758010	00	8.0	GPP		
SLAVE POINT N	Prim	0322	758014	00	8.0	GPP		
SLAVE POINT O	Prim	0322	758015	00	8.0	GPP		
SLAVE POINT Q	Prim	0322	758017	00	8.0	GPP		
GILWOOD E	WF	0322	765505	20	8.0	GPP		
GILWOOD H	WF	0322	765508	20	8.0	GPP		
GILWOOD J	WF	0322	765510	20	8.0	GPP		
GILWOOD K	WF	0322	765511	20	8.0	GPP		
GILWOOD M	WF	0322	765513	20	8.0	GPP		
GILWOOD N	WF	0322	765514	20	8.0	GPP		
GILWOOD O	WF	0322	765515	20	8.0	GPP		
GILWOOD R	WF	0322	765518	20	8.0	GPP		
GILWOOD S	WF	0322	765519	20	8.0	GPP		
GILWOOD T	WF	0322	765520	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GIFT (continued)								
GILWOOD U	WF	0322	765521	20	8.0	GPP		
GILWOOD V	WF	0322	765522	20	8.0	GPP		
GILWOOD W	WF	0322	765523	20	8.0	GPP		
GILWOOD X	WF	0322	765524	20	8.0	GPP		
GILWOOD Y	WF	0322	765525	20	8.0	GPP		
GILWOOD EE	Prim	0322	765531	00	8.0	GPP		
GILWOOD JJ	Prim	0322	765536	00	8.0	GPP		
GILWOOD LL	Prim	0322	765538	00	8.0	GPP		
GILWOOD MM	Prim	0322	765539	00	8.0	GPP		3
GRANITE WASH G	WF	0322	797507	20	8.0	GPP		
COMMINGLED POOL 001	Prim	0322	800160	00	8.0	GPP		
GILBY								
BELLY RIVER E	Prim	0412	126005	00	8.0	GPP		
BELLY RIVER G	Prim	0412	126007	00	8.0	GPP		
BASAL BELLY RIVER A	Prim	0412	134001	00	8.0	GPP		
BASAL BELLY RIVER B	Prim	0412	134002	00	8.0	GPP		
BASAL BELLY RIVER D	Prim	0412	134004	00	8.0	GPP		
CARDIUM A	Prim	0412	176001	00	8.0	GPP		
SECOND WHITE SPECKS A	Prim	0412	186001	00	8.0	GPP		
SECOND WHITE SPECKS D	Prim	0412	186004	00	8.0	GPP		
SECOND WHITE SPECKS F	Prim	0412	186006	00	8.0	GPP		
VIKING A	Prim	0412	218001	00	8.0	GPP		
VIKING B	Prim	0412	218002	00	8.0	GPP		
VIKING K	Prim	0412	218011	00	8.0	GPP		
VIKING P	Prim	0412	218016	00	8.0	GPP		
UPPER MANNVILLE J	Prim	0412	250010	00	8.0	GPP		
UPPER MANNVILLE J	WF	0412	250010	20	8.0	GPP		12a
UPPER MANNVILLE L	Prim	0412	250012	00	8.0	GPP		
UPPER MANNVILLE M	Prim	0412	250013	00	8.0	GPP		12
UPPER MANNVILLE Q	Prim	0412	250017	00	8.5	GPP		
UPPER MANNVILLE CC	Prim	0412	250029	00	8.0	GPP		
UPPER MANNVILLE WWW	Prim	0412	250723	00	8.0	GPP		
UPPER MANNVILLE U2U	Prim	0412	250747	00	9.5	GPP		
UPPER MANNVILLE L3L	Prim	0412	251112	00	8.5	GPP		3
UPPER MANNVILLE M3M	Prim	0412	251113	00	9.5	GPP		3
BASAL MANNVILLE B	Prim	0412	320002	00	9.0	GPP		
BASAL MANNVILLE B	WF	0412	320002	20	9.0	GPP		12e
BASAL MANNVILLE S	Prim	0412	320019	00	8.0	GPP		12
BASAL MANNVILLE UU	Prim	0412	320047	00	8.0	GPP		
BASAL MANNVILLE AAA	Prim	0412	320601	00	8.0	GPP		
BASAL MANNVILLE LLL	Prim	0412	320612	00	8.0	GPP		
BASAL MANNVILLE OOO	Prim	0412	320615	00	8.0	GPP		
BASAL MANNVILLE RRR	Prim	0412	320618	00	8.0	GPP		
BASAL MANNVILLE D2D	Prim	0412	320630	00	8.0	GPP		
BASAL MANNVILLE N2N	Prim	0412	320640	00	9.5	GPP		
BASAL MANNVILLE K3K	Prim	0412	320711	00	8.0	GPP		
BASAL MANNVILLE R3R	Prim	0412	320718	00	8.0	GPP		
BASAL MANNVILLE X3X	Prim	0412	320724	00	8.5	GPP		12
BASAL MANNVILLE O4O	Prim	0412	320741	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GILBY (continued)								
BASAL MANNVILLE C5C	Prim	0412	320903	00	8.0	GPP		
BASAL MANNVILLE F5F	Prim	0412	320906	00	8.0	GPP		12a
DETRITAL A	Prim	0412	350001	00	8.5	GPP		
JURASSIC B	WF	0412	446002	20	9.0	GPP		12e
JURASSIC F	Prim	0412	446006	00	9.0	GPP		
RUNDLE E	Prim	0412	610005	00	9.5	GPP		
RUNDLE N	Prim	0412	610014	00	10.0	GPP		
RUNDLE R	Prim	0412	610018	00	10.0	GPP		12a
PEKISKO D	Prim	0412	642004	00	10.5	GPP		
COMMINGLED POOL 002	Prim	0412	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0412	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0412	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0412	800560	00	9.0	GPP		12
COMMINGLED POOL 006	Prim	0412	800660	00	9.0	GPP		12
COMMINGLED POOL 054	Prim	0412	805460	00	8.0	GPP		
COMMINGLED POOL 055	Prim	0412	805560	00	9.5	GPP		
COMMINGLED POOL 057	Prim	0412	805760	00	8.0	GPP		
COMMINGLED POOL 063	Prim	0412	806360	00	8.0	GPP		
GILWOOD								
GILWOOD B	Prim	0413	765502	00	12.5	GPP		
GILWOOD C	Prim	0413	765503	00	13.0	GPP		
GILWOOD E	Prim	0413	765505	00	11.5	GPP		
GILWOOD F	Prim	0413	765506	00	11.5	GPP		
GILWOOD I	Prim	0413	765509	00	11.5	GPP		
GIROUX LAKE								
VIKING A	Prim	0414	218001	00	8.0	8.0	130	12
VIKING A	WF	0414	218001	20	8.0	GPP		12
VIKING F	WF	0414	218006	20	8.0	GPP		
VIKING N	Prim	0414	218014	00	8.0	GPP		3
GETHING C	Prim	0414	326003	00	8.0	GPP		
GIROUXVILLE EAST								
MONTNEY G	Prim	0330	524007	00	8.0	GPP		
MONTNEY R	Prim	0330	524018	00	8.0	GPP		
MONTNEY S	Prim	0330	524019	00	8.0	GPP		
MONTNEY S	WF	0330	524019	20	8.0	GPP		
MONTNEY T	Prim	0330	524020	00	8.0	GPP		
MONTNEY U	Prim	0330	524021	00	8.0	GPP		3
MONTNEY V	Prim	0330	524022	00	8.0	GPP		
MONTNEY W	Prim	0330	524023	00	8.0	GPP		3
MONTNEY X	Prim	0330	524024	00	8.0	GPP		3
MONTNEY Y	Prim	0330	524025	00	8.0	GPP		3
BEAVERHILL LAKE F	Prim	0330	744006	00	10.5	GPP		
BEAVERHILL LAKE I	Prim	0330	744009	00	11.5	GPP		
BEAVERHILL LAKE L	Prim	0330	744012	00	8.0	GPP		
BEAVERHILL LAKE N	Prim	0330	744014	00	12.0	GPP		
SLAVE POINT C	Prim	0330	758003	00	11.0	GPP		
SLAVE POINT F	Prim	0330	758006	00	11.0	GPP		
SLAVE POINT H	Prim	0330	758008	00	12.5	GPP		
GILWOOD I	Prim	0330	765509	00	12.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GIROUXVILLE EAST (continued)								
GILWOOD L	Prim	0330	765512	00	12.5	GPP		
GRANITE WASH C	Prim	0330	797503	00	12.0	GPP		
GRANITE WASH E	Prim	0330	797505	00	12.5	GPP		
GRANITE WASH F	Prim	0330	797506	00	11.0	GPP		
GRANITE WASH G	Prim	0330	797507	00	11.0	GPP		
GRANITE WASH H	Prim	0330	797508	00	12.5	GPP		
GRANITE WASH I	Prim	0330	797509	00	12.0	GPP		
GRANITE WASH N	Prim	0330	797514	00	12.0	GPP		
COMMINGLED POOL 001	Prim	0330	800160	00	11.5	GPP		
COMMINGLED POOL 003	Prim	0330	800360	00	12.0	GPP		
GLEN PARK								
GLAUCONITIC B	WF	0418	300002	20	8.0	GPP	12a	
GLAUCONITIC D	Prim	0418	300004	00	8.0	GPP		
GLAUCONITIC F	Prim	0418	300006	00	8.0	GPP		
GLAUCONITIC G	Prim	0418	300007	00	8.0	GPP		
GLAUCONITIC H	Prim	0418	300008	00	8.0	GPP		
D-3 A	Prim	0418	720001	00	8.0	GPP		
GLENEVIS								
BANFF	Prim	0416	644000	00	8.0	GPP		
GOLDEN								
SLAVE POINT A	Prim	0423	758001	00	8.0	GPP		
GILWOOD A	Prim	0423	765501	00	8.0	GPP		
GOLDEN SPIKE								
BLAIRMORE E	Prim	0421	244005	00	8.0	GPP		
BLAIRMORE T	Prim	0421	244020	00	8.0	GPP	12a	
BLAIRMORE MM	Prim	0421	244039	00	8.0	GPP		
UPPER MANNVILLE C	Prim	0421	250003	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0421	250004	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0421	250005	00	8.0	GPP		
LOWER MANNVILLE B	Prim	0421	310002	00	8.0	GPP		
LOWER MANNVILLE D	Prim	0421	310004	00	8.0	GPP		
LOWER MANNVILLE M	Prim	0421	310013	00	8.0	GPP		
LOWER MANNVILLE O	Prim	0421	310015	00	8.0	GPP		
LOWER MANNVILLE P	Prim	0421	310016	00	8.0	GPP	12	
D-1 B	Prim	0421	658002	00	8.0	GPP		
D-1 E	Prim	0421	658005	00	8.0	GPP		
D-1 H	Prim	0421	658008	00	8.0	GPP		
D-1 J	Prim	0421	658010	00	8.0	GPP	12a	
D-2 A	Prim	0421	696001	00	8.0	GPP		
D-2 A	WF	0421	696001	20	8.0	GPP	12	
D-3 A	Prim	0421	720001	00	8.0	GPP		
D-3 A	GF	0421	720001	40	8.0	GPP	12	
D-3 C	Prim	0421	720003	00	8.0	GPP		
GOODWIN								
BASAL QUARTZ A	Prim	0422	334001	00	8.0	GPP		
BASAL QUARTZ G	Prim	0422	334007	00	8.0	GPP		
GOOSE RIVER								
BEAVERHILL LAKE A	WF	0425	744001	20	16.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GORDONDALE								
CHARLIE LAKE C	Prim	0428	508003	00	8.0	GPP		
CHARLIE LAKE E	Prim	0428	508005	00	8.0	GPP		
CHARLIE LAKE I	Prim	0428	508009	00	8.0	GPP		
CHARLIE LAKE K	Prim	0428	508011	00	8.0	GPP		
CHARLIE LAKE M	Prim	0428	508013	00	8.0	GPP		
CHARLIE LAKE N	Prim	0428	508014	00	8.0	GPP		
CHARLIE LAKE O	Prim	0428	508015	00	8.0	GPP		
HALFWAY B	Prim	0428	516002	00	8.0	GPP		
HALFWAY C	Prim	0428	516003	00	8.0	GPP		
HALFWAY I	Prim	0428	516009	00	8.0	GPP		
HALFWAY K	Prim	0428	516011	00	8.0	GPP	12	
HALFWAY U	Prim	0428	516021	00	8.0	GPP		
HALFWAY W	Prim	0428	516023	00	8.0	GPP		
HALFWAY Z	Prim	0428	516026	00	8.0	GPP		
HALFWAY BB	Prim	0428	516028	00	8.0	GPP		
DOIG B	Prim	0428	520002	00	8.0	GPP		
DOIG C	Prim	0428	520003	00	8.0	GPP	12a	
DOIG D	Prim	0428	520004	00	8.0	GPP		
DOIG I	Prim	0428	520009	00	8.0	GPP		
DOIG K	Prim	0428	520011	00	8.0	GPP		
MONTNEY H	Prim	0428	524008	00	8.5	GPP		
MONTNEY M	Prim	0428	524013	00	12.0	GPP	6e	
GRAND FORKS								
UPPER MANNVILLE B	WF	0430	250002	20	8.0	GPP		
UPPER MANNVILLE E	Prim	0430	250005	00	8.0	GPP		
UPPER MANNVILLE K	Prim	0430	250011	00	8.0	8.0	90	
UPPER MANNVILLE K	WF	0430	250011	20	8.0	GPP		
UPPER MANNVILLE M	Prim	0430	250013	00	8.0	GPP		
UPPER MANNVILLE O	WF	0430	250015	20	8.0	GPP		
UPPER MANNVILLE Q	Prim	0430	250017	00	8.0	GPP		
LOWER MANNVILLE M	Prim	0430	310013	00	8.0	GPP		
LOWER MANNVILLE WW	Prim	0430	310049	00	8.0	GPP		
LOWER MANNVILLE BBB	Prim	0430	310102	00	8.0	GPP		
LOWER MANNVILLE CCC	Prim	0430	310103	00	8.0	GPP		
SAWTOOTH POOLS	Prim	0430	428000	00	8.0	GPP		
SAWTOOTH L	Prim	0430	428012	00	8.0	GPP		
SAWTOOTH N	WF	0430	428014	20	8.0	GPP		
SAWTOOTH MM	WF	0430	428039	20	8.0	GPP	5	
SAWTOOTH NN	Prim	0430	428040	00	8.0	GPP		
SAWTOOTH NN	WF	0430	428040	20	8.0	GPP		
SAWTOOTH OO	WF	0430	428041	20	8.0	GPP		
SAWTOOTH SS	WF	0430	428045	20	8.0	GPP		
SAWTOOTH WW	WF	0430	428049	20	8.0	GPP		
SAWTOOTH DDD	WF	0430	428104	20	8.0	GPP		
SAWTOOTH V2V	WF	0430	428148	20	8.0	GPP		
SAWTOOTH W2W	WF	0430	428149	20	8.0	GPP		
SAWTOOTH C3C	WF	0430	428303	20	8.0	GPP		
ARCS T	Prim	0430	694020	00	8.0	GPP		
D-2 B	Prim	0430	696002	00	8.0	GPP		
COMMINGLED POOL 001	WF	0430	800160	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GRAND FORKS (continued)								
COMMINGLED POOL 002	WF	0430	800260	20	8.0	GPP		
COMMINGLED POOL 003	Prim	0430	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0430	800460	00	8.0	GPP	12	
COMMINGLED POOL 009	Prim	0430	800960	00	8.0	GPP	12, 12a	
GRANDE PRAIRIE								
DUNVEGAN C	Prim	0359	192003	00	8.0	GPP		
CADOMIN A	Prim	0359	348001	00	8.0	GPP		
CADOMIN B	Prim	0359	348002	00	8.0	GPP		
CHARLIE LAKE B	Prim	0359	508002	00	8.0	8.0	180	
CHARLIE LAKE B	WF	0359	508002	20	8.0	GPP		
CHARLIE LAKE E	Prim	0359	508005	00	8.0	GPP		
CHARLIE LAKE F	Prim	0359	508006	00	8.0	GPP		
CHARLIE LAKE G	Prim	0359	508007	00	8.0	GPP		
CHARLIE LAKE T	Prim	0359	508020	00	8.0	GPP		
CHARLIE LAKE X	Prim	0359	508024	00	8.0	GPP	12a	
CHARLIE LAKE FF	Prim	0359	508032	00	8.0	GPP		
CHARLIE LAKE GG	Prim	0359	508033	00	8.0	8.0	170	
HALFWAY A	GF	0359	516001	40	8.0	GPP	12a	
HALFWAY K	Prim	0359	516011	00	8.0	GPP		
HALFWAY V	WF	0359	516022	20	8.0	GPP		
HALFWAY X	Prim	0359	516024	00	8.0	GPP		
HALFWAY Z	Prim	0359	516026	00	8.0	GPP	12	
HALFWAY DD	Prim	0359	516030	00	8.0	GPP		
HALFWAY KK	Prim	0359	516037	00	8.0	GPP		
HALFWAY MM	Prim	0359	516039	00	8.0	GPP	12	
MONTNEY A	Prim	0359	524001	00	8.0	GPP	6e	
MONTNEY G	Prim	0359	524007	00	8.5	GPP	6e	
MONTNEY I	Prim	0359	524009	00	8.5	GPP	6e, 12	
BANFF A	Prim	0359	644001	00	15.0	GPP		
COMMINGLED POOL 002	Prim	0359	800260	00	8.0	GPP		
GRANUM								
BOW ISLAND D	Prim	0733	213004	00	8.0	GPP		
TURNER VALLEY A	Prim	0733	630001	00	8.5	GPP		
BANFF A	Prim	0733	644001	00	10.0	GPP		
BANFF B	Prim	0733	644002	00	10.5	GPP		
LWR BANFF-EXSHAW-BV B	Prim	0733	649002	00	13.0	GPP		
LWR BANFF-EXSHAW-BV C	Prim	0733	649003	00	10.0	GPP	3	
GREENCOURT								
VIKING C	Prim	0431	218003	00	8.0	GPP	12	
VIKING K	Prim	0431	218011	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0431	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0431	800260	00	8.0	GPP	12	
GREENCOURT EAST								
BANFF B	Prim	0485	644002	00	8.0	GPP	3	
GRIMSHAW								
TRIASSIC D	Prim	0419	500004	00	8.0	GPP		
TRIASSIC D	WF	0419	500004	20	8.0	GPP		
TRIASSIC F	Prim	0419	500006	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
GROAT GETHING P	Prim	0411	326016	00	10.0	GPP		
GUTAH KEG RIVER A	WF	0502	772101	20	11.0	GPP	10g	
KEG RIVER B	WF	0502	772102	20	11.5	GPP	10g	
KEG RIVER C	Prim	0502	772103	00	11.0	GPP		
KEG RIVER D	Prim	0502	772104	00	11.0	GPP		
HALKIRK UPPER MANNVILLE D	WF	0437	250004	20	8.0	GPP	12	
UPPER MANNVILLE I	WF	0437	250009	20	8.0	GPP	12	
UPPER MANNVILLE J	WF	0437	250010	20	8.0	GPP	12	
UPPER MANNVILLE K	Prim	0437	250011	00	8.0	GPP		
UPPER MANNVILLE N	Prim	0437	250014	00	8.0	GPP	12a	
UPPER MANNVILLE Q	WF	0437	250017	20	8.0	GPP		
UPPER MANNVILLE R	WF	0437	250018	20	8.0	GPP	12e	
GLAUCONITIC A	WF	0437	300001	20	8.0	GPP		
GLAUCONITIC B	Prim	0437	300002	00	8.0	GPP		
GLAUCONITIC F	WF	0437	300006	20	8.0	GPP		
GLAUCONITIC O	WF	0437	300015	20	8.0	GPP		
LOWER MANNVILLE F	Prim	0437	310006	00	8.0	GPP	12d	
LOWER MANNVILLE G	Prim	0437	310007	00	8.0	GPP		
LOWER MANNVILLE J	Prim	0437	310010	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0437	800160	00	8.0	GPP	12, 12a	
HAMBURG BLUESKY-MONTNEY EE	Prim	0746	304531	00	8.0	GPP		
SLAVE POINT M	Prim	0746	758013	00	12.0	GPP	12a	
SLAVE POINT P	Prim	0746	758016	00	12.0	GPP		
SLAVE POINT Q	Prim	0746	758017	00	12.5	GPP	12a	
HAMELIN CREEK TRIASSIC A	Prim	0440	500001	00	8.0	GPP		
HANNA UPPER MANNVILLE G	Prim	0446	250007	00	8.0	GPP		
BANFF C	Prim	0446	644003	00	8.0	GPP		
HARMATTAN EAST CARDIUM C	Prim	0448	176003	00	8.5	GPP		
CARDIUM J	Prim	0448	176010	00	8.0	GPP		
CARDIUM O	Prim	0448	176015	00	8.0	GPP		
VIKING E	Prim	0448	218005	00	9.5	GPP	12, 12e	
VIKING E	WF	0448	218005	20	9.5	GPP	12, 12e	
VIKING J	Prim	0448	218010	00	9.5	GPP		
VIKING P	Prim	0448	218016	00	9.0	GPP		
VIKING T	Prim	0448	218020	00	9.5	GPP		
VIKING U	Prim	0448	218021	00	10.0	GPP		
VIKING W	Prim	0448	218023	00	11.0	GPP		
ELLERSLIE D	Prim	0448	336004	00	11.5	GPP		
ELLERSLIE Z	Prim	0448	336026	00	12.5	GPP		
ELLERSLIE AA	Prim	0448	336027	00	11.0	GPP		
RUNDLE D	Prim	0448	610004	00	11.5	GPP		
COMMINGLED POOL 001	Prim	0448	800160	00	14.0	GPP	12e	
COMMINGLED POOL 001	WF	0448	800160	20	14.0	GPP		
COMMINGLED POOL 006	Prim	0448	800660	00	10.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
HAYS (continued) COMMINGLED POOL 010	Prim	0456	801060	00	8.0	GPP		
HAYTER COLONY B	Prim	0457	256002	00	8.0	GPP		
MCLAREN E	Prim	0457	268005	00	8.0	GPP		
MCLAREN H	Prim	0457	268008	00	8.0	GPP		
MCLAREN I	Prim	0457	268009	00	8.0	GPP		
MCLAREN K	Prim	0457	268011	00	8.0	GPP		
SPARKY A	Prim	0457	276001	00	8.0	GPP		
SPARKY A	WF	0457	276001	20	8.0	GPP		
SPARKY P	Prim	0457	276016	00	8.0	GPP		
SPARKY X	Prim	0457	276024	00	8.0	GPP		
SPARKY Z	Prim	0457	276026	00	8.0	GPP		
SPARKY Z	WF	0457	276026	20	8.0	GPP		
SPARKY KK	Prim	0457	276037	00	8.0	GPP		
GENERAL PETROLEUM C	Prim	0457	286003	00	8.0	GPP		
CUMMINGS D	Prim	0457	302004	00	8.0	GPP		
CUMMINGS J	Prim	0457	302010	00	8.0	GPP		
CUMMINGS M	Prim	0457	302013	00	8.0	GPP		
CUMMINGS O	Prim	0457	302015	00	8.0	GPP		
CUMMINGS Q	Prim	0457	302017	00	8.0	GPP		
CUMMINGS R	Prim	0457	302018	00	8.0	GPP		
CUMMINGS S	Prim	0457	302019	00	8.0	GPP		
CUMMINGS T	Prim	0457	302020	00	8.0	GPP		
CUMMINGS U	Prim	0457	302021	00	8.0	GPP	3	
CUMMINGS V	Prim	0457	302022	00	8.0	GPP	3	
DINA POOLS	Prim	0457	322000	00	8.0	GPP	6d	
DINA A	WF	0457	322001	20	8.0	GPP	6d	
COMMINGLED POOL 001	Prim	0457	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0457	800260	00	8.0	GPP		
COMMINGLED POOL 002	WF	0457	800260	20	8.0	GPP		
COMMINGLED POOL 003	Prim	0457	800360	00	8.0	GPP		
HEATHDALE UPPER MANNVILLE J	Prim	0459	250010	00	8.0	GPP		
UPPER MANNVILLE UUU	Prim	0459	250721	00	8.0	GPP		
UPPER MANNVILLE VVV	Prim	0459	250722	00	8.0	GPP		
DETRITAL S	Prim	0459	350019	00	8.0	GPP	12a	
DETRITAL U	Prim	0459	350021	00	8.0	GPP		
DETRITAL II	Prim	0459	350035	00	8.0	GPP		
DETRITAL JJ	Prim	0459	350036	00	8.0	GPP		
DETRITAL LL	Prim	0459	350038	00	8.0	GPP	12	
DETRITAL QQ	Prim	0459	350043	00	8.0	GPP		
DETRITAL SS	Prim	0459	350045	00	8.0	GPP		
COMMINGLED POOL 001	WF	0459	800160	20	8.0	GPP	12, 12a, 12d	
COMMINGLED POOL 008	Prim	0459	800860	00	8.0	GPP	12	
HECTOR UPPER MANNVILLE O	Prim	0468	250015	00	8.0	GPP		
UPPER MANNVILLE U	Prim	0468	250021	00	8.0	GPP		
HELDAR NORDEGG E	Prim	0346	444005	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
HERCULES WABAMUN A	Prim	0463	658001	00	8.0	GPP		
HERRONTON								
BOW ISLAND D	Prim	0467	213004	00	8.0	GPP		
GLAUCONITIC E	Prim	0467	300005	00	8.0	GPP		
GLAUCONITIC J	Prim	0467	300010	00	8.0	GPP	12a, 12c	
GLAUCONITIC R	Prim	0467	300018	00	8.0	GPP		
GLAUCONITIC U	Prim	0467	300021	00	8.0	GPP		
GLAUCONITIC W	Prim	0467	300023	00	8.0	GPP	12a	
GLAUCONITIC Z	Prim	0467	300026	00	8.0	GPP		
GLAUCONITIC DD	Prim	0467	300030	00	8.0	GPP		
GLAUCONITIC EE	Prim	0467	300031	00	8.0	GPP	3	
GLAUCONITIC FF	Prim	0467	300032	00	8.0	GPP		
GLAUCONITIC HH	Prim	0467	300034	00	8.0	GPP	3	
LOWER MANNVILLE A	Prim	0467	310001	00	8.5	GPP		
LOWER MANNVILLE D	Prim	0467	310004	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0467	310006	00	8.0	GPP	12a	
LOWER MANNVILLE G	Prim	0467	310007	00	8.5	GPP		
LOWER MANNVILLE J	Prim	0467	310010	00	8.5	GPP		
LOWER MANNVILLE U	Prim	0467	310021	00	8.0	GPP		
LOWER MANNVILLE GG	Prim	0467	310033	00	8.0	GPP	12a	
LOWER MANNVILLE II	Prim	0467	310035	00	8.0	GPP		
LOWER MANNVILLE LL	Prim	0467	310038	00	8.0	GPP		
LOWER MANNVILLE NN	Prim	0467	310040	00	8.0	GPP		
LOWER MANNVILLE PP	Prim	0467	310042	00	8.0	GPP		
ELLERSLIE C	WF	0467	336003	20	8.0	GPP		
ELLERSLIE E	Prim	0467	336005	00	8.0	GPP	12	
ELLERSLIE H	Prim	0467	336008	00	8.0	GPP		
ELLERSLIE P	Prim	0467	336016	00	8.0	GPP		
ELLERSLIE V	Prim	0467	336022	00	8.0	GPP		
ELLERSLIE W	Prim	0467	336023	00	8.0	GPP	12a	
ELLERSLIE AA	Prim	0467	336027	00	8.0	GPP		
ELLERSLIE BB	Prim	0467	336028	00	8.0	GPP		
ELLERSLIE CC	Prim	0467	336029	00	8.0	GPP		
ELLERSLIE DD	Prim	0467	336030	00	8.0	GPP		
ELLERSLIE EE	Prim	0467	336031	00	8.0	GPP		
ELLERSLIE FF	Prim	0467	336032	00	8.0	GPP		
TURNER VALLEY D	Prim	0467	630004	00	8.0	GPP		
TURNER VALLEY K	Prim	0467	630011	00	8.0	GPP	12	
COMMINGLED POOL 002	Prim	0467	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0467	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0467	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0467	800560	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0467	800660	00	8.0	GPP	12	
COMMINGLED POOL 006	WF	0467	800660	20	8.0	GPP	12	
COMMINGLED POOL 007	Prim	0467	800760	00	8.0	GPP	3	
HIGH PRAIRIE								
GILWOOD A	Prim	0030	765501	00	10.5	GPP		
GILWOOD B	Prim	0030	765502	00	10.5	GPP		
GILWOOD D	Prim	0030	765504	00	10.0	GPP		
GILWOOD F	Prim	0030	765506	00	10.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
HIGH PRAIRIE (continued)								
GILWOOD G	Prim	0030	765507	00	10.0	GPP		
GILWOOD R	Prim	0030	765518	00	11.0	GPP		
HIGH RIVER SAWTOOTH A	Prim	1313	428001	00	18.5	GPP		
HIGHVALE								
CARDIUM C	Prim	0477	176003	00	8.0	GPP		
CARDIUM D	Prim	0477	176004	00	8.0	GPP		
LOWER MANNVILLE A	Prim	0477	310001	00	8.0	GPP	12d	
LOWER MANNVILLE A	WF	0477	310001	20	8.0	GPP		
LOWER MANNVILLE R	Prim	0477	310018	00	8.0	GPP		
LOWER MANNVILLE U	Prim	0477	310021	00	8.0	GPP		
LOWER MANNVILLE V	Prim	0477	310022	00	8.0	GPP		
LOWER MANNVILLE FF	Prim	0477	310032	00	8.0	GPP	12	
OSTRACOD B	Prim	0477	316002	00	8.0	GPP	12	
BANFF A	Prim	0477	644001	00	8.0	GPP		
BANFF A	WF	0477	644001	20	8.0	GPP		
BANFF B	Prim	0477	644002	00	8.0	GPP		
BANFF M	Prim	0477	644013	00	8.0	GPP		
BANFF P	Prim	0477	644016	00	8.0	GPP		
BANFF W	Prim	0477	644023	00	8.0	GPP		
NISKU A	Prim	0477	696001	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0477	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0477	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0477	800260	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0477	800660	00	8.0	GPP		
HILL								
COMMINGLED POOL 001	Prim	0442	800160	00	8.0	GPP		
HOMEGLLEN-RIMBEY								
GLAUCONITIC F	Prim	0470	300006	00	8.0	GPP		
GLAUCONITIC II	Prim	0470	300035	00	8.0	GPP	3	
ELLERSLIE J	Prim	0470	336010	00	8.0	GPP		
ELLERSLIE N	Prim	0470	336014	00	8.0	GPP		
ELLERSLIE P	Prim	0470	336016	00	8.0	GPP	12	
ELLERSLIE T	Prim	0470	336020	00	8.0	GPP	12	
PEKISKO C	Prim	0470	642003	00	8.0	GPP		
PEKISKO C	WF	0470	642003	20	8.0	GPP		
PEKISKO F	Prim	0470	642006	00	8.0	GPP		
BANFF F	Prim	0470	644006	00	8.0	GPP		
D-3	Prim	0470	720000	00	11.5	GPP	12	
D-3 D	Prim	0470	720004	00	12.0	GPP		
COMMINGLED POOL 007	Prim	0470	800760	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0470	801160	00	8.0	GPP	12, 12d	
HONEYSUCKLE								
BELLY RIVER J	Prim	1114	126010	00	8.0	GPP		
HOKKER								
JURASSIC A	Prim	0352	446001	00	16.5	GPP		
COMMINGLED POOL 001	Prim	0352	800160	00	13.5	GPP		
HOTCHKISS								
GILWOOD C	Prim	0474	765503	00	9.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
HOTCHKISS (continued) COMMINGLED POOL 002	Prim	0474	800260	00	8.5	GPP		
HUSSAR BASAL COLORADO J	Prim	0486	242010	00	8.0	GPP		
UPPER MANNVILLE B	Prim	0486	250002	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0486	250005	00	8.0	GPP		
GLAUCONITIC POOLS	Prim	0486	300000	00	8.0	GPP		
GLAUCONITIC B	Prim	0486	300002	00	8.0	GPP	12	
GLAUCONITIC E	Prim	0486	300005	00	8.0	GPP	12	
GLAUCONITIC G	Prim	0486	300007	00	8.0	GPP	12	
GLAUCONITIC U	Prim	0486	300021	00	8.0	GPP	12	
GLAUCONITIC X	Prim	0486	300024	00	8.0	GPP	12	
GLAUCONITIC W2W	Prim	0486	300949	00	8.0	GPP	12a	
GLAUCONITIC G3G	Prim	0486	301507	00	8.0	GPP	12	
GLAUCONITIC B6B	Prim	0486	301728	00	8.0	GPP	12a	
GLAUCONITIC C6C	Prim	0486	301729	00	8.0	GPP	12a	
GLAUCONITIC D7D	Prim	0486	302904	00	8.0	GPP	12	
GLAUCONITIC Z7Z	Prim	0486	302926	00	8.0	GPP	12	
GLAUCONITIC G8G	Prim	0486	302933	00	8.0	GPP	12	
LOWER MANNVILLE H	Prim	0486	310008	00	8.0	GPP		
OSTRACOD RRR	Prim	0486	312118	00	8.0	GPP		
BASAL MANNVILLE POOLS	Prim	0486	320000	00	8.0	GPP		
BASAL MANNVILLE JJJ	WF	0486	320610	20	8.0	GPP		
BASAL MANNVILLE L4L	Prim	0486	320738	00	8.0	GPP	12	
BASAL MANNVILLE M4M	Prim	0486	320739	00	8.0	GPP	12	
BASAL QUARTZ C	Prim	0486	334003	00	8.0	GPP		
BASAL QUARTZ K	Prim	0486	334011	00	8.0	GPP		
PEKISKO B	Prim	0486	642002	00	8.0	GPP		
PEKISKO C	Prim	0486	642003	00	8.0	GPP		
PEKISKO D	Prim	0486	642004	00	8.0	GPP		
PEKISKO E	Prim	0486	642005	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0486	800360	00	8.0	GPP		
COMMINGLED POOL 003	WF	0486	800360	20	8.0	GPP		
COMMINGLED POOL 005	Prim	0486	800560	00	8.0	GPP		
COMMINGLED POOL 030	Prim	0486	803060	00	8.0	GPP		
COMMINGLED POOL 031	Prim	0486	803160	00	8.0	GPP		
COMMINGLED MFP9501	Prim	0486	950160	00	8.0	GPP	12, 12e	
HUTCH SLAVE POINT B	Prim	0481	758002	00	8.0	GPP		
HUXLEY VIKING I	Prim	0488	218009	00	8.0	GPP		
VIKING J	Prim	0488	218010	00	8.0	GPP		
VIKING K	Prim	0488	218011	00	8.0	GPP		
VIKING L	Prim	0488	218012	00	8.0	GPP		
UPPER MANNVILLE J	Prim	0488	250010	00	8.0	GPP		
LOWER MANNVILLE B	Prim	0488	310002	00	8.0	GPP		
NISKU A	Prim	0488	696001	00	8.5	GPP		
NISKU B	Prim	0488	696002	00	8.0	GPP	5	
NISKU C	Prim	0488	696003	00	8.5	GPP		
NISKU D	Prim	0488	696004	00	8.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
HUXLEY (continued) NISKU G	Prim	0488	696007	00	8.5	GPP		
DUVERNAY A	Prim	0488	728001	00	9.0	GPP	3	
DUVERNAY B	Prim	0488	728002	00	10.5	10.5	150	
INNISFAIL								
BASAL BELLY RIVER C	Prim	0494	134003	00	8.0	GPP		
BASAL BELLY RIVER F	Prim	0494	134006	00	8.0	GPP	3	
D-2 A	Prim	0494	696001	00	12.5	GPP		
D-3	Prim	0494	720000	00	14.0	GPP		
JARVIE								
GLAUCONITIC K	Prim	0498	300011	00	8.0	GPP		
JASLAN								
GRAND RAPIDS U	Prim	0493	262021	00	8.0	GPP		
GRAND RAPIDS V	Prim	0493	262022	00	8.0	GPP		
JENNER								
VIKING P	Prim	0500	218016	00	8.0	GPP	3	
UPPER MANNVILLE POOLS	Prim	0500	250000	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0500	250005	00	8.0	GPP	12a	
UPPER MANNVILLE E	WF	0500	250005	20	8.0	GPP		
UPPER MANNVILLE O	Prim	0500	250015	00	8.0	GPP		
UPPER MANNVILLE O	WF	0500	250015	20	8.0	GPP		
UPPER MANNVILLE V	Prim	0500	250022	00	8.0	GPP	12a	
UPPER MANNVILLE MM	Prim	0500	250039	00	8.0	GPP	12	
UPPER MANNVILLE OO	Prim	0500	250041	00	8.0	GPP		
UPPER MANNVILLE OO	WF	0500	250041	20	8.0	GPP		
UPPER MANNVILLE JJJ	Prim	0500	250710	00	8.0	GPP		
UPPER MANNVILLE JJJ	WF	0500	250710	20	8.0	GPP		
UPPER MANNVILLE MMM	Prim	0500	250713	00	8.0	GPP	12a, 12d	
UPPER MANNVILLE G2G	Prim	0500	250733	00	8.0	GPP	12	
UPPER MANNVILLE T2T	Prim	0500	250746	00	8.0	GPP	12	
UPPER MANNVILLE K3K	Prim	0500	251111	00	8.0	GPP	12	
LOWER MANNVILLE C	Prim	0500	310003	00	8.0	GPP		
PEKISKO I	Prim	0500	642009	00	8.0	GPP		
PEKISKO J	Prim	0500	642010	00	8.0	GPP		
PEKISKO L	Prim	0500	642012	00	8.0	GPP		
PEKISKO N	Prim	0500	642014	00	8.0	GPP		
PEKISKO O	Prim	0500	642015	00	8.0	GPP		
PEKISKO S	Prim	0500	642019	00	8.0	GPP	3	
JENSEN								
LWR BANFF-EXSHAW-BV A	Prim	1121	649001	00	8.0	GPP		
JOAN								
GRANITE WASH E	Prim	0497	797505	00	8.0	GPP		
GRANITE WASH H	Prim	0497	797508	00	8.0	GPP		
GRANITE WASH I	Prim	0497	797509	00	8.0	GPP		
GRANITE WASH J	Prim	0497	797510	00	8.0	GPP		
GRANITE WASH POOLS	Prim	0497	976000	00	8.0	GPP	6c	
JOARCAM								
VIKING	Prim	0503	218000	00	8.0	GPP	12e	
VIKING	WF	0503	218000	20	8.0	GPP	12e	
VIKING Y	Prim	0503	218025	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
JOARCAM (continued) VIKING Z	Prim	0503	218026	00	8.0	GPP		
JOFFRE VIKING VIKING	Prim SF	0505 0505	218000 218000	00 10	8.0 8.0	GPP GPP		
VIKING B VIKING D VIKING E	Prim Prim Prim	0505 0505 0505	218002 218004 218005	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
VIKING H VIKING I VIKING I	Prim Prim WF	0505 0505 0505	218008 218009 218009	00 00 20	8.0 8.0 8.0	GPP GPP GPP	12	
VIKING M VIKING P BLAIRMORE L	Prim Prim Prim	0505 0505 0505	218013 218016 244012	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
BLAIRMORE O BLAIRMORE FF BLAIRMORE LL	Prim Prim Prim	0505 0505 0505	244015 244032 244038	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
BLAIRMORE YY BLAIRMORE ZZ UPPER MANNVILLE Q	Prim Prim Prim	0505 0505 0505	244051 244052 250017	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
UPPER MANNVILLE R ELLERSLIE D D-2	Prim Prim Prim	0505 0505 0505	250018 336004 696000	00 00 00	8.0 8.0 9.0	GPP GPP GPP		
D-2 D-2 B D-3 B	WF Prim Prim	0505 0505 0505	696000 696002 720002	20 00 00	9.0 8.0 9.5	GPP GPP GPP		
D-3 C D-3 G DUVERNAY A	Prim Prim Prim	0505 0505 0505	720003 720007 728001	00 00 00	9.0 10.5 10.5	GPP GPP GPP	12a 3	
COMMINGLED POOL 021 JOHNSON GLAUCONITIC B	Prim WF	0505 0504	802160 300002	00 20	8.0 8.0	GPP GPP	12a, 12c	
GLAUCONITIC C GLAUCONITIC E GLAUCONITIC H	WF WF WF	0504 0504 0504	300003 300005 300008	20 20 20	8.0 8.0 8.0	GPP GPP GPP	12a	
GLAUCONITIC J GLAUCONITIC M GLAUCONITIC N	WF Prim Prim	0504 0504 0504	300010 300013 300014	20 00 00	8.0 8.0 8.0	GPP GPP GPP		
GLAUCONITIC T SUNBURST A SUNBURST C	Prim Prim Prim	0504 0504 0504	300020 332001 332003	00 00 00	8.0 8.0 8.0	GPP GPP GPP	12a	
PEKISKO A JOUSSARD BLUESKY B	Prim Prim WF	0504 1310 1310	642001 304002 304002	00 00 20	8.0 8.0 8.0	GPP GPP GPP		
BLUESKY B GILWOOD A JUDY CREEK VIKING A	Prim Prim Prim	1310 1310 0509	765501 218001 218016	00 00 00	9.0 8.0 8.0	GPP GPP GPP	12	
VIKING P GETHING B	Prim Prim	0509 0509	218016 326002	00 00	8.0 8.0	GPP GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
JUDY CREEK (continued)								
PEKISKO C	Prim	0509	642003	00	8.0	GPP		12
PEKISKO D	Prim	0509	642004	00	8.0	GPP		12
PEKISKO F	Prim	0509	642006	00	8.0	8.0	110	9a
PEKISKO F	WF	0509	642006	20	8.0	GPP		
PEKISKO H	Prim	0509	642008	00	8.0	GPP		
BEAVERHILL LAKE A	Prim	0509	744001	00	14.0	GPP		
BEAVERHILL LAKE A	SF	0509	744001	10	14.0	GPP		
BEAVERHILL LAKE A	WF	0509	744001	20	14.0	GPP		
BEAVERHILL LAKE B	Prim	0509	744002	00	15.0	15.0	290	9a
BEAVERHILL LAKE B	SF	0509	744002	10	15.0	GPP		
BEAVERHILL LAKE B	WF	0509	744002	20	15.0	GPP		
BEAVERHILL LAKE E	Prim	0509	744005	00	12.5	GPP		
BEAVERHILL LAKE G	Prim	0509	744007	00	12.0	GPP		3
BEAVERHILL LAKE H	Prim	0509	744008	00	13.0	13.0	210	9a
BEAVERHILL LAKE H	WF	0509	744008	20	13.0	GPP		
BEAVERHILL LAKE K	Prim	0509	744011	00	13.0	GPP		
BEAVERHILL LAKE M	Prim	0509	744013	00	12.0	GPP		
BEAVERHILL LAKE O	Prim	0509	744015	00	13.0	GPP		3
BEAVERHILL LAKE Q	Prim	0509	744017	00	12.0	GPP		
BEAVERHILL LAKE R	Prim	0509	744018	00	12.0	GPP		3
BEAVERHILL LAKE S	Prim	0509	744019	00	12.0	GPP		
BEAVERHILL LAKE T	Prim	0509	744020	00	14.0	14.0	130	9a
JUDY CREEK SOUTH								
BEAVERHILL LAKE	Prim	0510	744000	00	15.5	GPP		
BEAVERHILL LAKE	WF	0510	744000	20	15.5	GPP		
BEAVERHILL LAKE C	Prim	0510	744003	00	15.0	GPP		
BEAVERHILL LAKE E	Prim	0510	744005	00	14.5	GPP		
JUMPBUSH								
UPPER MANNVILLE A	WF	0506	250001	20	8.0	GPP		5, 12a
UPPER MANNVILLE B	Prim	0506	250002	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0506	250005	00	8.0	GPP		
UPPER MANNVILLE E	WF	0506	250005	20	8.0	GPP		
UPPER MANNVILLE I	Prim	0506	250009	00	8.0	GPP		
UPPER MANNVILLE M	Prim	0506	250013	00	8.0	GPP		
UPPER MANNVILLE N	WF	0506	250014	20	8.0	GPP		12a
UPPER MANNVILLE P	WF	0506	250016	20	8.0	GPP		12a
UPPER MANNVILLE Q	Prim	0506	250017	00	8.0	GPP		
UPPER MANNVILLE Y	Prim	0506	250025	00	8.0	GPP		5
UPPER MANNVILLE BB	Prim	0506	250028	00	8.0	GPP		
UPPER MANNVILLE FF	Prim	0506	250032	00	8.0	GPP		
UPPER MANNVILLE GG	Prim	0506	250033	00	8.0	GPP		
LOWER MANNVILLE E	Prim	0506	310005	00	8.0	GPP		
JUMPING POUND								
COMMINGLED POOL 001	Prim	0511	800160	00	9.5	GPP		12
KAKUT								
CHARLIE LAKE B	Prim	0323	508002	00	8.0	GPP		12a, 12b, 12d
DOIG B	Prim	0323	520002	00	10.0	GPP		
KAKWA								
CHINOOK C	Prim	0519	154003	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
KAKWA (continued)								
CHINOOK H	Prim	0519	154008	00	8.0	GPP		
CHINOOK K	Prim	0519	154011	00	8.0	GPP		
CHINOOK N	Prim	0519	154014	00	8.0	GPP		
CHINOOK Q	Prim	0519	154017	00	8.0	GPP		
CHINOOK S	Prim	0519	154019	00	8.0	GPP		
CHINOOK V	Prim	0519	154022	00	8.0	GPP		
CHINOOK W	Prim	0519	154023	00	8.0	GPP		3
MAIN CARDIUM A	Prim	0519	175001	00	8.0	GPP		12
MAIN CARDIUM E	Prim	0519	175005	00	8.0	GPP		
MAIN CARDIUM F	Prim	0519	175006	00	8.0	GPP		
MAIN CARDIUM O	Prim	0519	175015	00	8.0	GPP		
MAIN CARDIUM P	Prim	0519	175016	00	8.0	GPP		
MAIN CARDIUM Q	Prim	0519	175017	00	8.0	GPP		
MAIN CARDIUM R	Prim	0519	175018	00	8.0	GPP		
MAIN CARDIUM S	Prim	0519	175019	00	8.0	GPP		
MAIN CARDIUM DD	Prim	0519	175030	00	8.5	GPP		
MAIN CARDIUM EE	Prim	0519	175031	00	8.0	GPP		
MAIN CARDIUM XX	Prim	0519	175050	00	8.0	GPP		
MAIN CARDIUM YY	Prim	0519	175051	00	8.0	GPP		
A CARDIUM A	Prim	0519	175101	00	8.0	GPP		10m
A CARDIUM A	GF	0519	175101	40	8.0	GPP		12
C CARDIUM A	Prim	0519	175301	00	8.0	GPP		
C CARDIUM B	Prim	0519	175302	00	8.0	GPP		
MAIN CARDIUM KKK	Prim	0519	175411	00	8.0	GPP		
MAIN CARDIUM QQQ	Prim	0519	175417	00	8.0	GPP		
MAIN CARDIUM YYY	Prim	0519	175425	00	8.5	GPP		
MAIN CARDIUM A2A	Prim	0519	175427	00	9.0	GPP		
DUNVEGAN CC	Prim	0519	192029	00	15.0	GPP		3
DUNVEGAN UU	Prim	0519	192047	00	12.0	GPP		
DUNVEGAN III	Prim	0519	195809	00	13.0	GPP		3
HALFWAY A	Prim	0519	516001	00	20.0	GPP		
HALFWAY B	Prim	0519	516002	00	20.0	GPP		
COMMINGLED POOL 001	Prim	0519	800160	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0519	800560	00	8.5	GPP		
COMMINGLED POOL 037	Prim	0519	803760	00	10.5	GPP		
COMMINGLED POOL 038	Prim	0519	803860	00	15.0	GPP		
COMMINGLED POOL 039	Prim	0519	803960	00	12.0	GPP		
COMMINGLED MFP9529	Prim	0519	952960	00	8.0	GPP		12
KARR								
CARDIUM B	Prim	0515	176002	00	8.0	GPP		
DUNVEGAN POOLS	Prim	0515	192000	00	8.0	GPP		
NORDEGG A	Prim	0515	444001	00	12.0	GPP		
NORDEGG B	Prim	0515	444002	00	10.0	GPP		
CHARLIE LAKE E	Prim	0515	508005	00	11.0	GPP		12
MONTNEY K	Prim	0515	524011	00	16.5	GPP		6e
MONTNEY L	Prim	0515	524012	00	13.5	GPP		6e
MONTNEY T	Prim	0515	524020	00	13.5	GPP		6e
MONTNEY V	Prim	0515	524022	00	11.5	GPP		6e
MONTNEY W	Prim	0515	524023	00	12.5	GPP		6e

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
KARR (continued)								
MONTNEY X	Prim	0515	524024	00	13.0	GPP		6e
MONTNEY Y	Prim	0515	524025	00	13.0	GPP		6e
MONTNEY BB	Prim	0515	524028	00	17.0	GPP		6e
MONTNEY DD	Prim	0515	524030	00	15.0	GPP		6e
MONTNEY EE	Prim	0515	524031	00	12.5	GPP		6e
MONTNEY GG	Prim	0515	524033	00	8.0	GPP		6e
MONTNEY PP	Prim	0515	524042	00	13.5	GPP		6e
BEAVERHILL LAKE A	Prim	0515	744001	00	20.0	GPP		
BEAVERHILL LAKE C	Prim	0515	744003	00	20.0	GPP		
COMMINGLED POOL 001	Prim	0515	800160	00	8.0	GPP		
KAYBOB								
GETHING O	Prim	0513	326015	00	8.0	GPP		
GETHING Y	Prim	0513	326025	00	8.0	GPP		12
GETHING BBB	Prim	0513	326602	00	8.0	GPP		
GETHING CCC	Prim	0513	326603	00	8.0	GPP		
NORDEGG A	Prim	0513	444001	00	8.0	GPP		
NORDEGG B	Prim	0513	444002	00	8.0	GPP		
NORDEGG C	Prim	0513	444003	00	8.0	GPP		
TRIASSIC A	Prim	0513	500001	00	8.0	GPP		
TRIASSIC B	Prim	0513	500002	00	8.0	GPP		12a
TRIASSIC C	Prim	0513	500003	00	8.0	GPP		
TRIASSIC G	Prim	0513	500007	00	8.0	GPP		
TRIASSIC K	Prim	0513	500011	00	8.5	GPP		12
TRIASSIC N	Prim	0513	500014	00	8.0	GPP		
TRIASSIC O	Prim	0513	500015	00	8.0	GPP		
TRIASSIC P	Prim	0513	500016	00	8.0	GPP		
TRIASSIC Q	Prim	0513	500017	00	8.0	GPP		
TRIASSIC R	Prim	0513	500018	00	8.0	GPP		
TRIASSIC S	Prim	0513	500019	00	8.0	GPP		
TRIASSIC T	Prim	0513	500020	00	8.0	GPP		
TRIASSIC U	Prim	0513	500021	00	8.0	GPP		
NISKU C	Prim	0513	696003	00	13.0	GPP		
DUVERNAY J	Prim	0513	728010	00	18.5	GPP		6f
DUVERNAY K	Prim	0513	728011	00	16.0	GPP		6f
DUVERNAY L	Prim	0513	728012	00	17.5	GPP		6f
DUVERNAY M	Prim	0513	728013	00	17.0	GPP		6f
DUVERNAY UU	Prim	0513	728047	00	17.0	GPP		6f
BEAVERHILL LAKE A	Prim	0513	744001	00	19.5	GPP		5
BEAVERHILL LAKE A	SF	0513	744001	10	19.5	GPP		
BEAVERHILL LAKE A	WF	0513	744001	20	19.5	GPP		
BEAVERHILL LAKE B	Prim	0513	744002	00	19.0	GPP		12a
COMMINGLED POOL 003	Prim	0513	800360	00	8.0	GPP		12
KAYBOB SOUTH								
CARDIUM D	Prim	0514	176004	00	8.0	GPP		
CARDIUM D	WF	0514	176004	20	8.0	GPP		
CARDIUM E	Prim	0514	176005	00	8.0	GPP		
CARDIUM F	Prim	0514	176006	00	8.0	GPP		
CARDIUM H	Prim	0514	176008	00	8.0	GPP		
CARDIUM I	Prim	0514	176009	00	8.0	GPP		3

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
KAYBOB SOUTH (continued)								
CARDIUM K	Prim	0514	176011	00	8.0	GPP		
CARDIUM L	Prim	0514	176012	00	8.0	GPP		
CARDIUM O	Prim	0514	176015	00	8.0	GPP		
CARDIUM R	Prim	0514	176018	00	8.0	GPP		
CARDIUM AA	Prim	0514	176027	00	8.0	GPP		
CARDIUM BB	Prim	0514	176028	00	8.0	GPP		
CARDIUM CC	Prim	0514	176029	00	8.0	GPP		
CARDIUM EE	Prim	0514	176031	00	8.0	GPP		
CARDIUM FF	Prim	0514	176032	00	8.0	GPP		
CARDIUM GG	Prim	0514	176033	00	8.0	GPP		
CARDIUM HH	Prim	0514	176034	00	8.0	GPP		
CARDIUM II	Prim	0514	176035	00	8.0	GPP		
CARDIUM JJ	Prim	0514	176036	00	8.0	GPP		
CARDIUM KK	Prim	0514	176037	00	8.0	GPP		
SECOND WHITE SPECKS D	Prim	0514	186004	00	8.0	GPP		
DUNVEGAN POOLS	Prim	0514	192000	00	8.0	GPP		
DUNVEGAN E	Prim	0514	192005	00	8.0	GPP		
DUNVEGAN E	WF	0514	192005	20	8.0	GPP		
VIKING S	Prim	0514	218019	00	8.0	GPP		
NOTIKEWIN AA	Prim	0514	266027	00	8.0	GPP		
BLUESKY L	Prim	0514	304012	00	10.0	GPP		
BLUESKY RR	Prim	0514	304044	00	10.5	GPP		
GETHING K4K	Prim	0514	327337	00	8.0	GPP		
GETHING D5D	Prim	0514	327804	00	8.0	GPP		
GETHING W5W	Prim	0514	327823	00	8.5	GPP		
NORDEGG N	Prim	0514	444014	00	8.5	GPP		
TRIASSIC A	Prim	0514	500001	00	8.5	31.7	210	
TRIASSIC A	SF	0514	500001	10	8.5	GPP	12d	
TRIASSIC A	WF	0514	500001	20	8.5	GPP		
TRIASSIC O	Prim	0514	500015	00	11.0	GPP		
TRIASSIC SS	Prim	0514	500045	00	8.5	GPP		
TRIASSIC TT	Prim	0514	500046	00	8.5	GPP		
TRIASSIC WW	Prim	0514	500049	00	13.0	GPP	12	
COMMINGLED POOL 001	Prim	0514	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0514	800260	00	11.5	GPP	12	
COMMINGLED POOL 008	Prim	0514	800860	00	8.5	GPP		
COMMINGLED MFP9529	Prim	0514	952960	00	8.5	GPP		
KEHO								
BARONS A	WF	0520	204001	20	8.0	GPP		
BARONS C	Prim	0520	204003	00	8.0	GPP		
BARONS E	Prim	0520	204005	00	8.0	GPP		
BARONS G	Prim	0520	204007	00	8.0	GPP		
BARONS H	Prim	0520	204008	00	8.0	GPP		
BOW ISLAND F	Prim	0520	213006	00	8.0	GPP	12a, 12d	
LWR BANFF-EXSHAW-BV A	Prim	0520	649001	00	10.0	GPP		
LWR BANFF-EXSHAW-BV B	Prim	0520	649002	00	10.0	GPP		
COMMINGLED POOL 001	Prim	0520	800160	00	8.0	GPP		
KELSEY								
LOWER MANNVILLE B	Prim	0522	310002	00	8.0	GPP	10f, 12	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
KELSEY (continued) LOWER MANNVILLE B	WF	0522	310002	20	8.0	GPP		10f, 12
KIDNEY SLAVE POINT D KEG RIVER POOLS	Prim Prim	0344 0344	758004 772000	00 00	8.0 8.0	GPP GPP		
KILLAM UPPER VIKING B UPPER VIKING G	Prim Prim	0524 0524	216002 216007	00 00	8.0 8.0	GPP GPP		12 12a
UPPER VIKING H UPPER VIKING S UPPER VIKING T	Prim Prim Prim	0524 0524 0524	216008 216019 216020	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
VIKING D MIDDLE VIKING I SPARKY Z	Prim Prim Prim	0524 0524 0524	218004 221009 276026	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
LLOYDMINSTER H LLOYDMINSTER J GLAUCONITIC FF	Prim Prim Prim	0524 0524 0524	294008 294010 300032	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
GLAUCONITIC PP GLAUCONITIC H2H LOWER MANNVILLE K	Prim Prim Prim	0524 0524 0524	300042 300934 310011	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
ELLERSLIE JJ ELLERSLIE MM ELLERSLIE NN	Prim Prim Prim	0524 0524 0524	336036 336039 336040	00 00 00	8.0 8.0 8.0	GPP GPP GPP		12a
ELLERSLIE UU ELLERSLIE MMM ELLERSLIE OOO	Prim Prim Prim	0524 0524 0524	336047 336513 336515	00 00 00	8.0 8.0 8.0	GPP GPP GPP		
COMMINGLED POOL 001 COMMINGLED MFP9509	Prim Prim	0524 0524	800160 950960	00 00	8.0 8.0	GPP GPP		
KILLAM NORTH UPPER MANNVILLE F2F UPPER MANNVILLE F2F UPPER MANNVILLE Y2Y	Prim WF Prim	0525 0525 0525	250732 250732 250751	00 20 00	8.0 8.0 8.0	GPP GPP GPP		
LOWER MANNVILLE F COMMINGLED POOL 001 COMMINGLED POOL 001	Prim Prim WF	0525 0525 0525	310006 800160 800160	00 00 20	8.0 8.0 8.0	GPP GPP GPP		3 12, 12e 12, 12e
KIPP LWR BANFF-EXSHAW-BV A LWR BANFF-EXSHAW-BV B	Prim Prim	1133 1133	649001 649002	00 00	9.0 10.0	GPP GPP		
LWR BANFF-EXSHAW-BV D	Prim	1133	649004	00	10.5	GPP		3
KLESKUN BEAVERHILL LAKE A BEAVERHILL LAKE A	Prim WF	0537 0537	744001 744001	00 20	20.0 20.0	20.0 GPP	240	9a
KNAPPEN LOWER MANNVILLE A LOWER MANNVILLE C LOWER MANNVILLE F	Prim Prim Prim	0534 0534 0534	310001 310003 310006	00 00 00	8.0 8.0 8.0	GPP GPP GPP		3
KNOPCIK DOE CREEK D DUNVEGAN G CHARLIE LAKE C	Prim Prim Prim	0536 0536 0536	190004 192007 508003	00 00 00	8.0 8.0 10.5	GPP GPP GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
KNOPCIK (continued)								
CHARLIE LAKE L	WF	0536	508012	20	9.0	GPP		
CHARLIE LAKE O	Prim	0536	508015	00	8.5	GPP		
CHARLIE LAKE T	Prim	0536	508020	00	10.5	GPP		
CHARLIE LAKE U	Prim	0536	508021	00	11.0	GPP		
CHARLIE LAKE V	Prim	0536	508022	00	10.5	GPP		
CHARLIE LAKE W	Prim	0536	508023	00	10.0	GPP		
CHARLIE LAKE X	Prim	0536	508024	00	10.5	GPP		
CHARLIE LAKE Y	Prim	0536	508025	00	10.0	GPP		
CHARLIE LAKE Z	Prim	0536	508026	00	9.0	GPP		
BOUNDARY B	Prim	0536	510002	00	9.0	GPP		
BOUNDARY E	Prim	0536	510005	00	9.0	GPP		
BOUNDARY F	Prim	0536	510006	00	9.0	GPP		
HALFWAY QQ	Prim	0536	516043	00	10.0	GPP		
COMMINGLED POOL 001	Prim	0536	800160	00	9.0	GPP		
COMMINGLED POOL 003	Prim	0536	800360	00	9.5	GPP		
COMMINGLED POOL 004	Prim	0536	800460	00	9.0	GPP		
COMMINGLED POOL 014	Prim	0536	801460	00	9.0	GPP		
COMMINGLED MFP9516	Prim	0536	951660	00	9.5	GPP		
LA GLACE								
NORDEGG A	Prim	0546	444001	00	8.0	GPP		
NORDEGG B	Prim	0546	444002	00	8.0	GPP		
BOUNDARY A	Prim	0546	510001	00	8.0	GPP		
HALFWAY E	Prim	0546	516005	00	8.0	GPP		12
HALFWAY F	Prim	0546	516006	00	8.0	GPP		3
MONTNEY A	Prim	0546	524001	00	9.0	GPP		6e, 12
MONTNEY P	Prim	0546	524016	00	9.5	GPP		6e
COMMINGLED POOL 003	Prim	0546	800360	00	9.0	GPP		6e
LACOMBE								
GLAUCONITIC C	Prim	0541	300003	00	8.0	GPP		
ELLERSLIE K	Prim	0541	336011	00	8.0	GPP		
LARNE								
KEG RIVER E	Prim	0545	772105	00	8.0	GPP		
KEG RIVER Z	Prim	0545	772126	00	8.0	GPP		
KEG RIVER WW	Prim	0545	772149	00	8.0	GPP		
KEG RIVER JJJ	Prim	0545	772210	00	8.0	GPP		
KEG RIVER NNN	Prim	0545	772214	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0545	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0545	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0545	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0545	800460	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0545	800860	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0545	801060	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0545	801160	00	8.0	GPP		
LATOR								
DUNVEGAN A	Prim	0548	192001	00	9.0	GPP		
DUNVEGAN B	Prim	0548	192002	00	11.5	GPP		
DUNVEGAN F	Prim	0548	192006	00	10.0	GPP		
DUNVEGAN L	Prim	0548	192012	00	10.0	GPP		
DUNVEGAN M	Prim	0548	192013	00	10.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
LATOR (continued)								
DUNVEGAN N	Prim	0548	192014	00	10.0	GPP		
MONTNEY A	Prim	0548	524001	00	20.0	GPP	6e	
COMMINGLED POOL 001	Prim	0548	800160	00	9.0	GPP		
LATORNELL								
DUNVEGAN A	Prim	0704	192001	00	8.0	GPP		
NORDEGG A	Prim	0704	444001	00	15.0	GPP		
MONTNEY B	Prim	0704	524002	00	19.5	GPP	6e	
LEAHURST								
MANNVILLE V	Prim	0549	248022	00	8.0	GPP		
GLAUCONITIC B	Prim	0549	300002	00	8.0	8.0	100	
GLAUCONITIC B	WF	0549	300002	20	8.0	GPP	12a	
GLAUCONITIC D	Prim	0549	300004	00	8.0	GPP	12a	
LEAMAN								
LOWER MANNVILLE G	Prim	0557	310007	00	8.0	GPP		
ROCK CREEK G	Prim	0557	432007	00	8.0	GPP		
NORDEGG C	Prim	0557	444003	00	8.0	GPP	12	
NORDEGG E	Prim	0557	444005	00	8.0	GPP	12	
NORDEGG I	Prim	0557	444009	00	8.0	GPP		
PEKISKO C	WF	0557	642003	20	8.0	GPP		
LECKIE								
UPPER MANNVILLE B	WF	0550	250002	20	8.0	GPP	12a	
UPPER MANNVILLE C	Prim	0550	250003	00	8.0	GPP		
PEKISKO A	Prim	0550	642001	00	8.0	GPP		
LEDUC-WOODBEND								
BLAIRMORE E	Prim	0551	244005	00	8.0	GPP		
BLAIRMORE J	Prim	0551	244010	00	8.0	GPP		
BLAIRMORE Q	Prim	0551	244017	00	8.0	GPP	12	
BLAIRMORE QQ	Prim	0551	244043	00	8.0	GPP		
BLAIRMORE SS	Prim	0551	244045	00	8.0	GPP		
BLAIRMORE ZZZ	Prim	0551	244126	00	8.0	GPP		
BLAIRMORE T2T	Prim	0551	244146	00	8.0	GPP		
BLAIRMORE V2V	Prim	0551	244148	00	8.0	GPP		
BLAIRMORE W4W	Prim	0551	244449	00	8.0	GPP		
BLAIRMORE B5B	Prim	0551	244502	00	8.0	GPP		
UPPER MANNVILLE P	Prim	0551	250016	00	8.0	GPP		
UPPER MANNVILLE T	Prim	0551	250020	00	8.0	GPP		
UPPER MANNVILLE U	Prim	0551	250021	00	8.0	GPP	3	
UPPER MANNVILLE V	Prim	0551	250022	00	8.0	GPP		
GLAUCONITIC D	Prim	0551	300004	00	8.0	8.0	120	
GLAUCONITIC D	WF	0551	300004	20	8.0	GPP		
GLAUCONITIC F	Prim	0551	300006	00	8.0	GPP		
ELLERSLIE H	Prim	0551	336008	00	8.0	GPP		
ELLERSLIE I	Prim	0551	336009	00	8.0	GPP		
D-1 A	Prim	0551	658001	00	8.0	GPP		
D-1 E	Prim	0551	658005	00	8.0	GPP		
D-1 R	Prim	0551	658018	00	8.0	GPP	12	
D-1 S	Prim	0551	658019	00	8.0	GPP	12	
D-1 T	Prim	0551	658020	00	8.0	GPP		
D-2 A	Prim	0551	696001	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
LEDUC-WOODBEND (continued)								
D-2 B	Prim	0551	696002	00	8.0	GPP		
D-2 D	Prim	0551	696004	00	8.0	GPP		
D-2 E	Prim	0551	696005	00	8.0	GPP		
D-2 I	Prim	0551	696009	00	8.0	GPP		
D-2 O	Prim	0551	696015	00	8.0	GPP		
D-3 A	Prim	0551	720001	00	8.0	GPP		12d
D-3 A	WF	0551	720001	20	8.0	GPP		12d
D-3 B	Prim	0551	720002	00	8.0	GPP		
D-3 F	Prim	0551	720006	00	8.0	GPP		
D-3 G	Prim	0551	720007	00	8.0	GPP		
D-3 M	Prim	0551	720013	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0551	800260	00	8.0	GPP		12
LELAND								
CARDIUM A	Prim	0742	176001	00	9.5	GPP		
CARDIUM M	Prim	0742	176013	00	8.5	GPP		
SECOND WHITE SPECKS C	Prim	0742	186003	00	10.0	GPP		
SECOND WHITE SPECKS D	Prim	0742	186004	00	9.5	GPP		
SECOND WHITE SPECKS E	Prim	0742	186005	00	10.5	GPP		
GETHING BB	Prim	0742	326028	00	18.5	GPP		
CADOMIN I	Prim	0742	348009	00	18.0	GPP		
LEO								
UPPER MANNVILLE A	Prim	0555	250001	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0555	250004	00	8.0	GPP		12d
UPPER MANNVILLE E	Prim	0555	250005	00	8.0	GPP		
UPPER MANNVILLE H	Prim	0555	250008	00	8.0	GPP		
UPPER MANNVILLE J	Prim	0555	250010	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0555	250012	00	8.0	GPP		12b
UPPER MANNVILLE Z	Prim	0555	250026	00	8.0	GPP		12a
LESSARD								
COMMINGLED POOL 001	Prim	1141	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	1141	800260	00	8.0	GPP		
LITTLE BOW								
UPPER MANNVILLE D	Prim	0560	250004	00	8.0	GPP		
UPPER MANNVILLE I	Prim	0560	250009	00	8.0	GPP		
UPPER MANNVILLE I	WF	0560	250009	20	8.0	GPP		
UPPER MANNVILLE I	ASP	0560	250009	70	8.0	GPP		
UPPER MANNVILLE P	Prim	0560	250016	00	8.0	GPP		
UPPER MANNVILLE S	WF	0560	250019	20	8.0	GPP		12
UPPER MANNVILLE II	Prim	0560	250035	00	8.0	GPP		12
UPPER MANNVILLE GGG	Prim	0560	250707	00	8.0	GPP		12a
COMMINGLED POOL 001	Prim	0560	800160	00	8.0	GPP		12
LITTLE HORSE								
GILWOOD POOLS	Prim	0078	765000	00	8.5	GPP		
LITTLE SMOKY								
D-1 A	Prim	0563	658001	00	11.0	GPP		
LLOYDMINSTER								
COLONY D	Prim	0571	256004	00	8.0	GPP		
COLONY F	Prim	0571	256006	00	8.0	GPP		
COLONY J	Prim	0571	256010	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
LLOYDMINSTER (continued)								
COLONY T	Prim	0571	256020	00	8.0	GPP		3
COLONY Z	Prim	0571	256026	00	8.0	GPP		
COLONY BBB	Prim	0571	256402	00	8.0	GPP		
COLONY M2M	Prim	0571	256439	00	8.0	GPP		
COLONY T2T	Prim	0571	256446	00	8.0	GPP		12a, 12d
COLONY N3N	Prim	0571	258714	00	8.0	GPP		
COLONY R3R	Prim	0571	258718	00	8.0	GPP		
COLONY P4P	Prim	0571	258742	00	8.0	GPP	70	
COLONY Q4Q	Prim	0571	258743	00	8.0	8.0		
MCLAREN D	Prim	0571	268004	00	8.0	GPP		
MCLAREN R	Prim	0571	268018	00	8.0	GPP		
MCLAREN S	Prim	0571	268019	00	8.0	GPP		
MCLAREN Z	Prim	0571	268026	00	8.0	GPP		
MCLAREN BB	Prim	0571	268028	00	8.0	GPP		
MCLAREN DD	Prim	0571	268030	00	8.0	GPP		
MCLAREN GG	Prim	0571	268033	00	8.0	GPP		
MCLAREN JJ	Prim	0571	268036	00	8.0	GPP		
MCLAREN MM	Prim	0571	268039	00	8.0	GPP		
MCLAREN NN	Prim	0571	268040	00	8.0	GPP		
MCLAREN OO	Prim	0571	268041	00	8.0	GPP		
MCLAREN PP	Prim	0571	268042	00	8.0	GPP		
MCLAREN QQ	Prim	0571	268043	00	8.0	GPP		
MCLAREN WW	Prim	0571	268049	00	8.0	GPP		3
MCLAREN BBB	Prim	0571	268502	00	8.0	GPP		
MCLAREN DDD	Prim	0571	268504	00	8.0	GPP		
WASECA Y	Prim	0571	270025	00	8.0	GPP		
SPARKY POOLS	Prim	0571	276000	00	8.0	GPP		
SPARKY G	Prim	0571	276007	00	8.0	GPP		12
GEN. PETROLEUM POOLS	Prim	0571	286000	00	8.0	GPP		
GENERAL PETROLEUM J2J	Prim	0571	286236	00	8.0	8.0	70	
REX T	Prim	0571	288020	00	8.0	GPP		
REX U	Prim	0571	288021	00	8.0	GPP		
LLOYDMINSTER F	Prim	0571	294006	00	8.0	GPP		12a
LLOYDMINSTER F	WF	0571	294006	20	8.0	GPP		12a
LLOYDMINSTER M	Prim	0571	294013	00	8.0	GPP		
LLOYDMINSTER M	WF	0571	294013	20	8.0	GPP		
LLOYDMINSTER R	Prim	0571	294018	00	8.0	GPP		12
LLOYDMINSTER S	Prim	0571	294019	00	8.0	GPP		
LLOYDMINSTER S	WF	0571	294019	20	8.0	GPP		
LLOYDMINSTER T	Prim	0571	294020	00	8.0	GPP		
LLOYDMINSTER U	Prim	0571	294021	00	8.0	GPP		
LLOYDMINSTER AA	Prim	0571	294027	00	8.0	GPP		
LLOYDMINSTER DD	Prim	0571	294030	00	8.0	GPP		
LLOYDMINSTER II	Prim	0571	294035	00	8.0	GPP		
LLOYDMINSTER LL	Prim	0571	294038	00	8.0	GPP		
LLOYDMINSTER MM	Prim	0571	294039	00	8.0	GPP		
LLOYDMINSTER NN	Prim	0571	294040	00	8.0	GPP		
LLOYDMINSTER TT	Prim	0571	294046	00	8.0	GPP		
LLOYDMINSTER UU	Prim	0571	294047	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
LLOYDMINSTER								
(continued)								
LLOYDMINSTER VV	Prim	0571	294048	00	8.0	GPP		
LLOYDMINSTER WW	Prim	0571	294049	00	8.0	GPP		
LLOYDMINSTER XX	Prim	0571	294050	00	8.0	GPP		
CUMMINGS A	Prim	0571	302001	00	8.0	GPP		
CUMMINGS D	Prim	0571	302004	00	8.0	GPP		
CUMMINGS P	Prim	0571	302016	00	8.0	GPP		
CUMMINGS S	Prim	0571	302019	00	8.0	GPP		
CUMMINGS U	Prim	0571	302021	00	8.0	GPP		
CUMMINGS V	Prim	0571	302022	00	8.0	GPP		
CUMMINGS W	Prim	0571	302023	00	8.0	GPP		
CUMMINGS X	Prim	0571	302024	00	8.0	GPP		
CUMMINGS Y	Prim	0571	302025	00	8.0	GPP		
CUMMINGS Z	Prim	0571	302026	00	8.0	GPP		
DINA A	Prim	0571	322001	00	8.0	GPP		
DINA B	Prim	0571	322002	00	8.0	GPP		
DINA C	Prim	0571	322003	00	8.0	GPP		
DINA E	Prim	0571	322005	00	8.0	GPP		3
COMMINGLED POOL 001	Prim	0571	800160	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0571	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0571	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0571	800560	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0571	800860	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0571	801060	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0571	801160	00	8.0	GPP		
COMMINGLED POOL 012	Prim	0571	801260	00	8.0	GPP		
COMMINGLED POOL 012	SF	0571	801260	10	8.0	GPP		
COMMINGLED POOL 012	WF	0571	801260	20	8.0	GPP		
COMMINGLED POOL 013	Prim	0571	801360	00	8.0	GPP		
COMMINGLED POOL 014	Prim	0571	801460	00	8.0	GPP		
COMMINGLED POOL 032	Prim	0571	803260	00	8.0	GPP		
LOCHEND								
CARDIUM D	Prim	0573	176004	00	9.0	GPP		
CARDIUM L	Prim	0573	176012	00	9.5	GPP		
CARDIUM V	Prim	0573	176022	00	11.5	GPP		
CARDIUM X	Prim	0573	176024	00	12.0	GPP		
CARDIUM Y	Prim	0573	176025	00	11.0	GPP		
COMMINGLED POOL 001	Prim	0573	800160	00	10.0	GPP		
COMMINGLED POOL 002	Prim	0573	800260	00	10.0	GPP		
LOMOND								
ELLERSLIE F	Prim	0743	336006	00	8.0	GPP		
ELLERSLIE I	Prim	0743	336009	00	8.0	GPP		
ELLERSLIE J	Prim	0743	336010	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0743	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0743	800360	00	8.0	GPP		
LONE PINE CREEK								
OSTRACOD B	Prim	0576	316002	00	9.0	GPP		
ELLERSLIE K	Prim	0576	336011	00	8.0	GPP		
ELLERSLIE P	Prim	0576	336016	00	9.0	GPP		
ELLERSLIE Q	Prim	0576	336017	00	8.5	GPP		3

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
LONE PINE CREEK (continued)								
WABAMUN F	Prim	0576	658006	00	10.0	GPP		
D-2 A	Prim	0576	696001	00	11.0	GPP		
D-3 A	Prim	0576	720001	00	12.0	GPP	12	
COMMINGLED POOL 007	Prim	0576	800760	00	8.5	GPP		
LONG COULEE								
GLAUCONITIC F	Prim	0577	300006	00	8.0	GPP		
GLAUCONITIC J	Prim	0577	300010	00	8.0	GPP		
GLAUCONITIC Q	Prim	0577	300017	00	8.0	GPP	3	
GLAUCONITIC CC	Prim	0577	300029	00	8.0	GPP		
GLAUCONITIC OO	Prim	0577	300041	00	8.0	GPP	12a	
GLAUCONITIC RR	Prim	0577	300044	00	8.0	GPP	12a	
GLAUCONITIC SS	Prim	0577	300045	00	8.0	GPP	12a	
GLAUCONITIC TT	Prim	0577	300046	00	8.0	GPP		
GLAUCONITIC VV	Prim	0577	300048	00	8.0	GPP		
GLAUCONITIC WW	Prim	0577	300049	00	8.0	GPP	12	
GLAUCONITIC YY	Prim	0577	300051	00	8.0	GPP	12	
GLAUCONITIC AAA	Prim	0577	300901	00	8.5	GPP	12a	
GLAUCONITIC PPP	Prim	0577	300916	00	8.0	GPP		
OSTRACOD B	Prim	0577	316002	00	8.0	GPP		
SUNBURST K	Prim	0577	332011	00	8.0	GPP	12e	
SUNBURST P	Prim	0577	332016	00	8.0	8.0	12d	
SUNBURST P	WF	0577	332016	20	8.0	GPP		
ELLERSLIE A	Prim	0577	336001	00	8.0	GPP	3	
SAWTOOTH F	Prim	0577	428006	00	8.0	GPP		
SAWTOOTH G	Prim	0577	428007	00	8.0	GPP		
LIVINGSTONE C	Prim	0577	628003	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0577	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0577	800260	00	8.0	GPP	12, 12a	
LOOKOUT BUTTE								
COMMINGLED POOL 001	Prim	0578	800160	00	20.0	GPP		
LOON								
SLAVE POINT POOLS	Prim	0579	758000	00	8.0	GPP		
SLAVE POINT G	Prim	0579	758007	00	8.0	8.0	70	
SLAVE POINT G	WF	0579	758007	20	8.0	GPP	9a	
SLAVE POINT P	Prim	0579	758016	00	8.0	GPP		
SLAVE POINT P	WF	0579	758016	20	8.0	GPP		
GRANITE WASH POOLS	Prim	0579	797500	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0579	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0579	800260	00	8.0	GPP		
COMMINGLED POOL 002	WF	0579	800260	20	8.0	GPP		
LOST								
MONTNEY A	Prim	0712	524001	00	8.0	GPP		
LUNNFORD								
OSTRACOD A	Prim	0586	316001	00	8.0	GPP	12a	
ELLERSLIE E	Prim	0586	336005	00	8.0	GPP		
ELLERSLIE R	Prim	0586	336018	00	8.0	GPP	3	
ELLERSLIE S	Prim	0586	336019	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0586	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0586	800260	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MAJEAU								
LOWER MANNVILLE D	Prim	0590	310004	00	8.0	GPP		
LOWER MANNVILLE L	Prim	0590	310012	00	8.0	GPP		
LOWER MANNVILLE R	Prim	0590	310018	00	8.0	GPP		
BANFF K	Prim	0590	644011	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0590	800160	00	8.0	GPP		
MAJORVILLE								
UPPER MANNVILLE B	Prim	0591	250002	00	8.0	GPP	12a, 12d	
UPPER MANNVILLE H	Prim	0591	250008	00	8.0	GPP		
UPPER MANNVILLE FF	Prim	0591	250032	00	8.0	GPP		
UPPER MANNVILLE GG	Prim	0591	250033	00	8.0	GPP		
MALMO								
ELLERSLIE EE	Prim	0593	336031	00	8.0	GPP		
D-2 A	Prim	0593	696001	00	8.0	GPP	12	
D-3 F	Prim	0593	720006	00	8.0	GPP	12	
MANIR								
GETHING A	Prim	0029	326001	00	8.0	GPP		
CHARLIE LAKE A	WF	0029	508001	20	8.0	GPP	12a	
CHARLIE LAKE K	Prim	0029	508011	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0029	800160	00	8.0	GPP		
MANNVILLE								
UPPER MANNVILLE B	Prim	0594	250002	00	8.0	GPP	12a	
UPPER MANNVILLE B	WF	0594	250002	20	8.0	GPP	12a	
UPPER MANNVILLE I2I	WF	0594	250735	20	8.0	GPP		
UPPER MANNVILLE I8I	Prim	0594	251935	00	8.0	GPP		
UPPER MANNVILLE M8M	Prim	0594	251939	00	8.0	GPP		
UPPER MANNVILLE N8N	Prim	0594	251940	00	8.0	GPP		
UPPER MANNVILLE O8O	Prim	0594	251941	00	8.0	GPP		
UPPER MANNVILLE T8T	Prim	0594	251946	00	8.0	GPP		
LOWER MANNVILLE D	Prim	0594	310004	00	8.0	GPP		
MANOLA								
LOWER MANNVILLE E	Prim	0588	310005	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0588	310006	00	8.0	GPP		
LOWER MANNVILLE I	Prim	0588	310009	00	8.0	GPP		
LOWER MANNVILLE K	Prim	0588	310011	00	8.0	GPP		
LOWER MANNVILLE L	Prim	0588	310012	00	8.0	GPP		
LOWER MANNVILLE N	Prim	0588	310014	00	8.0	GPP		
LOWER MANNVILLE O	Prim	0588	310015	00	8.0	GPP		
LOWER MANNVILLE Q	Prim	0588	310017	00	8.0	GPP		
LOWER MANNVILLE R	Prim	0588	310018	00	8.0	GPP		
WABAMUN A	Prim	0588	658001	00	8.0	GPP		
MANYBERRIES								
SUNBURST A	Prim	0595	332001	00	8.0	GPP		
SUNBURST B	Prim	0595	332002	00	8.0	GPP		
SUNBURST B	WF	0595	332002	20	8.0	GPP		
SUNBURST C	Prim	0595	332003	00	8.0	GPP	12	
SUNBURST C	WF	0595	332003	20	8.0	GPP	12	
SUNBURST O	Prim	0595	332015	00	8.0	8.0	110	
SUNBURST O	WF	0595	332015	20	8.0	GPP	12a	
SUNBURST Q	Prim	0595	332017	00	8.0	GPP		
SUNBURST Q	WF	0595	332017	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MANYBERRIES (continued)								
SUNBURST U	Prim	0595	332021	00	8.0	GPP	12a	
SUNBURST HH	Prim	0595	332034	00	8.0	GPP	12	
SUNBURST JJ	Prim	0595	332036	00	8.0	GPP		
SUNBURST JJ	WF	0595	332036	20	8.0	GPP		
SUNBURST KK	Prim	0595	332037	00	8.0	GPP	12a	
SUNBURST KK	WF	0595	332037	20	8.0	GPP	12a	
SUNBURST LL	WF	0595	332038	20	8.0	GPP		
SUNBURST OO	WF	0595	332041	20	8.0	GPP	12d	
SUNBURST MMM	Prim	0595	332113	00	8.0	GPP		
SWIFT B	WF	0595	420002	20	8.0	GPP		
JURASSIC A	Prim	0595	446001	00	8.0	GPP		
JURASSIC B	Prim	0595	446002	00	8.0	GPP		
JURASSIC C	Prim	0595	446003	00	8.0	GPP		
MARKERVILLE								
SECOND WHITE SPECKS A	Prim	0610	186001	00	8.0	GPP		
VIKING A	Prim	0610	218001	00	8.0	GPP	12	
ELLERSLIE K	Prim	0610	336011	00	9.5	GPP		
ELLERSLIE N	Prim	0610	336014	00	10.0	GPP		
MARLOWE								
IRETON A	Prim	1154	710001	00	8.0	GPP		
SLAVE POINT M	Prim	1154	758013	00	8.0	GPP		
SLAVE POINT P	Prim	1154	758016	00	8.0	GPP		
SULPHUR POINT D	Prim	1154	767504	00	8.0	GPP		
SULPHUR POINT E	Prim	1154	767505	00	8.0	GPP		
SULPHUR POINT F	Prim	1154	767506	00	8.0	GPP	3	
SULPHUR POINT G	Prim	1154	767507	00	8.0	GPP	3	
MUSKEG A	Prim	1154	768501	00	8.0	GPP		
MUSKEG B	Prim	1154	768502	00	8.0	GPP		
MUSKEG C	Prim	1154	768503	00	8.0	GPP		
MUSKEG D	Prim	1154	768504	00	8.0	GPP		
MUSKEG E	Prim	1154	768505	00	8.0	GPP		
MUSKEG F	Prim	1154	768506	00	8.0	GPP		
MUSKEG G	Prim	1154	768507	00	8.0	GPP	3	
MUSKEG H	Prim	1154	768508	00	8.0	GPP	3	
MUSKEG I	Prim	1154	768509	00	8.0	GPP		
MUSKEG J	Prim	1154	768510	00	8.0	GPP	3	
MUSKEG K	Prim	1154	768511	00	8.0	GPP	3	
MUSKEG L	Prim	1154	768512	00	8.0	GPP		
KEG RIVER A	Prim	1154	772101	00	8.0	GPP		
KEG RIVER C	Prim	1154	772103	00	8.0	GPP		
KEG RIVER D	Prim	1154	772104	00	8.0	GPP		
KEG RIVER E	Prim	1154	772105	00	8.0	GPP		
KEG RIVER F	Prim	1154	772106	00	8.0	GPP		
KEG RIVER G	Prim	1154	772107	00	8.0	GPP		
KEG RIVER H	Prim	1154	772108	00	8.0	GPP		
KEG RIVER I	Prim	1154	772109	00	8.0	GPP		
KEG RIVER J	Prim	1154	772110	00	8.0	GPP		
KEG RIVER K	Prim	1154	772111	00	8.0	GPP		
KEG RIVER L	Prim	1154	772112	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MARSH								
BELLY RIVER B	Prim	1155	126002	00	14.5	GPP	3	
BELLY RIVER C	Prim	1155	126003	00	10.0	GPP	3	
MARWAYNE								
SPARKY D	Prim	0624	276004	00	8.0	GPP		
SPARKY M	Prim	0624	276013	00	8.0	GPP		
SPARKY O	Prim	0624	276015	00	8.0	GPP		
SPARKY R	Prim	0624	276018	00	8.0	GPP	3	
MATZIWIN								
UPPER MANNVILLE H	Prim	0598	250008	00	8.0	GPP		
UPPER MANNVILLE T	Prim	0598	250020	00	8.0	GPP		
UPPER MANNVILLE T	WF	0598	250020	20	8.0	GPP		
GLAUCONITIC B	Prim	0598	300002	00	8.0	GPP		
GLAUCONITIC C	Prim	0598	300003	00	8.0	GPP	12	
GLAUCONITIC I	Prim	0598	300009	00	8.0	GPP		
GLAUCONITIC AA	Prim	0598	300027	00	8.0	GPP	12	
GLAUCONITIC CC	Prim	0598	300029	00	8.0	GPP		
GLAUCONITIC DD	Prim	0598	300030	00	8.0	GPP	12	
GLAUCONITIC DD	WF	0598	300030	20	8.0	GPP		
GLAUCONITIC JJ	Prim	0598	300036	00	8.0	GPP		
GLAUCONITIC KK	Prim	0598	300037	00	8.0	GPP		
GLAUCONITIC PP	Prim	0598	300042	00	8.0	GPP		
GLAUCONITIC VV	Prim	0598	300048	00	8.0	GPP		
LOWER MANNVILLE E	Prim	0598	310005	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0598	310006	00	8.0	GPP		
LOWER MANNVILLE K	Prim	0598	310011	00	8.0	GPP		
LOWER MANNVILLE O	Prim	0598	310015	00	8.0	GPP		
LOWER MANNVILLE P	Prim	0598	310016	00	8.0	GPP		
PEKISKO A	Prim	0598	642001	00	8.0	GPP	5	
PEKISKO H	Prim	0598	642008	00	8.0	GPP		
PEKISKO J	Prim	0598	642010	00	8.0	GPP	3	
COMMINGLED POOL 002	Prim	0598	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0598	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0598	800460	00	8.0	GPP		
MCKINLEY								
CADOTTE D	Prim	0627	232004	00	8.0	GPP		
CADOTTE F	Prim	0627	232006	00	8.0	GPP		
MCLEANS CREEK								
GILWOOD A	Prim	0077	765501	00	12.5	GPP		
GILWOOD F	Prim	0077	765506	00	13.5	GPP		
GILWOOD G	Prim	0077	765507	00	14.0	GPP		
GILWOOD Q	Prim	0077	765517	00	12.5	GPP		
GRANITE WASH E	Prim	0077	797505	00	13.0	GPP		
GRANITE WASH F	Prim	0077	797506	00	13.5	GPP		
GRANITE WASH N	Prim	0077	797514	00	13.0	GPP		
GRANITE WASH O	Prim	0077	797515	00	13.0	GPP		
GRANITE WASH P	Prim	0077	797516	00	13.0	GPP		
MCLEOD								
CARDIUM I	Prim	0603	176009	00	8.0	GPP		
CARDIUM J	Prim	0603	176010	00	8.0	GPP		
CARDIUM L	Prim	0603	176012	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MCLEOD (continued)								
CARDIUM Q	Prim	0603	176017	00	8.0	GPP		
CARDIUM R	Prim	0603	176018	00	8.0	GPP		
GETHING AA	Prim	0603	326027	00	9.0	GPP		
GETHING ZZZ	Prim	0603	326626	00	9.0	GPP		
GETHING K2K	Prim	0603	326637	00	9.0	GPP		
ELLERSLIE Q	Prim	0603	336017	00	8.0	GPP		
ROCK CREEK F	Prim	0603	432006	00	8.5	GPP		
COMMINGLED POOL 002	Prim	0603	800260	00	9.5	GPP		12
COMMINGLED POOL 004	Prim	0603	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0603	800560	00	8.0	GPP		
COMMINGLED POOL 007	Prim	0603	800760	00	8.5	GPP		
MEDICINE HAT								
GLAUCONITIC C	Prim	0601	300003	00	8.0	GPP		
GLAUCONITIC C	WF	0601	300003	20	8.0	GPP		
GLAUCONITIC C	PF	0601	300003	21	8.0	GPP		
GLAUCONITIC G	Prim	0601	300007	00	8.0	GPP		12a
GLAUCONITIC H	Prim	0601	300008	00	8.0	GPP		
GLAUCONITIC H	WF	0601	300008	20	8.0	GPP		
GLAUCONITIC I	Prim	0601	300009	00	8.0	GPP		
LOWER MANNVILLE A	Prim	0601	310001	00	8.0	GPP		
LOWER MANNVILLE A	WF	0601	310001	20	8.0	GPP		
LOWER MANNVILLE I	Prim	0601	310009	00	8.0	GPP		
LOWER MANNVILLE U	Prim	0601	310021	00	8.0	GPP		
MEDICINE RIVER								
CARDIUM A	Prim	0604	176001	00	8.0	GPP		
CARDIUM B	Prim	0604	176002	00	8.0	GPP		
CARDIUM D	Prim	0604	176004	00	8.0	GPP		
CARDIUM E	Prim	0604	176005	00	8.0	GPP		
CARDIUM L	Prim	0604	176012	00	8.0	GPP		
VIKING S	Prim	0604	218019	00	9.0	GPP		
GLAUCONITIC U	Prim	0604	300021	00	10.0	GPP		
OSTRACOD B	Prim	0604	316002	00	9.5	GPP		
OSTRACOD S	Prim	0604	316019	00	9.0	GPP		
OSTRACOD DD	Prim	0604	316030	00	9.0	GPP		
OSTRACOD HH	Prim	0604	316034	00	10.0	GPP		
OSTRACOD OO	Prim	0604	316041	00	11.0	GPP		
BASAL QUARTZ K	Prim	0604	334011	00	9.5	GPP		12
BASAL QUARTZ KK	Prim	0604	334037	00	9.0	GPP		
BASAL QUARTZ PP	Prim	0604	334042	00	9.0	GPP		
BASAL QUARTZ QQ	Prim	0604	334043	00	9.0	GPP		
BASAL QUARTZ BBB	Prim	0604	334102	00	9.0	GPP		12
JURASSIC A	Prim	0604	446001	00	9.0	9.0	170	
JURASSIC A	WF	0604	446001	20	9.0	GPP		12d
JURASSIC B	Prim	0604	446002	00	9.0	GPP		
JURASSIC E	Prim	0604	446005	00	9.5	GPP		
JURASSIC Q	Prim	0604	446017	00	9.0	GPP		
JURASSIC Y	Prim	0604	446025	00	9.0	GPP		12
JURASSIC CC	Prim	0604	446029	00	9.0	GPP		
JURASSIC NN	Prim	0604	446040	00	9.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MEDICINE RIVER (continued)								
JURASSIC UU	Prim	0604	446047	00	8.0	GPP		
ELKTON-SHUNDA B	Prim	0604	639002	00	10.5	GPP		
ELKTON-SHUNDA E	Prim	0604	639005	00	10.5	GPP		
PEKISKO B	Prim	0604	642002	00	9.0	GPP		12
PEKISKO C	Prim	0604	642003	00	9.0	GPP		
PEKISKO I	Prim	0604	642009	00	9.5	GPP		
PEKISKO N	Prim	0604	642014	00	9.0	GPP		12b
PEKISKO N	GF	0604	642014	40	9.0	GPP		12e
PEKISKO R	Prim	0604	642018	00	9.0	GPP		
PEKISKO S	Prim	0604	642019	00	9.5	GPP		
PEKISKO U	Prim	0604	642021	00	9.0	GPP		
PEKISKO V	Prim	0604	642022	00	9.5	GPP		
PEKISKO X	Prim	0604	642024	00	9.0	GPP		
PEKISKO Y	Prim	0604	642025	00	9.0	GPP		
D-3 A	Prim	0604	720001	00	20.0	GPP		
D-3 B	Prim	0604	720002	00	20.0	GPP		
D-3 C	Prim	0604	720003	00	18.0	GPP		
D-3 D	Prim	0604	720004	00	20.0	GPP		
D-3 F	Prim	0604	720006	00	19.5	GPP		
D-3 G	Prim	0604	720007	00	10.0	GPP		
D-3 H	Prim	0604	720008	00	19.5	GPP		
D-3 I	Prim	0604	720009	00	20.0	GPP		
DUVERNAY A	Prim	0604	728001	00	20.0	GPP		6f
COMMINGLED POOL 001	Prim	0604	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0604	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0604	800260	00	10.0	GPP		12
COMMINGLED POOL 002	WF	0604	800260	20	10.0	GPP		12
COMMINGLED POOL 003	Prim	0604	800360	00	8.5	GPP		12
COMMINGLED POOL 004	Prim	0604	800460	00	8.5	GPP		12
COMMINGLED POOL 004	WF	0604	800460	20	8.5	GPP		12
COMMINGLED POOL 005	Prim	0604	800560	00	9.0	GPP		
COMMINGLED POOL 006	Prim	0604	800660	00	9.0	GPP		
COMMINGLED POOL 007	Prim	0604	800760	00	9.0	GPP		
COMMINGLED POOL 007	WF	0604	800760	20	9.0	GPP		
COMMINGLED POOL 027	Prim	0604	802760	00	9.5	GPP		
COMMINGLED POOL 027	WF	0604	802760	20	9.5	GPP		
COMMINGLED POOL 029	Prim	0604	802960	00	9.5	GPP		
COMMINGLED POOL 029	WF	0604	802960	20	9.5	GPP		
COMMINGLED POOL 030	Prim	0604	803060	00	9.5	GPP		12
MEEKWAP								
D-2 A	Prim	0605	696001	00	11.0	11.0	200	9a
D-2 A	WF	0605	696001	20	11.0	GPP		
MEGA								
KEG RIVER A	Prim	0570	772101	00	11.0	GPP		10g
KEG RIVER B	Prim	0570	772102	00	11.0	GPP		
KEG RIVER D	Prim	0570	772104	00	11.0	GPP		
MELLOWDALE								
LOWER MANNVILLE B	Prim	0607	310002	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MICHICHI								
VIKING B	Prim	0621	218002	00	8.0	GPP		
UPPER MANNVILLE VV	Prim	0621	250048	00	8.0	GPP		
LOWER MANNVILLE I	Prim	0621	310009	00	8.0	GPP		
LOWER MANNVILLE KK	Prim	0621	310037	00	8.0	GPP		
DETRITAL G	Prim	0621	350007	00	8.0	GPP		
DETRITAL M	Prim	0621	350013	00	8.0	GPP		
DETRITAL N	Prim	0621	350014	00	8.0	GPP	3	
DETRITAL Q	Prim	0621	350017	00	8.0	GPP		
BANFF A	Prim	0621	644001	00	8.0	GPP		
BANFF E	Prim	0621	644005	00	8.0	GPP		
BANFF L	Prim	0621	644012	00	8.0	GPP		
BANFF N	Prim	0621	644014	00	8.0	GPP		
BANFF T	Prim	0621	644020	00	8.0	GPP		
BANFF X	Prim	0621	644024	00	8.0	GPP	3	
BANFF AA	Prim	0621	644027	00	8.0	GPP		
BANFF GG	Prim	0621	644033	00	8.0	GPP		
BANFF II	Prim	0621	644035	00	8.0	GPP		
BANFF JJ	Prim	0621	644036	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0621	800260	00	8.0	GPP	12	
COMMINGLED POOL 003	Prim	0621	800360	00	8.0	GPP		
COMMINGLED POOL 016	Prim	0621	801660	00	8.0	GPP		
COMMINGLED POOL 017	Prim	0621	801760	00	8.0	GPP		
MIKWAN								
VIKING Y	Prim	0609	218025	00	8.0	GPP		
UPPER MANNVILLE F	Prim	0609	250006	00	8.0	GPP	12e	
UPPER MANNVILLE G	Prim	0609	250007	00	8.0	GPP		
UPPER MANNVILLE H	Prim	0609	250008	00	8.0	GPP		
UPPER MANNVILLE CCC	Prim	0609	250703	00	8.0	GPP		
LOWER MANNVILLE TT	Prim	0609	310046	00	8.0	GPP		
LOWER MANNVILLE MMM	Prim	0609	310113	00	8.0	GPP		
LOWER MANNVILLE NNN	Prim	0609	310114	00	8.0	GPP		
LOWER MANNVILLE PPP	Prim	0609	310116	00	8.0	GPP		
D-1 C	Prim	0609	658003	00	8.0	GPP		
D-1 E	Prim	0609	658005	00	8.0	GPP		
D-2 A	Prim	0609	696001	00	8.0	GPP		
D-2 I	Prim	0609	696009	00	8.0	GPP		
D-2 N	Prim	0609	696014	00	8.5	GPP		
D-2 Q	Prim	0609	696017	00	8.0	GPP	12a	
D-2 R	Prim	0609	696018	00	8.0	GPP		
D-2 S	Prim	0609	696019	00	8.0	GPP		
D-2 T	Prim	0609	696020	00	8.0	GPP		
D-2 U	Prim	0609	696021	00	8.0	GPP	3	
D-2 V	Prim	0609	696022	00	8.0	GPP	3	
D-3 A	Prim	0609	720001	00	8.0	GPP		
D-3 B	Prim	0609	720002	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0609	800260	00	8.0	GPP	12	
COMMINGLED POOL 003	Prim	0609	800360	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0609	800560	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0609	800660	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MILO								
GLAUCONITIC B	Prim	0614	300002	00	8.0	GPP		
ELLERSLIE A	Prim	0614	336001	00	8.0	GPP		
ELLERSLIE C	Prim	0614	336003	00	8.0	GPP	12a	
ELLERSLIE D	Prim	0614	336004	00	8.0	GPP		
ELLERSLIE J	Prim	0614	336010	00	8.0	GPP		
ELLERSLIE M	Prim	0614	336013	00	8.0	GPP		
ELLERSLIE N	Prim	0614	336014	00	8.0	GPP		
ELLERSLIE T	Prim	0614	336020	00	8.0	GPP		
ELLERSLIE U	Prim	0614	336021	00	8.0	GPP		
ELLERSLIE X	Prim	0614	336024	00	8.0	GPP		
ELLERSLIE AA	Prim	0614	336027	00	8.0	GPP		
ELLERSLIE BB	Prim	0614	336028	00	8.0	GPP		
ELLERSLIE CC	Prim	0614	336029	00	8.0	GPP		
ELLERSLIE DD	Prim	0614	336030	00	8.0	GPP		
ELLERSLIE EE	Prim	0614	336031	00	8.0	GPP		
ELLERSLIE FF	Prim	0614	336032	00	8.0	GPP		
ELLERSLIE GG	Prim	0614	336033	00	8.0	GPP	3	
PEKISKO A	Prim	0614	642001	00	8.0	GPP		
PEKISKO B	Prim	0614	642002	00	8.0	GPP		
MINEHEAD								
CARDIUM A	Prim	0646	176001	00	13.0	GPP		
MIRAGE								
CHARLIE LAKE C	Prim	0629	508003	00	8.0	GPP		
CHARLIE LAKE E	Prim	0629	508005	00	8.0	GPP		
CHARLIE LAKE F	Prim	0629	508006	00	8.0	GPP		
CHARLIE LAKE G	Prim	0629	508007	00	8.0	GPP	3	
COMMINGLED POOL 001	Prim	0629	800160	00	8.0	GPP	12, 12a	
MITSUE								
WABAMUN A	Prim	0615	658001	00	8.0	GPP		
GILWOOD A	Prim	0615	765501	00	8.0	10.0	170	
GILWOOD A	SF	0615	765501	10	8.0	GPP	12e	
GILWOOD A	WF	0615	765501	20	8.0	GPP	5, 12e	
GILWOOD B	Prim	0615	765502	00	8.0	GPP		
GILWOOD G	Prim	0615	765507	00	8.0	GPP		
MONTAG								
CHARLIE LAKE B	Prim	1169	508002	00	8.0	GPP		
CHARLIE LAKE E	Prim	1169	508005	00	8.0	GPP		
MONTGOMERY								
CARDIUM A	Prim	1170	176001	00	9.5	GPP		
CARDIUM B	Prim	1170	176002	00	9.5	GPP		
CARDIUM C	Prim	1170	176003	00	9.5	GPP		
SECOND WHITE SPECKS A	Prim	1170	186001	00	13.0	GPP		
MOONEY								
BLUESKY A	Prim	0902	304001	00	8.0	GPP		
BLUESKY A	ASP	0902	304001	70	8.0	GPP		
GILWOOD A	Prim	0902	765501	00	8.5	GPP		
MORGAN								
SPARKY G	Prim	0619	276007	00	8.0	GPP		
SPARKY I	Prim	0619	276009	00	8.0	GPP		
SPARKY V	Prim	0619	276022	00	8.0	GPP	3	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
MORGAN (continued)								
CUMMINGS B	Prim	0619	302002	00	8.0	GPP		
CUMMINGS C	Prim	0619	302003	00	8.0	GPP		
DINA I	Prim	0619	322009	00	8.0	GPP		3
COMMINGLED POOL 001	Prim	0619	800160	00	8.0	GPP		
MORINVILLE								
LOWER MANNVILLE II	Prim	0620	310035	00	8.0	GPP		12
D-3 B	Prim	0620	720002	00	8.0	GPP		
D-3 C	Prim	0620	720003	00	8.0	GPP		
D-3 E	Prim	0620	720005	00	8.0	GPP		
D-3 H	Prim	0620	720008	00	8.0	GPP		
D-3 K	Prim	0620	720011	00	8.0	GPP		
D-3 L	Prim	0620	720012	00	8.0	GPP		
D-3 Q	Prim	0620	720017	00	8.0	GPP		
D-3 R	Prim	0620	720018	00	8.0	GPP		
D-3 S	Prim	0620	720019	00	8.0	GPP		
MORNINGSIDE								
GLAUCONITIC H	Prim	0725	300008	00	8.0	GPP		
ELLERSLIE A	Prim	0725	336001	00	8.0	GPP		
ELLERSLIE S	Prim	0725	336019	00	8.0	GPP		
ELLERSLIE U	Prim	0725	336021	00	8.0	GPP		
ELLERSLIE AA	Prim	0725	336027	00	8.0	GPP		
MULLIGAN								
CHARLIE LAKE A	Prim	0647	508001	00	8.0	GPP		
CHARLIE LAKE B	Prim	0647	508002	00	8.0	GPP		
CHARLIE LAKE L	Prim	0647	508012	00	8.0	GPP		
CHARLIE LAKE M	Prim	0647	508013	00	8.0	GPP		
CHARLIE LAKE O	Prim	0647	508015	00	8.0	GPP		3
CHARLIE LAKE Q	Prim	0647	508017	00	8.0	GPP		3
CHARLIE LAKE R	Prim	0647	508018	00	8.0	GPP		3
HALFWAY A	Prim	0647	516001	00	8.0	GPP		
MONTNEY A	Prim	0647	524001	00	8.0	GPP		12
NELSON								
LOWER MANNVILLE B	Prim	0673	310002	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0673	310006	00	8.0	GPP		
LOWER MANNVILLE G	Prim	0673	310007	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0673	800260	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0673	800460	00	8.0	GPP		12, 12a
NEVIS								
BLAIRMORE C	Prim	0636	244003	00	8.0	GPP		
UPPER MANNVILLE H	Prim	0636	250008	00	8.0	GPP		12a
UPPER MANNVILLE CC	Prim	0636	250029	00	8.0	GPP		12
UPPER MANNVILLE II	Prim	0636	250035	00	8.0	GPP		
UPPER MANNVILLE OO	Prim	0636	250041	00	8.0	GPP		
LOWER MANNVILLE FFF	Prim	0636	310106	00	8.0	GPP		
D-1 E	Prim	0636	658005	00	8.0	GPP		
D-1 P	Prim	0636	658016	00	8.0	GPP		
D-1 Q	Prim	0636	658017	00	8.0	GPP		
D-1 Q	WF	0636	658017	20	8.0	GPP		
D-1 W	Prim	0636	658023	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
NEVIS (continued)								
D-1 X	Prim	0636	658024	00	8.0	GPP		
D-1 Y	Prim	0636	658025	00	8.0	GPP		
D-1 AA	Prim	0636	658027	00	8.0	GPP		
D-1 BB	Prim	0636	658028	00	8.0	GPP		
D-3 M	Prim	0636	720013	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0636	800160	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0636	800360	00	8.0	GPP		
COMMINGLED POOL 018	Prim	0636	801860	00	8.0	GPP		
NEW NORWAY								
ELLERSLIE A	Prim	0641	336001	00	8.0	GPP		12a, 12c
NEWELL								
UPPER MANNVILLE B	Prim	0642	250002	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0642	250004	00	8.0	GPP		12, 12d
UPPER MANNVILLE H	Prim	0642	250008	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0642	250012	00	8.0	GPP		12
UPPER MANNVILLE S	Prim	0642	250019	00	8.0	GPP		12
LOWER MANNVILLE D	Prim	0642	310004	00	8.0	GPP		
NEWTON								
BANFF A	Prim	0643	644001	00	8.0	GPP		
NINASTOKO								
RUNDLE A	Prim	1187	610001	00	9.5	GPP		
LWR BANFF-EXSHAW-BV A	Prim	1187	649001	00	17.0	GPP		
LWR BANFF-EXSHAW-BV B	Prim	1187	649002	00	17.0	GPP		3
NIPISI								
CLEARWATER F	Prim	0644	280006	00	8.0	8.0	70	9a
SLAVE POINT A	Prim	0644	758001	00	8.0	GPP		
SLAVE POINT D	Prim	0644	758004	00	8.0	GPP		
SLAVE POINT D	WF	0644	758004	20	8.0	GPP		
SLAVE POINT E	Prim	0644	758005	00	8.0	GPP		
SLAVE POINT F	Prim	0644	758006	00	8.0	GPP		
SLAVE POINT R	Prim	0644	758018	00	8.0	GPP		
GILWOOD C	Prim	0644	765503	00	8.0	GPP		
GILWOOD E	Prim	0644	765505	00	8.0	GPP		
GILWOOD G	Prim	0644	765507	00	8.0	GPP		
GILWOOD H	Prim	0644	765508	00	8.0	GPP		
GILWOOD I	Prim	0644	765509	00	8.0	GPP		
GILWOOD J	Prim	0644	765510	00	8.0	GPP		
GILWOOD N	Prim	0644	765514	00	8.0	GPP		
GILWOOD P	Prim	0644	765516	00	8.0	GPP		
GILWOOD Q	Prim	0644	765517	00	8.0	GPP		
GILWOOD R	Prim	0644	765518	00	8.0	GPP		
GILWOOD S	Prim	0644	765519	00	8.0	GPP		
GILWOOD S	WF	0644	765519	20	8.0	GPP		
KEG RIVER SAND POOLS	Prim	0644	773000	00	8.0	GPP		
KEG RIVER SAND Y	Prim	0644	773525	00	8.0	GPP		
KEG RIVER SAND Y	WF	0644	773525	20	8.0	GPP		
KEG RIVER SAND CC	Prim	0644	773529	00	8.0	GPP		
KEG RIVER SAND CC	WF	0644	773529	20	8.0	GPP		
KEG RIVER SAND DD	WF	0644	773530	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
NIPISI								
(continued)								
KEG RIVER SAND MM	Prim	0644	773539	00	8.0	GPP		
KEG RIVER SAND MM	WF	0644	773539	20	8.0	GPP		
KEG RIVER SAND RR	WF	0644	773544	20	8.0	GPP		
KEG RIVER SAND BBB	WF	0644	773602	20	8.0	GPP		
COMMINGLED POOL 001	Prim	0644	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0644	800260	00	8.0	GPP		5
COMMINGLED POOL 002	SF	0644	800260	10	8.0	GPP		
COMMINGLED POOL 002	WF	0644	800260	20	8.0	GPP		
NITON								
CARDIUM E	Prim	0650	176005	00	8.0	GPP		
CARDIUM L	Prim	0650	176012	00	8.0	GPP		
CARDIUM R	Prim	0650	176018	00	8.0	GPP		
CARDIUM S	Prim	0650	176019	00	8.0	GPP		3
CARDIUM T	Prim	0650	176020	00	8.0	GPP		3
BASAL QUARTZ Y	Prim	0650	334025	00	8.0	GPP		
ROCK CREEK G	Prim	0650	432007	00	8.0	GPP		
ROCK CREEK H	Prim	0650	432008	00	8.0	GPP		12a
ROCK CREEK I	Prim	0650	432009	00	8.0	GPP		
ROCK CREEK L	Prim	0650	432012	00	8.0	GPP		
ROCK CREEK M	Prim	0650	432013	00	8.0	GPP		
ROCK CREEK N	WF	0650	432014	20	8.0	GPP		12
ROCK CREEK W	Prim	0650	432023	00	8.0	GPP		
ROCK CREEK W	WF	0650	432023	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0650	800260	00	8.0	GPP		12
COMMINGLED POOL 002	WF	0650	800260	20	8.0	GPP		12
NORMANDVILLE								
MONTNEY E	Prim	0654	524005	00	8.0	GPP		
MONTNEY N	Prim	0654	524014	00	8.0	GPP		
MONTNEY V	Prim	0654	524022	00	8.0	GPP		
MISSISSIPPIAN E	Prim	0654	600005	00	8.0	GPP		
MISSISSIPPIAN U	Prim	0654	600021	00	8.0	GPP		
MISSISSIPPIAN W	Prim	0654	600023	00	8.0	GPP		
PEKISKO A	Prim	0654	642001	00	8.0	GPP		
PEKISKO B	Prim	0654	642002	00	8.0	GPP		12a
D-1 A	Prim	0654	658001	00	8.0	GPP		
D-1 B	Prim	0654	658002	00	8.0	40.0	140	6a
D-1 F	Prim	0654	658006	00	8.0	GPP		
D-1 G	Prim	0654	658007	00	8.0	GPP		
D-1 H	Prim	0654	658008	00	8.0	GPP		
D-3 B	Prim	0654	720002	00	8.5	GPP		
D-3 C	Prim	0654	720003	00	8.5	GPP		
BEAVERHILL LAKE A	Prim	0654	744001	00	10.5	GPP		
GRANITE WASH A	Prim	0654	797501	00	10.5	GPP		
COMMINGLED POOL 001	Prim	0654	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0654	800260	00	8.0	GPP		12
COMMINGLED POOL 003	Prim	0654	800360	00	8.0	GPP		
COMMINGLED POOL 009	Prim	0654	800960	00	8.0	GPP		
NORRIS								
LOWER VIKING B	Prim	0656	224002	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
NORRIS (continued)								
LOWER VIKING C	Prim	0656	224003	00	8.0	GPP		3
UPPER MANNVILLE H	Prim	0656	250008	00	8.0	GPP		12a
UPPER MANNVILLE H	WF	0656	250008	20	8.0	GPP		12a
LOWER MANNVILLE J	Prim	0656	310010	00	8.0	GPP		
NORTHVILLE								
BASAL BELLY RIVER C	Prim	0732	134003	00	8.0	GPP		
ROCK CREEK D	Prim	0732	432004	00	8.5	GPP		
ROCK CREEK M	Prim	0732	432013	00	8.0	GPP		
ROCK CREEK T	Prim	0732	432020	00	8.0	GPP		12a
ROCK CREEK V	Prim	0732	432022	00	8.0	GPP		
ROCK CREEK Z	Prim	0732	432026	00	8.0	GPP		
JURASSIC H	Prim	0732	446008	00	8.5	GPP		
COMMINGLED POOL 004	Prim	0732	800460	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0732	800660	00	8.0	GPP		
OGSTON								
GRANITE WASH BB	Prim	0664	797528	00	8.0	GPP		
GRANITE WASH CC	Prim	0664	797529	00	8.0	GPP		
GRANITE WASH POOLS	Prim	0664	976000	00	8.0	GPP		6c
OKOTOKS								
WABAMUN C	Prim	0666	658003	00	20.0	GPP		
OMEGA								
MCLAREN A	Prim	0663	268001	00	8.0	GPP		
MCLAREN B	Prim	0663	268002	00	8.0	GPP		
MCLAREN C	Prim	0663	268003	00	8.0	GPP		
MCLAREN D	Prim	0663	268004	00	8.0	GPP		
MCLAREN F	Prim	0663	268006	00	8.0	GPP		
WASECA A	Prim	0663	270001	00	8.0	GPP		
WASECA B	Prim	0663	270002	00	8.0	GPP		
SPARKY A	Prim	0663	276001	00	8.0	GPP		
SPARKY H	Prim	0663	276008	00	8.0	GPP		
PADDLE RIVER								
OSTRACOD A	Prim	0672	316001	00	8.0	GPP		
ELLERSLIE H	Prim	0672	336008	00	8.0	GPP		
NORDEGG D	Prim	0672	444004	00	8.0	GPP		12
PAGEANT								
OSTRACOD F	Prim	0677	316006	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0677	800160	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0677	800660	00	8.0	GPP		12, 12a
PAKOWKI LAKE								
SUNBURST B	Prim	0674	332002	00	8.0	GPP		12b
PANNY								
KEG RIVER POOLS	Prim	0734	772100	00	8.0	GPP		
PARADISE								
CUMMINGS B	Prim	0687	302002	00	8.0	8.0	70	9a
PARFLESH								
UPPER MANNVILLE D	Prim	0676	250004	00	8.0	GPP		
UPPER MANNVILLE G	WF	0676	250007	20	8.0	GPP		
UPPER MANNVILLE J	Prim	0676	250010	00	8.0	GPP		
LOWER MANNVILLE D	Prim	0676	310004	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PARKLAND								
BARONS B	Prim	0678	204002	00	9.5	GPP		
COMMINGLED POOL 001	Prim	0678	800160	00	9.0	GPP		
PARKLAND NORTHEAST								
GLAUCONITIC J	WF	0679	300010	20	8.0	GPP		
GLAUCONITIC N	Prim	0679	300014	00	8.0	GPP		
GLAUCONITIC N	WF	0679	300014	20	8.0	GPP		
GLAUCONITIC T	WF	0679	300020	20	8.0	GPP		
GLAUCONITIC U	Prim	0679	300021	00	8.0	GPP		
PEACOCK								
BARONS B	Prim	0772	204002	00	8.5	GPP		
BARONS E	Prim	0772	204005	00	9.0	GPP		
BARONS G	Prim	0772	204007	00	9.0	GPP		
BARONS H	Prim	0772	204008	00	9.0	GPP		
BOW ISLAND A	Prim	0772	213001	00	8.0	GPP		
BOW ISLAND E	Prim	0772	213005	00	8.0	GPP		
BLAIRMORE J	Prim	0772	244010	00	9.0	GPP		
COMMINGLED POOL 001	Prim	0772	800160	00	8.0	GPP		
PEARCE								
LWR BANFF-EXSHAW-BV A	Prim	0740	649001	00	10.0	GPP	3	
LWR BANFF-EXSHAW-BV C	Prim	0740	649003	00	11.0	GPP	3	
LWR BANFF-EXSHAW-BV D	Prim	0740	649004	00	11.0	GPP		
LWR BANFF-EXSHAW-BV E	Prim	0740	649005	00	9.5	GPP	3	
LWR BANFF-EXSHAW-BV F	Prim	0740	649006	00	11.0	GPP	3	
LWR BANFF-EXSHAW-BV G	Prim	0740	649007	00	11.5	GPP	3	
PEAVEY								
MIDDLE VIKING A	Prim	0683	221001	00	8.0	GPP		
BLAIRMORE	WF	0683	244000	20	8.0	GPP	12d	
BLAIRMORE I	Prim	0683	244009	00	8.0	GPP		
PECO								
BELLY RIVER D	Prim	0682	126004	00	8.5	GPP		
BELLY RIVER X	Prim	0682	126024	00	10.0	GPP		
BELLY RIVER Y	Prim	0682	126025	00	8.0	GPP		
BASAL BELLY RIVER C	Prim	0682	134003	00	8.0	GPP		
BASAL BELLY RIVER D	Prim	0682	134004	00	8.0	GPP		
CARDIUM C	Prim	0682	176003	00	12.0	GPP		
CARDIUM G	Prim	0682	176007	00	12.0	GPP		
CARDIUM H	Prim	0682	176008	00	12.0	GPP		
CARDIUM T	Prim	0682	176020	00	11.0	GPP		
VIKING G	Prim	0682	218007	00	16.5	GPP		
GETHING B	Prim	0682	326002	00	20.0	GPP		
GETHING F	Prim	0682	326006	00	18.0	GPP		
JURASSIC H	Prim	0682	446008	00	18.0	GPP		
COMMINGLED POOL 001	Prim	0682	800160	00	9.0	GPP	12	
COMMINGLED POOL 003	Prim	0682	800360	00	10.0	GPP		
COMMINGLED POOL 006	Prim	0682	800660	00	8.0	GPP		
PEDLEY								
BELLY RIVER B	Prim	1201	126002	00	9.5	GPP		
PEMBINA								
BELLY RIVER POOLS	Prim	0685	126000	00	8.0	GPP		
BELLY RIVER M6M	Prim	0685	127539	00	8.0	GPP	12	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PEMBINA (continued)								
BELLY RIVER M8M	Prim	0685	129039	00	8.0	GPP		
BELLY RIVER O8O	Prim	0685	129041	00	8.0	GPP		
BELLY RIVER R8R	Prim	0685	129044	00	8.0	GPP		
BELLY RIVER W8W	Prim	0685	129049	00	8.0	GPP		
BELLY RIVER B9B	Prim	0685	129102	00	8.0	GPP		
BELLY RIVER C9C	Prim	0685	129103	00	8.0	GPP		
BELLY RIVER E9E	Prim	0685	129105	00	8.0	GPP		
BELLY RIVER F9F	Prim	0685	129106	00	8.0	GPP		
BELLY RIVER W9W	Prim	0685	129123	00	8.0	GPP		
BELLY RIVER Y9Y	Prim	0685	129125	00	8.0	GPP		
BELLY RIVER A10A	Prim	0685	129127	00	8.0	GPP		
BELLY RIVER B10B	Prim	0685	129128	00	8.0	GPP		
BSL BELLY RIVER POOLS	Prim	0685	134000	00	8.0	GPP		
BASAL BELLY RIVER D	Prim	0685	134004	00	8.0	GPP		
BASAL BELLY RIVER D	WF	0685	134004	20	8.0	GPP		
BASAL BELLY RIVER E	Prim	0685	134005	00	8.0	GPP		
BASAL BELLY RIVER E	WF	0685	134005	20	8.0	GPP		
BASAL BELLY RIVER H	Prim	0685	134008	00	8.0	GPP		
BASAL BELLY RIVER H	WF	0685	134008	20	8.0	GPP		
BASAL BELLY RIVER Q	WF	0685	134017	20	8.0	GPP		
BASAL BELLY RIVER T2T	Prim	0685	134146	00	8.0	GPP		
BASAL BELLY RIVER X2X	Prim	0685	134150	00	8.0	GPP		
BASAL BELLY RIVER C3C	WF	0685	134803	20	8.0	GPP		
LEA PARK A	Prim	0685	140001	00	8.0	GPP		
CARDIUM	Prim	0685	176000	00	8.0	GPP		
CARDIUM	WF	0685	176000	20	8.0	GPP		
CARDIUM B	Prim	0685	176002	00	8.0	GPP		
CARDIUM L	WF	0685	176012	20	8.0	GPP		
CARDIUM XX	Prim	0685	176050	00	8.0	GPP		
CARDIUM FFF	Prim	0685	176306	00	8.0	GPP		
CARDIUM JJJ	Prim	0685	176310	00	8.5	GPP		3
CARDIUM NNN	Prim	0685	176314	00	8.0	GPP		
CARDIUM OOO	Prim	0685	176315	00	8.0	GPP		3
CARDIUM PPP	Prim	0685	176316	00	8.0	GPP		3
CARDIUM SSS	Prim	0685	176319	00	8.0	GPP		
CARDIUM TTT	Prim	0685	176320	00	8.0	GPP		
CARDIUM UUU	Prim	0685	176321	00	8.0	GPP		
CARDIUM VVV	Prim	0685	176322	00	8.0	GPP		
CARDIUM WWW	Prim	0685	176323	00	8.0	GPP		
CARDIUM XXX	Prim	0685	176324	00	8.0	GPP		
CARDIUM YYY	Prim	0685	176325	00	8.0	GPP		
CARDIUM B2B	Prim	0685	176328	00	8.0	GPP		
CARDIUM C2C	Prim	0685	176329	00	8.0	GPP		
CARDIUM F2F	Prim	0685	176332	00	8.0	GPP		
CARDIUM F2F	WF	0685	176332	20	8.0	GPP		
CARDIUM G2G	Prim	0685	176333	00	8.0	GPP		
CARDIUM H2H	Prim	0685	176334	00	8.0	GPP		
CARDIUM H2H	WF	0685	176334	20	8.0	GPP		
CARDIUM I2I	Prim	0685	176335	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PEMBINA (continued)								
CARDIUM I2I	WF	0685	176335	20	8.0	GPP		
CARDIUM L2L	WF	0685	176338	20	8.0	GPP		
SECOND WHITE SPECKS B	Prim	0685	186002	00	8.0	GPP		
SECOND WHITE SPECKS E	Prim	0685	186005	00	8.0	GPP		
SECOND WHITE SPECKS F	Prim	0685	186006	00	8.0	GPP		
SECOND WHITE SPECKS K	Prim	0685	186011	00	8.0	GPP		
SECOND WHITE SPECKS L	Prim	0685	186012	00	8.5	GPP		
SECOND WHITE SPECKS N	Prim	0685	186014	00	8.5	GPP		
SECOND WHITE SPECKS Q	Prim	0685	186017	00	8.0	GPP		
VIKING POOLS	Prim	0685	218000	00	8.0	GPP		
VIKING AAA	Prim	0685	220401	00	8.0	GPP		
VIKING AAA	WF	0685	220401	20	8.0	GPP		
VIKING BBB	Prim	0685	220402	00	8.0	GPP	12b	
VIKING J2J	Prim	0685	220436	00	8.0	GPP		
VIKING K2K	Prim	0685	220437	00	8.0	GPP		
VIKING M2M	Prim	0685	220439	00	8.0	GPP		
VIKING O2O	Prim	0685	220441	00	8.0	GPP		
UPPER MANNVILLE U4U	Prim	0685	251147	00	8.0	GPP	3	
GLAUCONITIC Z	Prim	0685	300026	00	8.0	GPP		
GLAUCONITIC BB	Prim	0685	300028	00	8.0	GPP		
GLAUCONITIC FF	Prim	0685	300032	00	8.0	GPP		
GLAUCONITIC II	Prim	0685	300035	00	8.0	GPP		
GLAUCONITIC KK	Prim	0685	300037	00	8.0	GPP		
GLAUCONITIC OO	Prim	0685	300041	00	8.0	GPP		
GLAUCONITIC FFF	Prim	0685	300906	00	8.0	GPP		
GLAUCONITIC YYY	Prim	0685	300925	00	8.0	GPP		
GLAUCONITIC F3F	Prim	0685	301506	00	8.0	GPP	12	
GLAUCONITIC M3M	Prim	0685	301513	00	8.0	GPP		
GLAUCONITIC X3X	Prim	0685	301524	00	8.5	GPP		
GLAUCONITIC F4F	Prim	0685	301532	00	8.0	GPP		
OSTRACOD F	Prim	0685	312006	00	8.0	GPP		
OSTRACOD G	GF	0685	312007	40	8.0	GPP	12	
OSTRACOD R	Prim	0685	312018	00	8.0	GPP		
OSTRACOD CC	Prim	0685	312029	00	12.0	GPP		
OSTRACOD KK	Prim	0685	312037	00	8.0	GPP	12	
OSTRACOD NN	Prim	0685	312040	00	8.5	GPP		
OSTRACOD JJJ	Prim	0685	312110	00	8.0	GPP		
OSTRACOD QQQ	Prim	0685	312117	00	8.0	GPP		
OSTRACOD H2H	Prim	0685	312134	00	12.0	GPP		
OSTRACOD J2J	Prim	0685	312136	00	9.0	GPP		
OSTRACOD K2K	Prim	0685	312137	00	9.0	GPP		
OSTRACOD Q2Q	Prim	0685	312143	00	8.5	GPP		
OSTRACOD W2W	Prim	0685	312149	00	9.0	GPP		
OSTRACOD F3F	Prim	0685	312206	00	9.5	GPP		
BASAL QUARTZ PP	Prim	0685	334042	00	8.0	GPP		
BASAL QUARTZ WW	Prim	0685	334049	00	8.5	GPP		
BASAL QUARTZ TTT	Prim	0685	334120	00	8.0	GPP		
ELLERSLIE A	WF	0685	336001	20	8.0	GPP	12a	
ELLERSLIE V	Prim	0685	336022	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PEMBINA (continued)								
ELLERSLIE GG	Prim	0685	336033	00	8.0	GPP	12a	
ELLERSLIE HH	Prim	0685	336034	00	8.0	GPP	12	
ELLERSLIE MM	Prim	0685	336039	00	8.0	GPP		
ELLERSLIE VV	Prim	0685	336522	00	8.5	GPP		
ELLERSLIE P2P	Prim	0685	336542	00	8.0	GPP		
ELLERSLIE Q2Q	Prim	0685	336543	00	8.5	GPP		
ELLERSLIE T2T	Prim	0685	336546	00	9.0	GPP		
ELLERSLIE I5I	Prim	0685	337409	00	8.0	GPP		
ELLERSLIE N5N	Prim	0685	337414	00	11.5	GPP		
ELLERSLIE S5S	Prim	0685	337419	00	10.0	GPP		
ELLERSLIE W5W	Prim	0685	337423	00	9.0	GPP		
ELLERSLIE E6E	Prim	0685	337431	00	8.0	GPP		
ELLERSLIE E6E	WF	0685	337431	20	8.0	GPP		
ELLERSLIE R6R	Prim	0685	337444	00	9.5	GPP		
ELLERSLIE S6S	Prim	0685	337445	00	9.0	GPP		
ELLERSLIE V6V	Prim	0685	337448	00	11.5	GPP		
ELLERSLIE I7I	Prim	0685	337509	00	12.5	GPP		
ELLERSLIE M7M	Prim	0685	337513	00	12.0	GPP		
ELLERSLIE L8L	Prim	0685	337538	00	12.0	GPP		
ELLERSLIE R8R	Prim	0685	337544	00	12.5	GPP	3	
ELLERSLIE U8U	Prim	0685	337547	00	8.0	GPP		
ELLERSLIE I9I	Prim	0685	337609	00	11.5	GPP		
ELLERSLIE Y9Y	Prim	0685	337625	00	11.5	GPP		
ROCK CREEK B	Prim	0685	432002	00	10.0	GPP		
ROCK CREEK AA	Prim	0685	432027	00	8.5	GPP		
ROCK CREEK VV	Prim	0685	432048	00	9.5	GPP	3	
NORDEGG A	Prim	0685	444001	00	9.0	GPP		
JURASSIC POOLS	Prim	0685	446000	00	9.5	GPP		
JURASSIC N	Prim	0685	446014	00	8.0	GPP	12a	
JURASSIC R	Prim	0685	446018	00	8.0	GPP	12d	
JURASSIC FF	Prim	0685	446032	00	10.0	GPP	12	
JURASSIC UUU	Prim	0685	446321	00	10.5	GPP	12	
JURASSIC Q2Q	Prim	0685	446343	00	8.0	GPP	12a	
JURASSIC W3W	Prim	0685	446423	00	9.5	GPP	12	
PEKISKO C	Prim	0685	642003	00	8.0	GPP	12a	
PEKISKO F	Prim	0685	642006	00	8.0	GPP		
PEKISKO N	Prim	0685	642014	00	8.5	GPP		
PEKISKO T	Prim	0685	642020	00	10.0	GPP		
PEKISKO W	Prim	0685	642023	00	9.5	GPP		
BANFF B	Prim	0685	644002	00	8.0	GPP		
BANFF T	Prim	0685	644020	00	8.0	GPP	3	
BANFF AA	GF	0685	644027	40	8.0	GPP		
BANFF HH	Prim	0685	644034	00	8.0	GPP		
BANFF JJ	WF	0685	644036	20	8.0	GPP	12	
BANFF NN	Prim	0685	644040	00	8.0	GPP		
BLUERIDGE A	Prim	0685	680001	00	13.5	GPP		
NISKU A	Prim	0685	696001	00	19.5	GPP		
NISKU C	Prim	0685	696003	00	14.0	GPP		
NISKU D	Prim	0685	696004	00	13.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PEMBINA (continued)								
NISKU F	SF	0685	696006	10	13.0	GPP		
NISKU G	SF	0685	696007	10	18.0	GPP		
NISKU H	WF	0685	696008	20	16.0	GPP		
NISKU I	WF	0685	696009	20	18.0	GPP		
NISKU J	WF	0685	696010	20	16.5	GPP		
NISKU K	SF	0685	696011	10	18.0	GPP		
NISKU L	SF	0685	696012	10	17.5	GPP		
NISKU M	SF	0685	696013	10	17.0	GPP		
NISKU N	WF	0685	696014	20	15.5	GPP		
NISKU O	SF	0685	696015	10	17.0	GPP		
NISKU P	SF	0685	696016	10	18.0	GPP		
NISKU Q	SF	0685	696017	10	17.5	GPP		
NISKU R	WF	0685	696018	20	16.0	GPP		
NISKU S	Prim	0685	696019	00	14.0	GPP		
NISKU T	WF	0685	696020	20	14.5	GPP		
NISKU V	WF	0685	696022	20	14.5	GPP		
NISKU X	Prim	0685	696024	00	17.5	GPP		
NISKU Z	WF	0685	696026	20	20.0	GPP		
NISKU GG	Prim	0685	696033	00	12.0	GPP		
NISKU HH	Prim	0685	696034	00	12.5	GPP		
NISKU II	WF	0685	696035	20	13.0	GPP		5, 10g
NISKU MM	Prim	0685	696039	00	12.0	GPP		
NISKU PP	Prim	0685	696042	00	14.0	GPP		
NISKU VV	WF	0685	696048	20	13.5	GPP		10g
NISKU WW	Prim	0685	696049	00	12.0	GPP		
NISKU AAA	Prim	0685	696801	00	18.0	GPP		5
NISKU CCC	Prim	0685	696803	00	18.0	GPP		
NISKU DDD	Prim	0685	696804	00	16.0	GPP		
NISKU GGG	Prim	0685	696807	00	16.0	GPP		
NISKU OOO	WF	0685	696815	20	8.0	GPP		10g
NISKU TTT	Prim	0685	696820	00	10.5	GPP		
NISKU VVV	Prim	0685	696822	00	18.5	GPP		
NISKU C2C	WF	0685	696829	20	9.0	GPP		10g
NISKU F2F	Prim	0685	696832	00	12.5	GPP		
NISKU G2G	Prim	0685	696833	00	20.0	GPP		
NISKU H2H	Prim	0685	696834	00	20.0	GPP		
NISKU J2J	Prim	0685	696836	00	12.0	GPP		
NISKU K2K	Prim	0685	696837	00	9.0	GPP		10g
NISKU L2L	WF	0685	696838	20	9.5	GPP		12a
NISKU M2M	Prim	0685	696839	00	8.5	GPP		
NISKU N2N	Prim	0685	696840	00	9.5	GPP		12
NISKU O2O	Prim	0685	696841	00	15.0	GPP		10g
NISKU P2P	Prim	0685	696842	00	18.5	GPP		
NISKU W2W	Prim	0685	696849	00	16.0	GPP		
NISKU X2X	SF	0685	696850	10	20.0	GPP		
NISKU Y2Y	Prim	0685	696851	00	20.0	GPP		
NISKU Z2Z	Prim	0685	696852	00	15.0	GPP		3
NISKU G3G	WF	0685	696907	20	14.5	GPP		
D-3 A	Prim	0685	720001	00	10.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PEMBINA (continued)								
DUVERNAY A	Prim	0685	728001	00	20.0	GPP	6f	
DUVERNAY B	Prim	0685	728002	00	18.0	GPP	6f	
COMMINGLED POOL 001	Prim	0685	800160	00	8.0	8.0	9a	
COMMINGLED POOL 001	WF	0685	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0685	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0685	800360	00	8.0	GPP		
COMMINGLED POOL 003	WF	0685	800360	20	8.0	GPP		
COMMINGLED POOL 005	Prim	0685	800560	00	8.0	GPP	12	
COMMINGLED POOL 006	Prim	0685	800660	00	8.0	GPP		
COMMINGLED POOL 007	Prim	0685	800760	00	9.5	GPP	12	
COMMINGLED POOL 008	Prim	0685	800860	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0685	801160	00	8.0	GPP	12	
COMMINGLED POOL 011	WF	0685	801160	20	8.0	GPP	12	
COMMINGLED POOL 014	Prim	0685	801460	00	12.0	GPP		
COMMINGLED POOL 017	Prim	0685	801760	00	8.0	GPP		
COMMINGLED POOL 020	Prim	0685	802060	00	10.0	GPP	12	
COMMINGLED POOL 023	Prim	0685	802360	00	9.5	GPP		
COMMINGLED POOL 024	Prim	0685	802460	00	10.0	GPP		
COMMINGLED POOL 027	Prim	0685	802760	00	8.0	GPP	12	
COMMINGLED POOL 037	Prim	0685	803760	00	11.5	GPP	12	
COMMINGLED POOL 038	Prim	0685	803860	00	11.0	GPP		
COMMINGLED POOL 059	Prim	0685	805960	00	11.0	GPP		
COMMINGLED POOL 087	Prim	0685	808760	00	8.0	GPP		
COMMINGLED POOL 091	Prim	0685	809160	00	9.0	GPP		
COMMINGLED POOL 093	Prim	0685	809360	00	12.0	GPP		
COMMINGLED POOL 094	Prim	0685	809460	00	11.0	GPP		
COMMINGLED POOL 107	Prim	0685	810760	00	12.0	GPP		
COMMINGLED POOL 108	Prim	0685	810860	00	12.5	GPP		
COMMINGLED POOL 110	Prim	0685	811060	00	11.0	GPP		
COMMINGLED POOL 134	Prim	0685	813460	00	10.0	GPP		
COMMINGLED POOL 144	Prim	0685	814460	00	9.0	GPP		
COMMINGLED POOL 145	Prim	0685	814560	00	8.5	GPP	12	
COMMINGLED POOL 146	Prim	0685	814660	00	8.5	GPP		
COMMINGLED POOL 147	Prim	0685	814760	00	8.0	GPP		
COMMINGLED POOL 165	Prim	0685	816560	00	8.0	GPP		
COMMINGLED POOL 169	Prim	0685	816960	00	8.0	GPP		
COMMINGLED POOL 169	WF	0685	816960	20	8.0	GPP	12, 12e	
COMMINGLED POOL 182	Prim	0685	818260	00	8.0	GPP	12, 12e	
COMMINGLED POOL 182	WF	0685	818260	20	8.0	GPP	12, 12e	
COMMINGLED POOL 184	Prim	0685	818460	00	8.0	GPP		
COMMINGLED POOL 185	Prim	0685	818560	00	8.0	GPP		
COMMINGLED POOL 186	Prim	0685	818660	00	10.0	GPP		
COMMINGLED POOL 187	Prim	0685	818760	00	8.0	GPP		
COMMINGLED MFP9537	Prim	0685	953760	00	11.0	GPP	12	
PENHOLD								
VIKING M	Prim	0694	218013	00	8.0	GPP		
UPPER MANNVILLE A	Prim	0694	250001	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0694	250004	00	8.0	GPP	3	
LOWER MANNVILLE K	Prim	0694	310011	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PENHOLD (continued)								
LOWER MANNVILLE R	Prim	0694	310018	00	8.0	GPP	12a	
LOWER MANNVILLE W	Prim	0694	310023	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0694	800160	00	8.0	GPP	7, 12	
COMMINGLED POOL 002	Prim	0694	800260	00	8.0	GPP		
PENNY								
BARONS A	Prim	1203	204001	00	8.0	8.0	100	
BARONS A	WF	1203	204001	20	8.0	GPP		
LWR BANFF-EXSHAW-BV A	Prim	1203	649001	00	8.5	GPP	3	
LWR BANFF-EXSHAW-BV B	Prim	1203	649002	00	8.0	GPP	3	
LWR BANFF-EXSHAW-BV C	Prim	1203	649003	00	9.5	GPP	3	
LWR BANFF-EXSHAW-BV E	Prim	1203	649005	00	9.0	GPP	3	
LWR BANFF-EXSHAW-BV F	Prim	1203	649006	00	8.0	GPP	3	
LWR BANFF-EXSHAW-BV G	Prim	1203	649007	00	8.5	GPP	3	
LWR BANFF-EXSHAW-BV H	Prim	1203	649008	00	8.0	GPP	3	
PEORIA								
D-1 F	Prim	0703	658006	00	10.0	GPP		
PERRYVALE								
UPPER MANNVILLE F	Prim	0697	250006	00	8.0	GPP		
UPPER MANNVILLE G	Prim	0697	250007	00	8.0	GPP		
PINCHER CREEK								
LOWER MANNVILLE C	Prim	0702	310003	00	20.0	GPP		
PINE CREEK								
BELLY RIVER D	Prim	0706	126004	00	8.0	GPP		
CARDIUM T	Prim	0706	176020	00	8.0	GPP	3	
CARDIUM V	Prim	0706	176022	00	8.0	GPP		
CARDIUM Y	Prim	0706	176025	00	8.0	GPP		
CARDIUM AA	Prim	0706	176027	00	8.0	GPP		
CARDIUM FF	Prim	0706	176032	00	8.0	GPP		
CARDIUM KK	Prim	0706	176037	00	8.0	GPP		
CARDIUM MM	Prim	0706	176039	00	8.0	GPP		
CARDIUM NN	Prim	0706	176040	00	8.0	GPP		
CARDIUM QQ	Prim	0706	176043	00	11.5	GPP		
CARDIUM TT	Prim	0706	176046	00	8.0	GPP		
SECOND WHITE SPECKS A	Prim	0706	186001	00	9.5	GPP		
SECOND WHITE SPECKS D	Prim	0706	186004	00	8.5	GPP		
SECOND WHITE SPECKS E	Prim	0706	186005	00	8.5	GPP		
SECOND WHITE SPECKS K	Prim	0706	186011	00	8.0	GPP		
SECOND WHITE SPECKS L	Prim	0706	186012	00	8.0	GPP		
BLUESKY H	Prim	0706	304008	00	12.5	GPP		
BLUESKY P	Prim	0706	304016	00	11.0	GPP		
BLUESKY EE	Prim	0706	304031	00	9.5	GPP		
GETHING KKK	Prim	0706	326611	00	13.0	GPP		
GETHING W2W	Prim	0706	326649	00	11.5	GPP		
COMMINGLED POOL 002	Prim	0706	800260	00	9.0	GPP		
COMMINGLED POOL 003	Prim	0706	800360	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0706	800560	00	8.5	GPP		
COMMINGLED POOL 008	Prim	0706	800860	00	14.5	GPP		
COMMINGLED POOL 009	Prim	0706	800960	00	15.5	GPP		
COMMINGLED POOL 020	Prim	0706	802060	00	11.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PINE CREEK (continued)								
COMMINGLED POOL 021	Prim	0706	802160	00	11.5	GPP		
COMMINGLED POOL 038	Prim	0706	803860	00	11.5	GPP		
PINTO								
COMMINGLED POOL 001	Prim	1210	800160	00	15.5	GPP		
PLACID								
CARDIUM C	Prim	0714	176003	00	8.0	GPP		
SECOND WHITE SPECKS A	Prim	0714	186001	00	8.5	GPP		
DUNVEGAN F	Prim	0714	192006	00	9.0	GPP		
GETHING I	Prim	0714	326009	00	14.0	GPP		
NORDEGG A	Prim	0714	444001	00	14.5	GPP		
COMMINGLED MFP9533	Prim	0714	953360	00	8.0	GPP		
PLAIN								
SPARKY R	Prim	0715	276018	00	8.0	GPP		
POLLOCKVILLE								
BASAL COLORADO A	Prim	0723	242001	00	8.0	GPP		
BASAL COLORADO B	Prim	0723	242002	00	8.0	GPP		
PORCUPINE HILLS								
CARDIUM A	Prim	1214	176001	00	20.0	GPP		
POUCE COUPE								
CADOMIN D	Prim	0727	348004	00	8.0	GPP		
CHARLIE LAKE B	Prim	0727	508002	00	8.0	GPP		
CHARLIE LAKE C	Prim	0727	508003	00	8.0	GPP		
CHARLIE LAKE D	Prim	0727	508004	00	8.0	GPP		
HALFWAY B	Prim	0727	516002	00	8.0	GPP		
HALFWAY C	Prim	0727	516003	00	8.0	GPP		
HALFWAY X	Prim	0727	516024	00	8.0	GPP		
DOIG E	Prim	0727	520005	00	8.0	GPP	12	
DOIG F	Prim	0727	520006	00	8.0	GPP		
DOIG V	Prim	0727	520022	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0727	800160	00	8.0	GPP		
POUCE COUPE SOUTH								
CHARLIE LAKE D	Prim	0729	508004	00	8.5	GPP		
BOUNDARY B	Prim	0729	510002	00	8.0	8.0	220	
BOUNDARY B	WF	0729	510002	20	8.0	GPP	9a	
BOUNDARY C	Prim	0729	510003	00	8.0	GPP		
BOUNDARY E	Prim	0729	510005	00	8.0	GPP		
BOUNDARY I	Prim	0729	510009	00	8.0	GPP		
BOUNDARY K	Prim	0729	510011	00	8.0	GPP		
BOUNDARY N	Prim	0729	510014	00	8.0	GPP		
BOUNDARY S	Prim	0729	510019	00	8.0	GPP		
BOUNDARY T	Prim	0729	510020	00	8.0	GPP		
BOUNDARY U	Prim	0729	510021	00	8.0	GPP		
BOUNDARY V	Prim	0729	510022	00	8.5	GPP		
HALFWAY C	Prim	0729	516003	00	8.0	GPP		
HALFWAY X	Prim	0729	516024	00	8.0	8.0	160	
HALFWAY JJ	Prim	0729	516036	00	8.0	GPP		
HALFWAY NN	Prim	0729	516040	00	8.0	GPP		
DOIG J	Prim	0729	520010	00	8.0	GPP		
DOIG K	Prim	0729	520011	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
POUCE COUPE SOUTH (continued)								
DOIG M	Prim	0729	520013	00	8.0	GPP		
DOIG BB	Prim	0729	520028	00	8.0	GPP		12
DOIG EE	Prim	0729	520031	00	8.0	GPP		
DOIG YYY	Prim	0729	520225	00	8.0	GPP		
MONTNEY PPP	Prim	0729	524316	00	10.0	GPP		6e
MONTNEY YYY	Prim	0729	524325	00	9.5	GPP		6e
COMMINGLED POOL 002	Prim	0729	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0729	800360	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0729	800560	00	8.5	GPP		
COMMINGLED POOL 006	Prim	0729	800660	00	8.0	GPP		
COMMINGLED POOL 012	Prim	0729	801260	00	9.0	GPP		6e, 12
COMMINGLED POOL 026	Prim	0729	802660	00	8.0	GPP		12
COMMINGLED POOL 034	Prim	0729	803460	00	8.0	GPP		
COMMINGLED POOL 038	Prim	0729	803860	00	8.0	GPP		
PREVO								
VIKING L	Prim	0736	218012	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0736	250005	00	8.0	GPP		
UPPER MANNVILLE I	Prim	0736	250009	00	8.0	GPP		
LOWER MANNVILLE E	Prim	0736	310005	00	8.0	GPP		
PEKISKO E	Prim	0736	642005	00	9.5	GPP		12
COMMINGLED POOL 001	Prim	0736	800160	00	8.0	GPP		12
COMMINGLED POOL 002	Prim	0736	800260	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0736	801160	00	8.0	GPP		12
PRINCESS								
GLAUCONITIC L	Prim	0744	300012	00	8.0	GPP		
GLAUCONITIC O	Prim	0744	300015	00	11.0	GPP		
GLAUCONITIC P	Prim	0744	300016	00	8.0	GPP		
BASAL MANNVILLE A	Prim	0744	320001	00	8.0	GPP		
BASAL MANNVILLE A	WF	0744	320001	20	8.0	GPP		12a
BASAL MANNVILLE D	Prim	0744	320004	00	8.0	GPP		
BASAL MANNVILLE E	Prim	0744	320005	00	8.0	GPP		
BASAL MANNVILLE M	Prim	0744	320013	00	8.0	GPP		12
BASAL MANNVILLE M	WF	0744	320013	20	8.0	GPP		
BASAL MANNVILLE O	WF	0744	320015	20	8.0	GPP		12a, 12d
BASAL MANNVILLE Q	WF	0744	320017	20	8.0	GPP		
BASAL MANNVILLE V	Prim	0744	320022	00	8.0	GPP		
BASAL MANNVILLE EE	Prim	0744	320031	00	8.0	GPP		12
BASAL MANNVILLE GG	Prim	0744	320033	00	8.0	GPP		12
BASAL MANNVILLE II	Prim	0744	320035	00	8.0	GPP		
BASAL MANNVILLE QQ	Prim	0744	320043	00	8.0	GPP		
BASAL MANNVILLE DDD	Prim	0744	320604	00	8.0	GPP		
BASAL MANNVILLE HHH	Prim	0744	320608	00	8.0	8.0	100	9a
BASAL MANNVILLE HHH	WF	0744	320608	20	8.0	GPP		
DETRITAL A	Prim	0744	350001	00	8.0	GPP		3
DETRITAL B	Prim	0744	350002	00	8.0	GPP		
DETRITAL C	Prim	0744	350003	00	8.0	GPP		3
DETRITAL D	Prim	0744	350004	00	8.0	GPP		
PEKISKO POOLS	Prim	0744	642000	00	8.0	GPP		
PEKISKO G	Prim	0744	642007	00	8.0	GPP		12

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PRINCESS (continued)								
PEKISKO K	WF	0744	642011	20	8.0	GPP	12a	
PEKISKO M	WF	0744	642013	20	8.0	GPP	12a	
PEKISKO N	WF	0744	642014	20	8.0	GPP		
PEKISKO U	Prim	0744	642021	00	8.0	GPP		
PEKISKO U	WF	0744	642021	20	8.0	GPP		
PEKISKO CC	Prim	0744	642029	00	8.0	GPP	12	
PEKISKO CC	WF	0744	642029	20	8.0	GPP	12	
PEKISKO KK	WF	0744	642037	20	8.0	GPP		
PEKISKO CCC	WF	0744	642603	20	8.0	GPP		
PEKISKO III	Prim	0744	642609	00	8.0	GPP	12a	
ARCS D	Prim	0744	694004	00	8.0	GPP		
ARCS G	Prim	0744	694007	00	8.0	GPP		
ARCS I	Prim	0744	694009	00	8.0	GPP		
PROGRESS								
DOE CREEK A	Prim	0747	190001	00	8.0	GPP		
DOE CREEK A	WF	0747	190001	20	8.0	GPP		
GETHING D	Prim	0747	326004	00	8.0	GPP		
BALDONNEL H	Prim	0747	506008	00	8.0	GPP		
CHARLIE LAKE G	Prim	0747	508007	00	8.0	GPP		
CHARLIE LAKE I	Prim	0747	508009	00	8.0	GPP		
CHARLIE LAKE M	Prim	0747	508013	00	8.0	GPP		
CHARLIE LAKE O	Prim	0747	508015	00	8.0	GPP		
CHARLIE LAKE P	Prim	0747	508016	00	8.0	GPP		
CHARLIE LAKE V	Prim	0747	508022	00	8.0	GPP		
CHARLIE LAKE Y	Prim	0747	508025	00	8.0	GPP		
CHARLIE LAKE BB	Prim	0747	508028	00	8.0	GPP	3	
BOUNDARY B	Prim	0747	510002	00	8.0	8.0	190	
BOUNDARY B	WF	0747	510002	20	8.0	GPP	12a	
BOUNDARY C	Prim	0747	510003	00	8.0	8.0	210	
BOUNDARY C	WF	0747	510003	20	8.0	GPP	12a	
HALFWAY C	Prim	0747	516003	00	8.0	GPP		
HALFWAY I	Prim	0747	516009	00	8.0	GPP		
HALFWAY J	WF	0747	516010	20	8.0	GPP		
HALFWAY K	Prim	0747	516011	00	8.0	GPP		
HALFWAY O	WF	0747	516015	20	8.0	GPP		
HALFWAY X	Prim	0747	516024	00	8.0	GPP	12e	
HALFWAY EE	Prim	0747	516031	00	8.0	GPP	12a	
HALFWAY GG	Prim	0747	516033	00	8.0	GPP		
HALFWAY HH	Prim	0747	516034	00	8.0	GPP		
HALFWAY JJ	Prim	0747	516036	00	8.0	GPP		
DOIG A	Prim	0747	520001	00	8.0	GPP		
DOIG N	Prim	0747	520014	00	8.0	GPP	3	
MONTNEY L	Prim	0747	524012	00	8.5	GPP	6e	
MONTNEY M	Prim	0747	524013	00	8.0	GPP		
TAYLOR FLAT B	Prim	0747	605002	00	9.5	GPP		
COMMINGLED POOL 002	Prim	0747	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0747	800360	00	8.0	8.0	200	
COMMINGLED POOL 003	WF	0747	800360	20	8.0	GPP		
COMMINGLED POOL 007	Prim	0747	800760	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PROGRESS (continued) COMMINGLED POOL 008	Prim	0747	800860	00	8.0	GPP		
PROVOST VIKING V	Prim	0750	218022	00	8.0	GPP		
VIKING PPP	Prim	0750	220416	00	8.0	GPP		
VIKING B3B	Prim	0750	223902	00	8.0	GPP		
VIKING C5C	Prim	0750	225403	00	8.0	GPP		
VIKING V6V	Prim	0750	225448	00	8.0	GPP		
VIKING W6W	Prim	0750	225449	00	8.0	GPP		
VIKING J7J	Prim	0750	225610	00	8.0	GPP		
VIKING X7X	Prim	0750	225624	00	8.0	GPP		
VIKING C8C	Prim	0750	225629	00	8.0	GPP		
VIKING I8I	Prim	0750	225635	00	8.0	GPP		
VIKING L8L	Prim	0750	225638	00	8.0	GPP		
VIKING S8S	Prim	0750	225645	00	8.0	GPP	3	
VIKING T8T	Prim	0750	225646	00	8.0	GPP	12	
VIKING Y8Y	Prim	0750	225651	00	8.0	GPP		
VIKING E9E	Prim	0750	225705	00	8.0	GPP	3	
VIKING F9F	Prim	0750	225706	00	8.0	GPP	3	
VIKING H9H	Prim	0750	225708	00	8.0	8.0	70 9a	
VIKING N9N	Prim	0750	225714	00	8.0	8.0	70 9a	
BLAIRMORE	Prim	0750	244000	00	8.0	GPP		
BLAIRMORE B	Prim	0750	244002	00	8.0	GPP		
MANNVILLE H	Prim	0750	248008	00	8.0	GPP		
MANNVILLE L	Prim	0750	248012	00	8.0	GPP		
UPPER MANNVILLE POOLS	Prim	0750	250000	00	8.0	GPP		
UPPER MANNVILLE A	Prim	0750	250001	00	8.0	GPP		
UPPER MANNVILLE A	PF	0750	250001	21	8.0	GPP		
UPPER MANNVILLE JJ	Prim	0750	250036	00	8.0	GPP	12	
UPPER MANNVILLE C4C	WF	0750	251129	20	8.0	GPP		
UPPER MANNVILLE M6M	Prim	0750	251539	00	8.0	GPP	12a	
UPPER MANNVILLE M6M	WF	0750	251539	20	8.0	GPP	12a	
UPPER MANNVILLE T8T	Prim	0750	251946	00	8.0	GPP		
UPPER MANNVILLE T8T	WF	0750	251946	20	8.0	GPP		
UPPER MANNVILLE U8U	Prim	0750	251947	00	8.0	GPP	12a	
UPPER MANNVILLE W8W	Prim	0750	251949	00	8.0	GPP	12	
UPPER MANNVILLE T9T	Prim	0750	253020	00	8.0	GPP	12	
UPPER MANNVILLE S12S	Prim	0750	254145	00	8.0	8.0	70 9a	
COLONY H	Prim	0750	256008	00	8.0	GPP		
COLONY W	Prim	0750	256023	00	8.0	GPP		
COLONY VV	Prim	0750	256048	00	8.0	8.0	70	
COLONY P2P	Prim	0750	256442	00	8.0	GPP	12	
MCLAREN D	Prim	0750	268004	00	8.0	GPP		
MCLAREN R	Prim	0750	268018	00	8.0	GPP		
MCLAREN KK	Prim	0750	268037	00	8.0	GPP		
MCLAREN VV	Prim	0750	268048	00	8.0	GPP		
MCLAREN AAA	Prim	0750	268501	00	8.0	GPP		
MCLAREN FFF	Prim	0750	268506	00	8.0	GPP		
MCLAREN F2F	Prim	0750	268532	00	8.0	GPP		
MCLAREN G2G	Prim	0750	268533	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PROVOST (continued)								
MCLAREN ZZZ	Prim	0750	268552	00	8.0	GPP		12a
SPARKY POOLS	Prim	0750	276000	00	8.0	GPP		
SPARKY D	Prim	0750	276004	00	8.0	GPP		
SPARKY D	WF	0750	276004	20	8.0	GPP		
SPARKY Q	WF	0750	276017	20	8.0	GPP		
SPARKY V	WF	0750	276022	20	8.0	GPP		
SPARKY AA	WF	0750	276027	20	8.0	GPP		
SPARKY FF	Prim	0750	276032	00	8.0	GPP		
SPARKY FF	WF	0750	276032	20	8.0	GPP		
SPARKY MM	Prim	0750	276039	00	8.0	GPP		
SPARKY MM	WF	0750	276039	20	8.0	GPP		
SPARKY VV	Prim	0750	276048	00	8.0	GPP		12
SPARKY S4S	Prim	0750	276345	00	8.0	GPP		
SPARKY S4S	WF	0750	276345	20	8.0	GPP		
GENERAL PETROLEUM C	Prim	0750	286003	00	8.0	GPP		
GENERAL PETROLEUM E	Prim	0750	286005	00	8.0	GPP		
GENERAL PETROLEUM L	Prim	0750	286012	00	8.0	GPP		
GENERAL PETROLEUM P	Prim	0750	286016	00	8.0	GPP		
GENERAL PETROLEUM S	Prim	0750	286019	00	8.0	GPP		
GENERAL PETROLEUM T	Prim	0750	286020	00	8.0	GPP		
GENERAL PETROLEUM U	Prim	0750	286021	00	8.0	GPP		
GENERAL PETROLEUM GG	Prim	0750	286033	00	8.0	GPP		3
GENERAL PETROLEUM HH	Prim	0750	286034	00	8.0	GPP		3
REX A	Prim	0750	288001	00	8.0	GPP		
REX A	WF	0750	288001	20	8.0	GPP		
REX G	Prim	0750	288007	00	8.0	GPP		
REX J	Prim	0750	288010	00	8.0	GPP		
REX Y	WF	0750	288025	20	8.0	GPP		
REX JJ	Prim	0750	288036	00	8.0	GPP		
REX PP	Prim	0750	288042	00	8.0	GPP		
REX DDD	Prim	0750	288404	00	8.0	GPP		
REX QQQ	Prim	0750	288417	00	8.0	GPP		
REX L2L	Prim	0750	288438	00	8.0	GPP		
REX P2P	Prim	0750	288442	00	8.0	GPP		
LLOYDMINSTER POOLS	Prim	0750	294000	00	8.0	GPP		
LLOYDMINSTER O	Prim	0750	294015	00	8.0	GPP		
LLOYDMINSTER O	WF	0750	294015	20	8.0	GPP		
LLOYDMINSTER BB	WF	0750	294028	20	8.0	GPP		12
LLOYDMINSTER DD	Prim	0750	294030	00	8.0	GPP		
LLOYDMINSTER DD	WF	0750	294030	20	8.0	GPP		
LLOYDMINSTER NN	WF	0750	294040	20	8.0	GPP		12a
LLOYDMINSTER UU	WF	0750	294047	20	8.0	GPP		12a
LLOYDMINSTER DDD	Prim	0750	294304	00	8.0	8.0	70	
LLOYDMINSTER DDD	WF	0750	294304	20	8.0	GPP		
LLOYDMINSTER MMM	WF	0750	294313	20	8.0	GPP		12a
LLOYDMINSTER C3C	WF	0750	294403	20	8.0	GPP		12a
LLOYDMINSTER S3S	WF	0750	294419	20	8.0	GPP		
LLOYDMINSTER T3T	WF	0750	294420	20	8.0	GPP		
LLOYDMINSTER E4E	WF	0750	294431	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PROVOST (continued)								
LLOYDMINSTER L4L	Prim	0750	294438	00	8.0	GPP		12a
LLOYDMINSTER M4M	Prim	0750	294439	00	8.0	GPP		12
LLOYDMINSTER R4R	Prim	0750	294444	00	8.0	GPP		12
LLOYDMINSTER S4S	Prim	0750	294445	00	8.0	GPP		12
LLOYDMINSTER S5S	WF	0750	294719	20	8.0	GPP		12
LLOYDMINSTER H8H	Prim	0750	294934	00	8.0	GPP		
GLAUCONITIC POOLS	Prim	0750	300000	00	8.0	GPP		
GLAUCONITIC CC	Prim	0750	300029	00	8.0	GPP		12a
GLAUCONITIC I4I	Prim	0750	301535	00	8.0	GPP		12a
GLAUCONITIC S4S	Prim	0750	301545	00	8.0	GPP		
CUMMINGS POOLS	Prim	0750	302000	00	8.0	GPP		
CUMMINGS A	Prim	0750	302001	00	8.0	GPP		
CUMMINGS A	WF	0750	302001	20	8.0	GPP		
CUMMINGS Y	Prim	0750	302025	00	8.0	GPP		
CUMMINGS Y	WF	0750	302025	20	8.0	GPP		
CUMMINGS PP	WF	0750	302042	20	8.0	GPP		
CUMMINGS A2A	WF	0750	302127	20	8.0	GPP		12
CUMMINGS W3W	Prim	0750	302223	00	8.0	GPP		12
CUMMINGS W3W	WF	0750	302223	20	8.0	GPP		12
CUMMINGS B4B	Prim	0750	302228	00	8.0	GPP		
CUMMINGS G5G	WF	0750	302307	20	8.0	GPP		
CUMMINGS O5O	Prim	0750	302315	00	8.0	GPP		
CUMMINGS O5O	WF	0750	302315	20	8.0	GPP		
CUMMINGS U6U	WF	0750	302347	20	8.0	GPP		
LOWER MANNVILLE C	Prim	0750	310003	00	8.0	GPP		
LOWER MANNVILLE L	Prim	0750	310012	00	8.0	GPP		
LOWER MANNVILLE HHH	Prim	0750	310108	00	8.0	GPP		
LOWER MANNVILLE LLL	Prim	0750	310112	00	8.0	GPP		
DINA POOLS	Prim	0750	322000	00	8.0	GPP		6d
DINA X	Prim	0750	322024	00	8.0	GPP		6d
DINA X	WF	0750	322024	20	8.0	GPP		6d
DINA UUU	WF	0750	322121	20	8.0	GPP		6d
DINA W4W	Prim	0750	322249	00	8.0	GPP		6d
DINA W4W	WF	0750	322249	20	8.0	GPP		6d
DINA S7S	WF	0750	322419	20	8.0	GPP		6d
DINA B8B	Prim	0750	322428	00	8.0	GPP		6d
DINA B8B	WF	0750	322428	20	8.0	GPP		6d
BASAL QUARTZ C	Prim	0750	334003	00	8.0	GPP		
ELLERSLIE POOLS	Prim	0750	336000	00	8.0	GPP		
ELLERSLIE R3R	Prim	0750	337018	00	8.0	8.0	70	
ELLERSLIE E5E	Prim	0750	337405	00	8.0	GPP		12
COMMINGLED POOL 004	Prim	0750	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0750	800560	00	8.0	GPP		12
COMMINGLED POOL 007	Prim	0750	800760	00	8.0	8.0	70	12a
COMMINGLED POOL 007	WF	0750	800760	20	8.0	GPP		12a
COMMINGLED POOL 009	Prim	0750	800960	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0750	801060	00	8.0	GPP		
COMMINGLED POOL 012	Prim	0750	801260	00	8.0	GPP		
COMMINGLED POOL 014	Prim	0750	801460	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
PROVOST (continued)								
COMMINGLED POOL 014	WF	0750	801460	20	8.0	GPP		
COMMINGLED POOL 015	Prim	0750	801560	00	8.0	GPP		
COMMINGLED POOL 015	WF	0750	801560	20	8.0	GPP		
COMMINGLED POOL 016	Prim	0750	801660	00	8.0	GPP		
COMMINGLED POOL 017	Prim	0750	801760	00	8.0	GPP		
COMMINGLED POOL 018	Prim	0750	801860	00	8.0	GPP		
COMMINGLED POOL 019	Prim	0750	801960	00	8.0	GPP		
COMMINGLED POOL 020	Prim	0750	802060	00	8.0	GPP		
COMMINGLED POOL 021	Prim	0750	802160	00	8.0	GPP		
COMMINGLED POOL 023	Prim	0750	802360	00	8.0	GPP		
COMMINGLED POOL 024	Prim	0750	802460	00	8.0	GPP		
COMMINGLED POOL 025	Prim	0750	802560	00	8.0	GPP		
COMMINGLED POOL 026	Prim	0750	802660	00	8.0	GPP		
COMMINGLED POOL 026	WF	0750	802660	20	8.0	GPP		
COMMINGLED POOL 028	Prim	0750	802860	00	8.0	GPP		
COMMINGLED POOL 029	Prim	0750	802960	00	8.0	GPP		
COMMINGLED POOL 030	Prim	0750	803060	00	8.0	GPP		
COMMINGLED POOL 032	Prim	0750	803260	00	8.0	GPP		
COMMINGLED POOL 034	Prim	0750	803460	00	8.0	GPP		
COMMINGLED POOL 035	Prim	0750	803560	00	8.0	GPP		
COMMINGLED POOL 035	WF	0750	803560	20	8.0	GPP		
COMMINGLED POOL 078	Prim	0750	807860	00	8.0	GPP		12a
COMMINGLED POOL 079	Prim	0750	807960	00	8.0	GPP		
COMMINGLED POOL 080	Prim	0750	808060	00	8.0	GPP		
COMMINGLED POOL 081	Prim	0750	808160	00	8.0	GPP		
COMMINGLED POOL 082	Prim	0750	808260	00	8.0	GPP		
COMMINGLED POOL 083	Prim	0750	808360	00	8.0	GPP		
COMMINGLED POOL 105	Prim	0750	810560	00	8.0	GPP		
COMMINGLED POOL 106	Prim	0750	810660	00	8.0	GPP		
COMMINGLED POOL 121	Prim	0750	812160	00	8.0	GPP		
COMMINGLED POOL 121	WF	0750	812160	20	8.0	GPP		
COMMINGLED POOL 126	Prim	0750	812660	00	8.0	GPP		
COMMINGLED POOL 129	Prim	0750	812960	00	8.0	GPP		
COMMINGLED POOL 129	WF	0750	812960	20	8.0	GPP		
COMMINGLED POOL 130	Prim	0750	813060	00	8.0	GPP		12
COMMINGLED MFP9515	Prim	0750	951560	00	8.0	GPP		12
COMMINGLED MFP9515	WF	0750	951560	20	8.0	GPP		12
PUSKWASKAU								
MONTNEY B	Prim	0741	524002	00	8.0	GPP		12
MONTNEY C	Prim	0741	524003	00	8.0	GPP		
MONTNEY D	Prim	0741	524004	00	8.0	GPP		
MONTNEY G	Prim	0741	524007	00	8.0	GPP		
BEAVERHILL LAKE D	Prim	0741	744004	00	20.0	20.0	240	
BEAVERHILL LAKE D	WF	0741	744004	20	20.0	GPP		
BEAVERHILL LAKE F	Prim	0741	744006	00	20.0	GPP		
BEAVERHILL LAKE G	Prim	0741	744007	00	20.0	GPP		
COMMINGLED POOL 005	Prim	0741	800560	00	16.5	GPP		
QUEENSTOWN								
GLAUCONITIC B	Prim	0758	300002	00	8.0	GPP		12

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
QUEENSTOWN (continued)								
GLAUCONITIC F	Prim	0758	300006	00	8.0	GPP		
GLAUCONITIC M	Prim	0758	300013	00	8.0	GPP		
GLAUCONITIC O	Prim	0758	300015	00	8.0	GPP		
GLAUCONITIC U	Prim	0758	300021	00	8.0	GPP		12a
GLAUCONITIC V	Prim	0758	300022	00	8.0	GPP		
GLAUCONITIC W	WF	0758	300023	20	8.0	GPP		12
GLAUCONITIC KK	Prim	0758	300037	00	8.0	GPP		
GLAUCONITIC OO	Prim	0758	300041	00	8.0	GPP		
GLAUCONITIC TT	Prim	0758	300046	00	8.0	GPP		
ELLERSLIE K	Prim	0758	336011	00	8.0	GPP		
ELLERSLIE M	Prim	0758	336013	00	8.0	GPP		
ELLERSLIE R	Prim	0758	336018	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0758	800860	00	8.0	GPP		
COMMINGLED POOL 009	WF	0758	800960	20	8.0	GPP		12
RAINBOW								
MUSKWA A	Prim	0753	743501	00	8.0	GPP		
MUSKWA B	Prim	0753	743502	00	8.0	GPP		
SLAVE POINT B	Prim	0753	758002	00	8.0	GPP		
SLAVE POINT V	Prim	0753	758022	00	8.0	GPP		
SULPHUR POINT B	WF	0753	767502	20	8.0	GPP		12
SULPHUR POINT C	Prim	0753	767503	00	8.0	GPP		12
SULPHUR POINT O	Prim	0753	767515	00	8.0	GPP		
MUSKEG A	WF	0753	768501	20	8.0	GPP		
MUSKEG C	WF	0753	768503	20	8.0	GPP		
MUSKEG F	Prim	0753	768506	00	8.0	GPP		
MUSKEG K	WF	0753	768511	20	8.0	GPP		
MUSKEG M	Prim	0753	768513	00	8.0	GPP		
MUSKEG N	WF	0753	768514	20	8.0	GPP		
MUSKEG O	Prim	0753	768515	00	8.0	GPP		
MUSKEG O	WF	0753	768515	20	8.0	GPP		
MUSKEG S	Prim	0753	768519	00	8.0	GPP		
MUSKEG T	Prim	0753	768520	00	8.0	GPP		
MUSKEG Y	Prim	0753	768525	00	8.0	GPP		
MUSKEG AA	Prim	0753	768527	00	8.0	GPP		
MUSKEG CC	Prim	0753	768529	00	8.0	GPP		
MUSKEG EE	Prim	0753	768531	00	8.0	GPP		
MUSKEG NN	Prim	0753	768540	00	8.0	GPP		
MUSKEG PP	Prim	0753	768542	00	8.0	GPP		
MUSKEG SS	WF	0753	768545	20	8.0	GPP		
KEG RIVER POOLS	Prim	0753	772000	00	8.0	GPP		
KEG RIVER A	SF	0753	772101	10	8.0	GPP		
KEG RIVER B	SF	0753	772102	10	8.0	GPP		
KEG RIVER D	SF	0753	772104	10	8.0	GPP		
KEG RIVER E	SF	0753	772105	10	8.0	GPP		
KEG RIVER F	SF	0753	772106	10	8.0	GPP		
KEG RIVER G	SF	0753	772107	10	8.0	GPP		
KEG RIVER H	SF	0753	772108	10	8.0	GPP		
KEG RIVER I	WF	0753	772109	20	8.0	GPP		
KEG RIVER N	GF	0753	772114	40	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RAINBOW (continued)								
KEG RIVER O	SF	0753	772115	10	8.0	GPP		
KEG RIVER Q	GF	0753	772117	40	8.0	GPP		12
KEG RIVER T	GF	0753	772120	40	8.0	GPP		
KEG RIVER X	Prim	0753	772124	00	8.0	GPP		12
KEG RIVER Z	SF	0753	772126	10	8.0	GPP		
KEG RIVER EE	WF	0753	772131	20	8.0	GPP		
KEG RIVER FF	SF	0753	772132	10	8.0	GPP		
KEG RIVER II	SF	0753	772135	10	8.0	GPP		
KEG RIVER JJ	WF	0753	772136	20	8.0	GPP		
KEG RIVER OO	WF	0753	772141	20	8.0	GPP		
KEG RIVER PP	Prim	0753	772142	00	8.0	GPP		
KEG RIVER DDD	WF	0753	772204	20	8.0	GPP		
KEG RIVER EEE	SF	0753	772205	10	8.0	GPP		
KEG RIVER C2C	WF	0753	772229	20	8.0	GPP		
KEG RIVER H2H	GF	0753	772234	40	8.0	GPP		12
KEG RIVER ZZZ	Prim	0753	772252	00	8.0	GPP		12
KEG RIVER I3I	Prim	0753	772309	00	8.0	GPP		12
COMMINGLED POOL 002	Prim	0753	800260	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0753	800660	00	8.0	GPP		
COMMINGLED POOL 006	WF	0753	800660	20	8.0	GPP		
RAINBOW SOUTH								
MUSKWA A	Prim	0754	743501	00	8.0	GPP		
MUSKEG F	Prim	0754	768506	00	8.0	GPP		
MUSKEG G	WF	0754	768507	20	8.0	GPP		
MUSKEG H	WF	0754	768508	20	8.0	GPP		
MUSKEG K	WF	0754	768511	20	8.0	GPP		
MUSKEG P	WF	0754	768516	20	8.0	GPP		
MUSKEG Z	Prim	0754	768526	00	8.0	GPP		
KEG RIVER A	WF	0754	772101	20	8.0	GPP		
KEG RIVER B	SF	0754	772102	10	8.5	GPP		
KEG RIVER C	Prim	0754	772103	00	8.0	GPP		
KEG RIVER D	Prim	0754	772104	00	8.0	GPP		
KEG RIVER E	SF	0754	772105	10	8.0	GPP		
KEG RIVER F	Prim	0754	772106	00	8.0	GPP		
KEG RIVER G	SF	0754	772107	10	8.0	GPP		
KEG RIVER M	Prim	0754	772113	00	8.5	GPP		
KEG RIVER N	Prim	0754	772114	00	8.0	GPP		
KEG RIVER V	Prim	0754	772122	00	8.0	GPP		
KEG RIVER Y	Prim	0754	772125	00	8.0	GPP		
KEG RIVER AA	Prim	0754	772127	00	8.0	GPP		12
RAINIER								
UPPER MANNVILLE N	Prim	0755	250014	00	8.0	GPP		
LOWER MANNVILLE E	Prim	0755	310005	00	8.0	GPP		
BASAL QUARTZ C	Prim	0755	334003	00	8.0	8.0	130	
BASAL QUARTZ E	Prim	0755	334005	00	8.0	GPP		
RANDELL								
SLAVE POINT A	Prim	1224	758001	00	8.0	GPP		
SLAVE POINT C	Prim	1224	758003	00	8.0	GPP		
SLAVE POINT D	Prim	1224	758004	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RANDELL (continued)								
SLAVE POINT E	Prim	1224	758005	00	8.0	GPP		
GILWOOD D	Prim	1224	765504	00	8.0	GPP		
GILWOOD G	Prim	1224	765507	00	8.0	GPP		
GILWOOD I	Prim	1224	765509	00	8.0	GPP		
GILWOOD K	Prim	1224	765511	00	8.0	GPP		
GILWOOD L	Prim	1224	765512	00	8.0	GPP		
GILWOOD M	Prim	1224	765513	00	8.0	GPP		
GILWOOD O	Prim	1224	765515	00	8.0	GPP		
GILWOOD P	Prim	1224	765516	00	8.0	GPP		
GILWOOD Q	Prim	1224	765517	00	8.0	GPP		
GILWOOD S	Prim	1224	765519	00	8.0	GPP		
GILWOOD T	Prim	1224	765520	00	8.0	GPP		
GILWOOD W	Prim	1224	765523	00	8.0	GPP		
GILWOOD Y	Prim	1224	765525	00	8.0	GPP		
GILWOOD Z	Prim	1224	765526	00	8.0	GPP		
GILWOOD CC	Prim	1224	765529	00	8.0	GPP		
REAGAN								
LIVINGSTONE A	Prim	0760	628001	00	8.0	GPP		12
LIVINGSTONE D	Prim	0760	628004	00	8.0	GPP		
LWR BANFF-EXSHAW-BV A	Prim	0760	649001	00	8.0	GPP		
LWR BANFF-EXSHAW-BV D	Prim	0760	649004	00	8.0	GPP		3
LWR BANFF-EXSHAW-BV E	Prim	0760	649005	00	8.0	GPP		
LWR BANFF-EXSHAW-BV F	Prim	0760	649006	00	8.0	GPP		
LWR BANFF-EXSHAW-BV G	Prim	0760	649007	00	8.0	GPP		3
LWR BANFF-EXSHAW-BV H	Prim	0760	649008	00	8.0	GPP		3
RED EARTH								
SLAVE POINT C	Prim	0764	758003	00	8.0	GPP		
SLAVE POINT F	Prim	0764	758006	00	8.0	GPP		
SLAVE POINT G	Prim	0764	758007	00	8.0	GPP		
SLAVE POINT U	Prim	0764	758021	00	8.0	GPP		
SLAVE POINT AA	Prim	0764	758027	00	8.0	GPP		
SLAVE POINT BB	Prim	0764	758028	00	8.0	GPP		
SLAVE POINT EE	Prim	0764	758031	00	8.0	GPP		
SLAVE POINT FF	Prim	0764	758032	00	8.0	GPP		
SLAVE POINT II	Prim	0764	758035	00	8.0	GPP		
SLAVE POINT LL	Prim	0764	758038	00	8.0	GPP		
SLAVE POINT MM	Prim	0764	758039	00	8.0	GPP		
SLAVE POINT NN	Prim	0764	758040	00	8.0	GPP		
SLAVE POINT OO	Prim	0764	758041	00	8.0	GPP		
KEG RIVER B	WF	0764	772102	20	8.0	GPP		
KEG RIVER E	Prim	0764	772105	00	8.0	GPP		
KEG RIVER F	Prim	0764	772106	00	8.0	GPP		
KEG RIVER H	Prim	0764	772108	00	8.0	GPP		
KEG RIVER J	Prim	0764	772110	00	8.0	GPP		
KEG RIVER K	Prim	0764	772111	00	8.0	GPP		
KEG RIVER L	Prim	0764	772112	00	8.0	GPP		
KEG RIVER N	WF	0764	772114	20	8.0	GPP		
KEG RIVER O	Prim	0764	772115	00	8.0	GPP		
KEG RIVER R	Prim	0764	772118	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RED EARTH (continued)								
KEG RIVER S	Prim	0764	772119	00	8.0	GPP		
KEG RIVER U	Prim	0764	772121	00	8.0	GPP		
KEG RIVER W	Prim	0764	772123	00	8.0	GPP		
GRANITE WASH POOLS	Prim	0764	797500	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0764	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0764	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0764	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0764	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0764	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0764	800560	00	8.0	GPP		
COMMINGLED POOL 006	WF	0764	800660	20	8.0	GPP		
COMMINGLED POOL 007	Prim	0764	800760	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0764	800860	00	8.0	GPP		
COMMINGLED POOL 009	Prim	0764	800960	00	8.0	GPP		
RED WILLOW								
LLOYDMINSTER B	Prim	0774	294002	00	8.0	GPP		
GLAUCONITIC AA	Prim	0774	300027	00	8.0	GPP		
LOWER MANNVILLE DD	Prim	0774	310030	00	8.0	GPP		12a
LOWER MANNVILLE VV	Prim	0774	310048	00	8.0	GPP		12
LOWER MANNVILLE BBB	Prim	0774	310102	00	8.0	GPP		
LOWER MANNVILLE PPP	Prim	0774	310116	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0774	800160	00	8.0	GPP		
REDLAND								
LOWER MANNVILLE B	Prim	0767	310002	00	8.0	GPP		
LOWER MANNVILLE L	Prim	0767	310012	00	8.0	GPP		
REDWATER								
LOWER VIKING Y	Prim	0770	224025	00	8.0	GPP		
LOWER VIKING AA	Prim	0770	224027	00	8.0	GPP		
LOWER VIKING RR	Prim	0770	224044	00	8.0	GPP		
LOWER VIKING WW	Prim	0770	224049	00	8.0	GPP		
BASAL MANNVILLE E	Prim	0770	320005	00	8.0	GPP		
BASAL MANNVILLE F	Prim	0770	320006	00	8.0	GPP		
BASAL MANNVILLE H	Prim	0770	320008	00	8.0	GPP		
BASAL MANNVILLE I	Prim	0770	320009	00	8.0	GPP		
BASAL MANNVILLE R	Prim	0770	320018	00	8.0	GPP		
ELLERSLIE POOLS	Prim	0770	336000	00	8.0	GPP		
ELLERSLIE W	Prim	0770	336023	00	8.0	GPP		12
ELLERSLIE I2I	Prim	0770	336535	00	8.0	GPP		12
D-3	Prim	0770	720000	00	8.0	GPP		
D-3	SF	0770	720000	10	8.0	GPP		
COMMINGLED POOL 001	Prim	0770	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0770	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0770	800360	00	8.0	GPP		
COMMINGLED POOL 003	WF	0770	800360	20	8.0	GPP		
COMMINGLED MFP9508	Prim	0770	950860	00	8.0	GPP		12
COMMINGLED MFP9508	WF	0770	950860	20	8.0	GPP		
RETLAW								
BARONS B	Prim	0778	204002	00	8.0	GPP		
BARONS C	Prim	0778	204003	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RETLAW (continued)								
BARONS F	Prim	0778	204006	00	8.0	GPP		
BARONS G	Prim	0778	204007	00	8.0	GPP		
BARONS H	Prim	0778	204008	00	8.0	GPP		
BARONS I	Prim	0778	204009	00	8.0	GPP		
MANNVILLE POOLS	Prim	0778	248000	00	8.0	GPP		
MANNVILLE V	Prim	0778	248022	00	8.0	8.0	140	
MANNVILLE V	WF	0778	248022	20	8.0	GPP		
MANNVILLE EE	Prim	0778	248031	00	8.0	GPP	12d	
MANNVILLE LL	WF	0778	248038	20	8.0	GPP	12, 12e	
MANNVILLE PP	WF	0778	248042	20	8.0	GPP		
MANNVILLE BBB	WF	0778	248102	20	8.0	GPP	12	
MANNVILLE V3V	WF	0778	248222	20	8.0	GPP	12a	
MANNVILLE W3W	Prim	0778	248223	00	8.0	GPP	12a	
MANNVILLE M4M	Prim	0778	248239	00	8.0	GPP	12a	
MANNVILLE B6B	Prim	0778	248328	00	8.0	GPP	12	
MANNVILLE B8B	Prim	0778	248428	00	8.0	8.0	110	
MANNVILLE B8B	WF	0778	248428	20	8.0	GPP		
MANNVILLE D8D	Prim	0778	248430	00	8.0	8.0	120	
MANNVILLE D8D	WF	0778	248430	20	8.0	GPP		
MANNVILLE E8E	Prim	0778	248431	00	8.0	GPP	12	
MANNVILLE J8J	WF	0778	248436	20	8.0	GPP		
MANNVILLE H9H	Prim	0778	248508	00	8.0	8.0	90	
MANNVILLE H9H	WF	0778	248508	20	8.0	GPP	12	
MANNVILLE I9I	Prim	0778	248509	00	8.0	GPP	12a	
MANNVILLE I9I	WF	0778	248509	20	8.0	GPP	12a	
UPPER MANNVILLE B	Prim	0778	250002	00	8.0	GPP	5	
UPPER MANNVILLE E	Prim	0778	250005	00	8.0	GPP		
UPPER MANNVILLE E	WF	0778	250005	20	8.0	GPP		
UPPER MANNVILLE G	Prim	0778	250007	00	8.0	GPP		
UPPER MANNVILLE H	Prim	0778	250008	00	8.0	GPP		
UPPER MANNVILLE I	Prim	0778	250009	00	8.0	GPP		
UPPER MANNVILLE J	Prim	0778	250010	00	8.0	GPP		
UPPER MANNVILLE K	Prim	0778	250011	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0778	250012	00	8.0	GPP		
UPPER MANNVILLE N	Prim	0778	250014	00	8.0	GPP		
UPPER MANNVILLE Q	Prim	0778	250017	00	8.0	GPP		
LOWER MANNVILLE POOLS	Prim	0778	310000	00	8.0	GPP		
LOWER MANNVILLE A	Prim	0778	310001	00	8.0	8.0	70	
LOWER MANNVILLE C	WF	0778	310003	20	8.0	GPP		
LOWER MANNVILLE F	Prim	0778	310006	00	8.0	GPP	12	
LOWER MANNVILLE F	WF	0778	310006	20	8.0	GPP		
LOWER MANNVILLE G	Prim	0778	310007	00	8.0	GPP		
LOWER MANNVILLE G	WF	0778	310007	20	8.0	GPP		
LOWER MANNVILLE KK	Prim	0778	310037	00	8.0	GPP		
LOWER MANNVILLE KK	WF	0778	310037	20	8.0	GPP		
LOWER MANNVILLE NNN	WF	0778	310114	20	8.0	GPP		
LOWER MANNVILLE P2P	WF	0778	310142	20	8.0	GPP	12e	
SAWTOOTH C	Prim	0778	428003	00	8.0	GPP		
RUNDLE C	Prim	0778	610003	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RETLAW (continued)								
LIVINGSTONE A	Prim	0778	628001	00	8.0	GPP		
LIVINGSTONE C	Prim	0778	628003	00	8.0	GPP		
LIVINGSTONE D	Prim	0778	628004	00	8.0	GPP		
LIVINGSTONE F	Prim	0778	628006	00	8.0	GPP		12a
LIVINGSTONE H	Prim	0778	628008	00	8.0	GPP		
LIVINGSTONE K	Prim	0778	628011	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0778	800360	00	8.0	GPP		12
COMMINGLED POOL 004	Prim	0778	800460	00	8.0	GPP		
COMMINGLED POOL 004	WF	0778	800460	20	8.0	GPP		
COMMINGLED POOL 023	Prim	0778	802360	00	8.0	GPP		
COMMINGLED POOL 025	Prim	0778	802560	00	8.0	GPP		12
COMMINGLED POOL 027	Prim	0778	802760	00	8.0	GPP		
COMMINGLED POOL 028	Prim	0778	802860	00	8.0	GPP		
COMMINGLED POOL 029	Prim	0778	802960	00	8.0	GPP		
COMMINGLED POOL 029	WF	0778	802960	20	8.0	GPP		
COMMINGLED POOL 030	Prim	0778	803060	00	8.0	GPP		
COMMINGLED POOL 031	Prim	0778	803160	00	8.0	GPP		
COMMINGLED POOL 032	Prim	0778	803260	00	8.0	GPP		
COMMINGLED POOL 032	WF	0778	803260	20	8.0	GPP		
COMMINGLED POOL 033	Prim	0778	803360	00	8.0	GPP		
RIBSTONE								
SPARKY A	Prim	0780	276001	00	8.0	GPP		12
SPARKY A	WF	0780	276001	20	8.0	GPP		12
SPARKY E	Prim	0780	276005	00	8.0	GPP		
NISKU B	Prim	0780	696002	00	8.0	GPP		
NISKU E	Prim	0780	696005	00	8.0	GPP		
NISKU F	Prim	0780	696006	00	8.0	GPP		
NISKU G	Prim	0780	696007	00	8.0	GPP		
NISKU I	Prim	0780	696009	00	8.0	GPP		
CAMROSE C	Prim	0780	708003	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0780	800160	00	8.0	GPP		
RICH								
LOWER MANNVILLE H	Prim	0782	310008	00	8.0	GPP		
OSTRACOD A	Prim	0782	316001	00	8.0	GPP		
D-3 A	Prim	0782	720001	00	8.0	GPP		
WINNIPEGOSIS A	Prim	0782	775001	00	10.0	GPP		
RICHDALE								
UPPER MANNVILLE L	Prim	0783	250012	00	8.0	GPP		
UPPER MANNVILLE GGG	Prim	0783	250707	00	8.0	GPP		
UPPER MANNVILLE I2I	Prim	0783	250735	00	8.0	GPP		
GLAUCONITIC O	Prim	0783	300015	00	8.0	GPP		12a
GLAUCONITIC X	Prim	0783	300024	00	8.0	GPP		
GLAUCONITIC MM	Prim	0783	300039	00	8.0	GPP		
BANFF A	Prim	0783	644001	00	8.0	GPP		
BANFF B	Prim	0783	644002	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0783	800360	00	8.0	GPP		12
COMMINGLED POOL 004	Prim	0783	800460	00	8.0	GPP		
RICINUS								
CARDIUM A	Prim	0785	176001	00	15.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RICINUS (continued)								
CARDIUM A	GF	0785	176001	40	15.5	GPP		12
CARDIUM B	Prim	0785	176002	00	15.5	GPP		
CARDIUM K	Prim	0785	176011	00	14.5	GPP		
CARDIUM L	Prim	0785	176012	00	11.0	GPP		12b, 12d
CARDIUM Q	GF	0785	176017	40	12.5	GPP		
CARDIUM Y	Prim	0785	176025	00	16.0	GPP		
CARDIUM AA	Prim	0785	176027	00	13.5	GPP		
CARDIUM CC	Prim	0785	176029	00	14.5	GPP		
CARDIUM KK	Prim	0785	176037	00	15.5	GPP		
CARDIUM VV	Prim	0785	176048	00	15.0	GPP		
CARDIUM WW	Prim	0785	176049	00	11.0	GPP		
CARDIUM XX	Prim	0785	176050	00	16.0	GPP		
CARDIUM III	Prim	0785	176309	00	13.5	GPP		
CARDIUM JJJ	Prim	0785	176310	00	10.0	GPP		
CARDIUM PPP	Prim	0785	176316	00	10.5	GPP		
CARDIUM UUU	Prim	0785	176321	00	10.5	GPP		
CARDIUM YYY	Prim	0785	176325	00	8.0	GPP		
CARDIUM B2B	Prim	0785	176328	00	11.0	GPP		
CARDIUM E2E	Prim	0785	176331	00	16.0	GPP		
CARDIUM N3N	Prim	0785	180114	00	13.0	GPP		3
VIKING GG	Prim	0785	218033	00	20.0	GPP		
COMMINGLED POOL 001	Prim	0785	800160	00	9.0	GPP		
COMMINGLED POOL 002	Prim	0785	800260	00	16.5	GPP		
COMMINGLED POOL 003	Prim	0785	800360	00	14.0	GPP		
COMMINGLED POOL 004	Prim	0785	800460	00	9.0	GPP		
COMMINGLED POOL 005	Prim	0785	800560	00	14.5	GPP		
COMMINGLED POOL 006	Prim	0785	800660	00	10.5	GPP		
COMMINGLED POOL 007	Prim	0785	800760	00	10.0	GPP		
COMMINGLED POOL 015	Prim	0785	801560	00	11.0	GPP		
COMMINGLED POOL 038	Prim	0785	803860	00	15.5	GPP		
COMMINGLED POOL 039	Prim	0785	803960	00	9.0	GPP		
COMMINGLED POOL 042	Prim	0785	804260	00	16.0	GPP		
RIVERCOURSE								
COLONY A	Prim	0787	256001	00	8.0	GPP		
COLONY G	Prim	0787	256007	00	8.0	GPP		
COLONY H	Prim	0787	256008	00	8.0	GPP		
COLONY R	Prim	0787	256018	00	8.0	GPP		
COLONY S	Prim	0787	256019	00	8.0	GPP		
COLONY T	Prim	0787	256020	00	8.0	GPP		
COLONY V	Prim	0787	256022	00	8.0	GPP		
COLONY W	Prim	0787	256023	00	8.0	GPP		12a
COLONY X	Prim	0787	256024	00	8.0	GPP		3
COLONY Y	Prim	0787	256025	00	8.0	GPP		3
SPARKY D	Prim	0787	276004	00	8.0	GPP		
GENERAL PETROLEUM I	Prim	0787	286009	00	8.0	GPP		
GENERAL PETROLEUM J	Prim	0787	286010	00	8.0	GPP		
GENERAL PETROLEUM L	Prim	0787	286012	00	8.0	GPP		
CUMMINGS C	Prim	0787	302003	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0787	800160	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
RIVERCOURSE (continued) COMMINGLED POOL 002	Prim	0787	800260	00	8.0	GPP		
RIVIERE MANNVILLE A	Prim	0789	248001	00	8.0	GPP		
ELLERSLIE C	Prim	0789	336003	00	8.0	GPP	3	
WABAMUN A	Prim	0789	658001	00	8.0	GPP	12a	
WABAMUN A	WF	0789	658001	20	8.0	GPP	12a	
WABAMUN C	Prim	0789	658003	00	8.0	GPP		
WABAMUN E	Prim	0789	658005	00	8.0	GPP		
ROCKYFORD UPPER MANNVILLE E	Prim	0790	250005	00	8.0	GPP	12d	
UPPER MANNVILLE F	WF	0790	250006	20	8.0	GPP		
UPPER MANNVILLE R	Prim	0790	250018	00	8.0	GPP		
LOWER MANNVILLE U	Prim	0790	310021	00	8.0	GPP		
ROMEO DETRITAL B	Prim	0791	350002	00	8.0	GPP		
DETRITAL E	Prim	0791	350005	00	8.0	GPP		
RONALANE LOWER MANNVILLE E	WF	0792	310005	20	8.0	GPP		
SAWTOOTH A	Prim	0792	428001	00	8.0	GPP		
SAWTOOTH B	Prim	0792	428002	00	8.0	GPP		
SAWTOOTH C	Prim	0792	428003	00	8.0	GPP		
SAWTOOTH G	Prim	0792	428007	00	8.0	GPP		
SAWTOOTH K	Prim	0792	428011	00	8.0	GPP		
SAWTOOTH O	Prim	0792	428015	00	8.0	GPP		
SAWTOOTH P	Prim	0792	428016	00	8.0	GPP		
SAWTOOTH S	Prim	0792	428019	00	8.0	GPP		
SAWTOOTH V	Prim	0792	428022	00	8.0	GPP		
SAWTOOTH EE	Prim	0792	428031	00	8.0	GPP		
SAWTOOTH FF	Prim	0792	428032	00	8.0	GPP		
SAWTOOTH HH	Prim	0792	428034	00	8.0	GPP		
SAWTOOTH LL	Prim	0792	428038	00	8.0	GPP		
SAWTOOTH MM	Prim	0792	428039	00	8.0	GPP		
SAWTOOTH NN	Prim	0792	428040	00	8.0	GPP		
ROSEVEAR CARDIUM J	Prim	0796	176010	00	8.0	GPP		
CARDIUM L	Prim	0796	176012	00	8.0	GPP		
SECOND WHITE SPECKS A	Prim	0796	186001	00	8.0	GPP		
BLUESKY A	Prim	0796	304001	00	9.5	GPP		
GETHING V	Prim	0796	326022	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0796	800160	00	8.0	GPP		
ROWLEY VIKING C	Prim	0798	218003	00	8.0	GPP		
VIKING G	Prim	0798	218007	00	8.0	GPP		
UPPER MANNVILLE D	Prim	0798	250004	00	8.0	GPP		
UPPER MANNVILLE E	WF	0798	250005	20	8.0	GPP	12b	
UPPER MANNVILLE N	Prim	0798	250014	00	8.0	GPP		
PEKISKO A	Prim	0798	642001	00	8.0	GPP	12	
PEKISKO G	Prim	0798	642007	00	8.0	GPP		
BANFF D	Prim	0798	644004	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ROWLEY (continued)								
COMMINGLED POOL 006	Prim	0798	800660	00	8.0	GPP		
COMMINGLED MFP9501	Prim	0798	950160	00	8.0	GPP	12	
ROXANA								
MONTNEY C	Prim	0799	524003	00	8.0	GPP		
MONTNEY E	Prim	0799	524005	00	8.0	GPP		
MONTNEY H	Prim	0799	524008	00	8.0	GPP	12	
MONTNEY H	WF	0799	524008	20	8.0	GPP	12	
MONTNEY I	Prim	0799	524009	00	8.0	GPP		
MONTNEY K	Prim	0799	524011	00	8.0	GPP		
BEAVERHILL LAKE C	Prim	0799	744003	00	10.0	GPP		
BEAVERHILL LAKE D	Prim	0799	744004	00	10.0	GPP		
BEAVERHILL LAKE E	Prim	0799	744005	00	10.5	GPP	3	
BEAVERHILL LAKE F	Prim	0799	744006	00	10.5	GPP	3	
BEAVERHILL LAKE G	Prim	0799	744007	00	10.5	GPP	3	
BEAVERHILL LAKE H	Prim	0799	744008	00	10.5	GPP	3	
BEAVERHILL LAKE I	Prim	0799	744009	00	10.5	GPP	3	
SLAVE POINT B	Prim	0799	758002	00	10.5	GPP		
GILWOOD B	Prim	0799	765502	00	10.5	GPP		
GILWOOD C	Prim	0799	765503	00	10.5	GPP		
COMMINGLED POOL 001	Prim	0799	800160	00	10.0	GPP		
ROYCE								
CHARLIE LAKE B	Prim	0801	508002	00	8.0	GPP	3	
RUMSEY								
COMMINGLED POOL 002	Prim	0777	800260	00	8.0	GPP	12	
RYCROFT								
CHARLIE LAKE A	Prim	0802	508001	00	8.0	GPP		
CHARLIE LAKE A	WF	0802	508001	20	8.0	GPP		
CHARLIE LAKE C	WF	0802	508003	20	8.0	GPP	12	
CHARLIE LAKE M	Prim	0802	508013	00	8.0	GPP		
CHARLIE LAKE O	Prim	0802	508015	00	8.0	8.0	120	
CHARLIE LAKE O	WF	0802	508015	20	8.0	GPP		
CHARLIE LAKE S	Prim	0802	508019	00	8.0	GPP		
HALFWAY B	Prim	0802	516002	00	8.0	GPP		
HALFWAY C	WF	0802	516003	20	8.0	GPP		
HALFWAY D	Prim	0802	516004	00	8.0	GPP		
MONTNEY C	Prim	0802	524003	00	8.0	GPP		
SADDLE HILLS								
CADOMIN F	Prim	0812	348006	00	8.0	GPP		
SAKWATAMAU								
UPPER MANNVILLE H	Prim	0814	250008	00	8.0	GPP		
GETHING A	Prim	0814	326001	00	8.0	GPP	12a	
GETHING F	Prim	0814	326006	00	8.0	GPP	12	
BEAVERHILL LAKE A	Prim	0814	744001	00	16.5	GPP	12	
BEAVERHILL LAKE D	Prim	0814	744004	00	17.0	GPP		
BEAVERHILL LAKE G	Prim	0814	744007	00	16.5	GPP		
BEAVERHILL LAKE H	Prim	0814	744008	00	17.0	GPP		
SALT CREEK								
GILWOOD B	Prim	1241	765502	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SAMSON								
BLAIRMORE A	Prim	0816	244001	00	8.0	GPP		
BLAIRMORE S	Prim	0816	244019	00	8.0	GPP		
SAWN LAKE								
WABAMUN A	Prim	0766	658001	00	8.0	GPP		
SLAVE POINT A	WF	0766	758001	20	8.0	GPP		
SLAVE POINT J	Prim	0766	758010	00	8.0	GPP		
SLAVE POINT J	WF	0766	758010	20	8.0	GPP		
SLAVE POINT S	Prim	0766	758019	00	8.0	GPP		
SEAL								
SLAVE POINT A	Prim	0827	758001	00	8.0	GPP		
SLAVE POINT B	Prim	0827	758002	00	8.0	GPP		
SLAVE POINT F	Prim	0827	758006	00	8.0	GPP		
SLAVE POINT G	Prim	0827	758007	00	8.0	GPP		
SLAVE POINT K	Prim	0827	758011	00	8.0	GPP		
SLAVE POINT L	Prim	0827	758012	00	8.0	GPP		
SLAVE POINT M	Prim	0827	758013	00	8.0	GPP		
SLAVE POINT N	Prim	0827	758014	00	8.0	GPP		
SLAVE POINT O	Prim	0827	758015	00	8.0	GPP		
SEDALIA								
VIKING O	Prim	0828	218015	00	8.0	GPP		
VIKING CC	Prim	0828	218029	00	8.0	GPP		
VIKING KK	Prim	0828	218037	00	8.0	GPP		
VIKING NN	Prim	0828	218040	00	8.0	GPP		3
SEDEGWICK								
VIKING B	Prim	0832	218002	00	8.0	GPP		
BASAL MANNVILLE E	Prim	0832	320005	00	8.0	GPP		
BASAL MANNVILLE H	Prim	0832	320008	00	8.0	GPP		
COMMINGLED POOL 001	WF	0832	800160	20	8.0	GPP		12
SEIU LAKE								
LOWER MANNVILLE CC	GF	0840	310029	40	8.0	GPP		
LOWER MANNVILLE FF	Prim	0840	310032	00	8.0	GPP		
LOWER MANNVILLE LL	Prim	0840	310038	00	8.0	GPP		
LOWER MANNVILLE NN	Prim	0840	310040	00	8.0	GPP		
PEKISKO A	Prim	0840	642001	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0840	800160	00	8.0	GPP		
COMMINGLED POOL 009	Prim	0840	800960	00	8.0	8.0	130	
SENX								
SLAVE POINT A	Prim	0834	758001	00	8.0	GPP		
SLAVE POINT C	Prim	0834	758003	00	8.0	GPP		
SLAVE POINT D	Prim	0834	758004	00	8.0	GPP		
KEG RIVER A	Prim	0834	772101	00	8.0	GPP		
KEG RIVER B	WF	0834	772102	20	8.0	GPP		
KEG RIVER C	WF	0834	772103	20	8.0	GPP		
KEG RIVER M	WF	0834	772113	20	8.0	GPP		
KEG RIVER P	Prim	0834	772116	00	8.0	GPP		
KEG RIVER S	Prim	0834	772119	00	8.0	GPP		
KEG RIVER U	Prim	0834	772121	00	8.0	GPP		
KEG RIVER W	Prim	0834	772123	00	8.0	GPP		
KEG RIVER BB	Prim	0834	772128	00	8.0	GPP		
KEG RIVER DD	WF	0834	772130	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SENEX (continued)								
KEG RIVER EE	WF	0834	772131	20	8.0	GPP		
KEG RIVER II	WF	0834	772135	20	8.0	GPP		
KEG RIVER JJ	WF	0834	772136	20	8.0	GPP		
KEG RIVER KK	WF	0834	772137	20	8.0	GPP		
KEG RIVER MM	Prim	0834	772139	00	8.0	GPP		
KEG RIVER OO	Prim	0834	772141	00	8.0	GPP		
KEG RIVER OO	WF	0834	772141	20	8.0	GPP		
KEG RIVER PP	Prim	0834	772142	00	8.0	GPP		
KEG RIVER QQ	Prim	0834	772143	00	8.0	GPP		
KEG RIVER RR	Prim	0834	772144	00	8.0	GPP		
KEG RIVER SS	Prim	0834	772145	00	8.0	GPP		
KEG RIVER SS	WF	0834	772145	20	8.0	GPP		
KEG RIVER TT	WF	0834	772146	20	8.0	GPP		
KEG RIVER VV	Prim	0834	772148	00	8.0	GPP		
KEG RIVER WW	Prim	0834	772149	00	8.0	GPP		
KEG RIVER ZZ	Prim	0834	772152	00	8.0	GPP		
KEG RIVER BBB	Prim	0834	772202	00	8.0	GPP		
KEG RIVER CCC	Prim	0834	772203	00	8.0	GPP		
KEG RIVER DDD	Prim	0834	772204	00	8.0	GPP		
KEG RIVER EEE	Prim	0834	772205	00	8.0	GPP		
SHADOW								
GILWOOD E	Prim	0079	765505	00	11.0	GPP		
GILWOOD F	Prim	0079	765506	00	11.0	GPP		
GILWOOD G	Prim	0079	765507	00	11.0	GPP		
GILWOOD N	Prim	0079	765514	00	11.0	GPP		
GILWOOD O	Prim	0079	765515	00	11.0	GPP		
GILWOOD Y	Prim	0079	765525	00	10.5	GPP		
GILWOOD AA	Prim	0079	765527	00	10.5	GPP		
GILWOOD BB	Prim	0079	765528	00	10.5	GPP		
GILWOOD II	Prim	0079	765535	00	11.5	GPP		
GILWOOD NN	Prim	0079	765540	00	11.0	GPP		
SHANE								
WABAMUN E	Prim	0837	658005	00	10.0	GPP		
SHEKILIE								
KEG RIVER B	WF	0835	772102	20	8.0	GPP		
KEG RIVER M	Prim	0835	772113	00	8.0	GPP		
KEG RIVER Q	Prim	0835	772117	00	8.0	GPP		
KEG RIVER R	Prim	0835	772118	00	8.0	GPP		
KEG RIVER Y	WF	0835	772125	20	8.0	GPP		
KEG RIVER AA	Prim	0835	772127	00	8.0	GPP		
KEG RIVER QQQ	Prim	0835	772217	00	8.0	GPP		
KEG RIVER UUU	WF	0835	772221	20	8.0	GPP		
KEG RIVER A2A	Prim	0835	772227	00	8.0	GPP		
KEG RIVER M2M	WF	0835	772239	20	8.0	GPP		
KEG RIVER N2N	WF	0835	772240	20	8.0	GPP		
KEG RIVER S2S	WF	0835	772245	20	8.0	GPP		
KEG RIVER Y2Y	WF	0835	772251	20	8.0	GPP		
KEG RIVER Z2Z	WF	0835	772252	20	8.0	GPP		
KEG RIVER B3B	Prim	0835	772302	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SHEKILIE (continued)								
KEG RIVER G3G	Prim	0835	772307	00	8.0	GPP	12	
KEG RIVER I3I	Prim	0835	772309	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0835	800360	00	8.0	GPP		
COMMINGLED POOL 004	WF	0835	800460	20	8.0	GPP		
COMMINGLED POOL 005	Prim	0835	800560	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0835	801160	00	8.0	GPP		
SHELDON								
MONTNEY A	Prim	0897	524001	00	8.0	GPP		
SHOULDICE								
GLAUCONITIC G	Prim	0805	300007	00	8.0	GPP	12b, 12d	
GLAUCONITIC K	Prim	0805	300011	00	8.0	GPP		
GLAUCONITIC M	Prim	0805	300013	00	8.0	GPP		
GLAUCONITIC R	Prim	0805	300018	00	8.0	GPP		
GLAUCONITIC AA	Prim	0805	300027	00	8.0	GPP	12	
ELLERSLIE C	Prim	0805	336003	00	8.0	GPP	12	
ELLERSLIE BB	Prim	0805	336028	00	8.0	GPP	3	
PEKISKO A	Prim	0805	642001	00	8.0	GPP		
SIBBALD								
UPPER MANNVILLE C	Prim	0836	250003	00	8.0	8.0	990	
UPPER MANNVILLE C	WF	0836	250003	20	8.0	GPP		
SILVER								
WABAMUN A	Prim	0813	658001	00	16.0	GPP	3	
SIMONETTE								
DUNVEGAN A	Prim	0844	192001	00	8.0	GPP	12	
DUNVEGAN F	Prim	0844	192006	00	8.0	GPP		
DUNVEGAN K	Prim	0844	192011	00	8.0	GPP		
DUNVEGAN V	Prim	0844	192022	00	8.0	GPP		
DUNVEGAN CC	Prim	0844	192029	00	8.0	GPP		
DUNVEGAN GG	Prim	0844	192033	00	9.5	GPP		
DUNVEGAN II	Prim	0844	192035	00	10.0	GPP		
BLUESKY A	Prim	0844	304001	00	11.5	GPP		
GETHING S	Prim	0844	326019	00	14.0	GPP		
NORDEGG C	Prim	0844	444003	00	11.5	GPP		
NORDEGG D	Prim	0844	444004	00	10.5	GPP		
MONTNEY A	Prim	0844	524001	00	11.5	GPP		
MONTNEY D	Prim	0844	524004	00	10.5	GPP		
MONTNEY E	Prim	0844	524005	00	19.0	GPP	6e	
MONTNEY F	Prim	0844	524006	00	11.5	GPP		
MONTNEY G	Prim	0844	524007	00	11.5	GPP		
MONTNEY H	Prim	0844	524008	00	12.5	GPP		
MONTNEY I	Prim	0844	524009	00	11.0	GPP		
MONTNEY K	Prim	0844	524011	00	13.0	GPP	6e	
MONTNEY L	Prim	0844	524012	00	12.5	GPP		
MONTNEY M	Prim	0844	524013	00	8.0	GPP		
MONTNEY P	Prim	0844	524016	00	15.0	GPP	6e	
MONTNEY Q	Prim	0844	524017	00	12.0	GPP	3	
MONTNEY U	Prim	0844	524021	00	19.0	GPP	3	
MONTNEY V	Prim	0844	524022	00	14.0	GPP		
D-3	Prim	0844	720000	00	20.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SIMONETTE (continued)								
D-3	SF	0844	720000	10	20.0	GPP		
D-3 C	Prim	0844	720003	00	20.0	GPP		
D-3 D	Prim	0844	720004	00	20.0	GPP		
DUVERNAY A	Prim	0844	728001	00	20.0	GPP		6f
BEAVERHILL LAKE A	WF	0844	744001	20	20.0	GPP		
BEAVERHILL LAKE B	WF	0844	744002	20	20.0	GPP		
SIMONETTE NORTH								
GETHING A	Prim	1251	326001	00	9.0	GPP		
MONTNEY A	Prim	1251	524001	00	10.5	GPP		
SINCLAIR								
DOE CREEK B	Prim	0845	190002	00	8.0	GPP		12
DOE CREEK C	Prim	0845	190003	00	8.0	GPP		
DOE CREEK D	WF	0845	190004	20	8.0	GPP		12
DOE CREEK H	Prim	0845	190008	00	8.0	GPP		
DOE CREEK GG	Prim	0845	190033	00	8.0	GPP		
DOE CREEK GG	WF	0845	190033	20	8.0	GPP		
DUNVEGAN BB	Prim	0845	192028	00	8.0	GPP		
PADDY C	Prim	0845	230003	00	8.0	GPP		
PADDY L	WF	0845	230012	20	8.0	GPP		
COMMINGLED POOL 001	Prim	0845	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0845	800260	00	8.0	8.0	110	10c
COMMINGLED POOL 002	WF	0845	800260	20	8.0	GPP		
COMMINGLED POOL 036	Prim	0845	803660	00	11.5	GPP		
SKARO								
BASAL QUARTZ C	Prim	0848	334003	00	8.0	GPP		
BASAL QUARTZ G	Prim	0848	334007	00	8.0	GPP		
COOKING LAKE	Prim	0848	732000	00	8.0	GPP		
SLAVE								
SLAVE POINT H	Prim	0839	758008	00	8.0	GPP		
SLAVE POINT O	Prim	0839	758015	00	8.0	GPP		
SLAVE POINT S	Prim	0839	758019	00	8.0	GPP		
SLAVE PT-GRAN WASH A	Prim	0839	758101	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0839	800160	00	8.0	GPP		
SMOKY								
CARDIUM WWW	Prim	1253	176323	00	10.0	GPP		
MONTNEY G	Prim	1253	524007	00	20.0	GPP		6e
SNIPE LAKE								
BEAVERHILL LAKE	Prim	0856	744000	00	14.0	GPP		
BEAVERHILL LAKE	WF	0856	744000	20	14.0	GPP		
BEAVERHILL LAKE B	Prim	0856	744002	00	14.5	GPP		
SOLOMON								
CARDIUM A	Prim	1339	176001	00	8.0	GPP		
SOUNDING								
COMMINGLED POOL 001	Prim	0857	800160	00	8.0	GPP		
SOUSA								
MUSKWA A	Prim	0858	743501	00	8.0	GPP		
KEG RIVER POOLS	Prim	0858	772000	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0858	800260	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SPRING COULEE								
SECOND WHITE SPECKS A	Prim	0860	186001	00	8.0	GPP		
RUNDLE	Prim	0860	610000	00	8.0	GPP		
LWR BANFF-EXSHAW-BV A	Prim	0860	649001	00	9.0	GPP		
SPRUCE GROVE								
DETRITAL A	Prim	0806	350001	00	8.0	GPP		
ST ALBERT-BIG LAKE								
D-3 A	Prim	0804	720001	00	8.0	GPP		
ST ANNE								
VIKING A	Prim	0854	218001	00	8.0	GPP		
OSTRACOD B	Prim	0854	316002	00	8.0	GPP		
NORDEGG A	Prim	0854	444001	00	8.0	GPP		
NORDEGG D	Prim	0854	444004	00	8.0	GPP		
BANFF A	Prim	0854	644001	00	8.0	GPP		
BANFF B	Prim	0854	644002	00	8.0	GPP		
BANFF I	Prim	0854	644009	00	8.0	GPP		
BANFF K	Prim	0854	644011	00	8.0	GPP		
BANFF M	Prim	0854	644013	00	8.0	GPP	12	
BANFF M	WF	0854	644013	20	8.0	GPP		
COMMINGLED POOL 001	WF	0854	800160	20	8.0	GPP	12, 12a, 12d	
STANMORE								
UPPER MANNVILLE P	Prim	0864	250016	00	8.0	GPP		
UPPER MANNVILLE KK	Prim	0864	250037	00	8.0	GPP		
UPPER MANNVILLE BBB	Prim	0864	250702	00	8.0	GPP	12d	
UPPER MANNVILLE SSS	WF	0864	250719	20	8.0	GPP	12	
UPPER MANNVILLE C2C	Prim	0864	250729	00	8.0	GPP		
UPPER MANNVILLE C3C	Prim	0864	251103	00	8.0	GPP		
UPPER MANNVILLE O3O	Prim	0864	251115	00	8.0	GPP		
LOWER MANNVILLE LL	Prim	0864	310038	00	8.0	GPP		
LOWER MANNVILLE PP	Prim	0864	310042	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0864	800260	00	8.0	GPP	12	
STEELE								
UPPER MANNVILLE Q	Prim	0862	250017	00	8.0	GPP		
UPPER MANNVILLE BB	Prim	0862	250028	00	8.0	GPP		
UPPER MANNVILLE HH	Prim	0862	250034	00	8.0	GPP		
GRAND RAPIDS MM	Prim	0862	262039	00	8.0	GPP		
GRAND RAPIDS NN	Prim	0862	262040	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0862	800160	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0862	800560	00	8.0	GPP		
STETTLER								
UPPER MANNVILLE E	Prim	0866	250005	00	8.0	GPP		
D-2 A	Prim	0866	696001	00	8.0	GPP		
D-2 A	WF	0866	696001	20	8.0	GPP		
D-3 A	Prim	0866	720001	00	8.0	GPP		
D-3 B	Prim	0866	720002	00	8.0	GPP		
D-3 D	Prim	0866	720004	00	8.0	GPP		
D-3 E	Prim	0866	720005	00	8.0	GPP		
STETTLER NORTH								
UPPER MANNVILLE A	Prim	0867	250001	00	8.0	GPP		
UPPER MANNVILLE F	Prim	0867	250006	00	8.0	GPP		
LOWER MANNVILLE H	Prim	0867	310008	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
STETTLER NORTH (continued)								
LOWER MANNVILLE K	Prim	0867	310011	00	8.0	GPP		
LOWER MANNVILLE L	Prim	0867	310012	00	8.0	GPP		
STEWART								
ELLERSLIE E	Prim	0849	336005	00	8.5	GPP		
STOLBERG								
CARDIUM D	Prim	0870	176004	00	8.0	GPP		
CARDIUM E	Prim	0870	176005	00	8.0	GPP		
CARDIUM F	WF	0870	176006	20	8.0	GPP		
CARDIUM G	Prim	0870	176007	00	8.0	GPP		
CARDIUM H	Prim	0870	176008	00	8.0	GPP		
CARDIUM L	Prim	0870	176012	00	8.5	GPP	3	
CARDIUM M	Prim	0870	176013	00	8.5	GPP		
CARDIUM N	Prim	0870	176014	00	8.5	GPP	3	
CARDIUM O	Prim	0870	176015	00	8.0	8.0	110	
CARDIUM P	Prim	0870	176016	00	8.0	GPP	3	
CARDIUM Q	Prim	0870	176017	00	8.0	GPP	3	
CARDIUM R	Prim	0870	176018	00	8.0	GPP	12	
CARDIUM S	Prim	0870	176019	00	8.0	GPP	12a	
CARDIUM W	Prim	0870	176023	00	8.0	GPP		
CARDIUM Y	Prim	0870	176025	00	8.0	GPP		
STURGEON LAKE								
D-3	Prim	0874	720000	00	15.0	GPP		
STURGEON LAKE SOUTH								
TRIASSIC A	Prim	0876	500001	00	8.0	GPP		
TRIASSIC A	WF	0876	500001	20	8.0	GPP		
TRIASSIC B	Prim	0876	500002	00	8.0	GPP	12	
TRIASSIC F	Prim	0876	500006	00	8.0	GPP	12a	
TRIASSIC F	WF	0876	500006	20	8.0	GPP	12a	
TRIASSIC M	Prim	0876	500013	00	8.0	GPP		
MONTNEY A	Prim	0876	524001	00	8.0	GPP	3	
D-1 B	Prim	0876	658002	00	9.5	GPP		
D-1 C	Prim	0876	658003	00	8.0	GPP		
D-1 D	Prim	0876	658004	00	9.5	GPP		
BLUERIDGE A	Prim	0876	680001	00	10.5	GPP		
D-3	Prim	0876	720000	00	13.5	GPP		
D-3 C	Prim	0876	720003	00	14.5	GPP		
D-3 D	Prim	0876	720004	00	14.5	GPP		
BEAVERHILL LAKE A	Prim	0876	744001	00	15.5	GPP		
SUFFIELD								
UPPER MANNVILLE A	Prim	0877	250001	00	8.0	GPP		
UPPER MANNVILLE A	WF	0877	250001	20	8.0	GPP	12b	
UPPER MANNVILLE D	WF	0877	250004	20	8.0	GPP		
UPPER MANNVILLE J	Prim	0877	250010	00	8.0	GPP		
UPPER MANNVILLE J	WF	0877	250010	20	8.0	GPP		
UPPER MANNVILLE N	Prim	0877	250014	00	8.0	GPP		
UPPER MANNVILLE N	WF	0877	250014	20	8.0	GPP		
UPPER MANNVILLE T	Prim	0877	250020	00	8.0	GPP		
UPPER MANNVILLE U	PF	0877	250021	21	8.0	GPP		
UPPER MANNVILLE V	Prim	0877	250022	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SUFFIELD (continued)								
UPPER MANNVILLE W	Prim	0877	250023	00	8.0	8.0	80	
UPPER MANNVILLE W	PF	0877	250023	21	8.0	GPP		
UPPER MANNVILLE AA	Prim	0877	250027	00	8.0	GPP		
UPPER MANNVILLE FF	Prim	0877	250032	00	8.0	GPP		
UPPER MANNVILLE FF	WF	0877	250032	20	8.0	GPP		
UPPER MANNVILLE HH	PF	0877	250034	21	8.0	GPP		
UPPER MANNVILLE II	Prim	0877	250035	00	8.0	GPP		5
UPPER MANNVILLE II	WF	0877	250035	20	8.0	GPP		
UPPER MANNVILLE RR	Prim	0877	250044	00	8.0	GPP		
UPPER MANNVILLE UU	ASP	0877	250047	70	8.0	GPP		
UPPER MANNVILLE YY	Prim	0877	250051	00	8.0	GPP		
UPPER MANNVILLE CCC	WF	0877	250703	20	8.0	GPP		12a
UPPER MANNVILLE EEE	Prim	0877	250705	00	8.0	GPP		
UPPER MANNVILLE GGG	Prim	0877	250707	00	8.0	GPP		
UPPER MANNVILLE HHH	WF	0877	250708	20	8.0	GPP		
UPPER MANNVILLE NNN	Prim	0877	250714	00	8.0	GPP		
UPPER MANNVILLE OOO	Prim	0877	250715	00	8.0	GPP		
UPPER MANNVILLE PPP	Prim	0877	250716	00	8.0	GPP		
UPPER MANNVILLE QQQ	Prim	0877	250717	00	8.0	GPP		
UPPER MANNVILLE SSS	Prim	0877	250719	00	8.0	GPP		
UPPER MANNVILLE TTT	Prim	0877	250720	00	8.0	GPP		
UPPER MANNVILLE XXX	Prim	0877	250724	00	8.0	GPP		
UPPER MANNVILLE YYY	ASP	0877	250725	70	8.0	GPP		
UPPER MANNVILLE ZZZ	Prim	0877	250726	00	8.0	GPP		
UPPER MANNVILLE C2C	Prim	0877	250729	00	8.0	GPP		
UPPER MANNVILLE D2D	WF	0877	250730	20	8.0	GPP		
UPPER MANNVILLE F2F	WF	0877	250732	20	8.0	GPP		
UPPER MANNVILLE G2G	WF	0877	250733	20	8.0	GPP		
UPPER MANNVILLE I2I	Prim	0877	250735	00	8.0	GPP		
UPPER MANNVILLE J2J	WF	0877	250736	20	8.0	GPP		
UPPER MANNVILLE K2K	WF	0877	250737	20	8.0	GPP		
UPPER MANNVILLE L2L	WF	0877	250738	20	8.0	GPP		
UPPER MANNVILLE M2M	WF	0877	250739	20	8.0	GPP		
UPPER MANNVILLE N2N	Prim	0877	250740	00	8.0	GPP		
UPPER MANNVILLE N2N	ASP	0877	250740	70	8.0	GPP		
UPPER MANNVILLE Q2Q	Prim	0877	250743	00	8.0	GPP		
UPPER MANNVILLE R2R	Prim	0877	250744	00	8.0	GPP		
UPPER MANNVILLE X2X	Prim	0877	250750	00	8.0	GPP		
UPPER MANNVILLE Y2Y	WF	0877	250751	20	8.0	GPP		
UPPER MANNVILLE E3E	Prim	0877	251105	00	8.0	GPP		
UPPER MANNVILLE F3F	Prim	0877	251106	00	8.0	GPP		
UPPER MANNVILLE G3G	Prim	0877	251107	00	8.0	GPP		
UPPER MANNVILLE H3H	Prim	0877	251108	00	8.0	GPP		
UPPER MANNVILLE I3I	WF	0877	251109	20	8.0	GPP		
UPPER MANNVILLE J3J	WF	0877	251110	20	8.0	GPP		
UPPER MANNVILLE L3L	Prim	0877	251112	00	8.0	GPP		
UPPER MANNVILLE M3M	Prim	0877	251113	00	8.0	GPP		
UPPER MANNVILLE N3N	Prim	0877	251114	00	8.0	GPP		
UPPER MANNVILLE O3O	Prim	0877	251115	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SUFFIELD (continued)								
UPPER MANNVILLE P3P	WF	0877	251116	20	8.0	GPP		
UPPER MANNVILLE R3R	Prim	0877	251118	00	8.0	GPP		
UPPER MANNVILLE S3S	Prim	0877	251119	00	8.0	GPP		
UPPER MANNVILLE V3V	Prim	0877	251122	00	8.0	GPP		
UPPER MANNVILLE W3W	Prim	0877	251123	00	8.0	GPP		
UPPER MANNVILLE X3X	Prim	0877	251124	00	8.0	GPP		
UPPER MANNVILLE G4G	Prim	0877	251133	00	8.0	GPP		3
LOWER MANNVILLE D	Prim	0877	310004	00	8.0	GPP		3
LOWER MANNVILLE J	Prim	0877	310010	00	8.0	GPP		
LOWER MANNVILLE M	Prim	0877	310013	00	8.0	GPP		
LOWER MANNVILLE P	Prim	0877	310016	00	8.0	GPP		
LOWER MANNVILLE V	Prim	0877	310022	00	8.0	GPP		
LOWER MANNVILLE Z	Prim	0877	310026	00	8.0	GPP		
LOWER MANNVILLE BB	Prim	0877	310028	00	8.0	GPP		
LOWER MANNVILLE II	Prim	0877	310035	00	8.0	GPP		
LOWER MANNVILLE JJ	Prim	0877	310036	00	8.0	GPP		
LOWER MANNVILLE KK	Prim	0877	310037	00	8.0	GPP		
LOWER MANNVILLE MM	Prim	0877	310039	00	8.0	GPP		
LOWER MANNVILLE NN	Prim	0877	310040	00	8.0	GPP		
LOWER MANNVILLE OO	Prim	0877	310041	00	8.0	GPP		
LOWER MANNVILLE QQ	Prim	0877	310043	00	8.0	GPP		
LOWER MANNVILLE SS	Prim	0877	310045	00	8.0	GPP		
PEKISKO A	Prim	0877	642001	00	8.0	GPP		
SULLIVAN LAKE								
UPPER MANNVILLE C	Prim	0880	250003	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0880	250005	00	8.0	GPP		
UPPER MANNVILLE L	Prim	0880	250012	00	8.0	GPP		
BANFF A	Prim	0880	644001	00	8.0	GPP		
BANFF B	Prim	0880	644002	00	8.0	GPP		
BANFF C	Prim	0880	644003	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0880	800160	00	8.0	GPP		
SUNBURST								
LWR BANFF-EXSHAW-BV A	Prim	1268	649001	00	8.0	GPP		
LWR BANFF-EXSHAW-BV B	Prim	1268	649002	00	8.0	GPP		
SUNDANCE								
BELLY RIVER LL	Prim	0879	126038	00	8.0	GPP		
BELLY RIVER MM	Prim	0879	126039	00	8.0	GPP		
SECOND WHITE SPECKS D	Prim	0879	186004	00	10.0	GPP		
SUNNYNOOK								
UPPER MANNVILLE JJJ	Prim	0883	250710	00	8.0	GPP		
SUNSET								
TRIASSIC A	WF	0884	500001	20	8.0	GPP		
TRIASSIC B	Prim	0884	500002	00	8.0	GPP		12
SUPERBA								
DETRITAL L	Prim	0885	350012	00	8.0	GPP		3
SWALWELL								
PEKISKO A	Prim	0886	642001	00	8.0	GPP		12
PEKISKO B	Prim	0886	642002	00	8.0	GPP		
D-1 A	Prim	0886	658001	00	9.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SWALWELL (continued) D-1 E	Prim	0886	658005	00	8.0	GPP		
SWAN HILLS GETHING D	Prim	0887	326004	00	8.0	GPP		
NISKU A	Prim	0887	696001	00	8.0	GPP		
BEAVERHILL LAKE E	Prim	0887	744005	00	10.5	GPP		
BEAVERHILL LAKE H	Prim	0887	744008	00	9.5	GPP		
BEAVERHILL LAKE J	Prim	0887	744010	00	10.5	GPP		
BEAVERHILL LAKE J	WF	0887	744010	20	10.5	GPP		
BEAVERHILL LAKE K	Prim	0887	744011	00	11.0	GPP		
COMMINGLED POOL 001	Prim	0887	800160	00	12.0	12.0	160	
COMMINGLED POOL 001	SF	0887	800160	10	12.0	GPP		
COMMINGLED POOL 001	WF	0887	800160	20	12.0	GPP		
COMMINGLED POOL 001	GF	0887	800160	40	12.0	GPP		
SWAN HILLS SOUTH BEAVERHILL LAKE C	Prim	0889	744003	00	11.5	GPP		
BEAVERHILL LAKE C	WF	0889	744003	20	11.5	GPP		
BEAVERHILL LAKE E	Prim	0889	744005	00	10.5	GPP		
BEAVERHILL LAKE F	Prim	0889	744006	00	12.0	GPP		
BEAVERHILL LAKE G	Prim	0889	744007	00	12.5	GPP	3	
BEAVERHILL LAKE J	Prim	0889	744010	00	12.5	GPP	3	
BEAVERHILL LAKE K	Prim	0889	744011	00	12.0	GPP		
BEAVERHILL LAKE L	Prim	0889	744012	00	12.5	GPP		
BEAVERHILL LAKE M	Prim	0889	744013	00	12.5	GPP	3	
COMMINGLED POOL 001	Prim	0889	800160	00	13.0	13.0	180	
COMMINGLED POOL 001	SF	0889	800160	10	13.0	GPP	1a, 8, 9a	
COMMINGLED POOL 001	WF	0889	800160	20	13.0	GPP		
SWIMMING UPPER MANNVILLE C	Prim	0888	250003	00	8.0	GPP		
UPPER MANNVILLE E	Prim	0888	250005	00	8.0	GPP		
MCLAREN D	Prim	0888	268004	00	8.0	GPP		
MCLAREN D	WF	0888	268004	20	8.0	GPP		
MCLAREN F	Prim	0888	268006	00	8.0	GPP	3	
SPARKY B	Prim	0888	276002	00	8.0	GPP		
SPARKY E	Prim	0888	276005	00	8.0	GPP		
SPARKY G	Prim	0888	276007	00	8.0	GPP		
SPARKY H	Prim	0888	276008	00	8.0	GPP		
SPARKY K	Prim	0888	276011	00	8.0	GPP	12	
SPARKY O	Prim	0888	276015	00	8.0	GPP		
SPARKY P	Prim	0888	276016	00	8.0	GPP		
SPARKY Q	Prim	0888	276017	00	8.0	GPP		
SPARKY R	Prim	0888	276018	00	8.0	GPP		
SPARKY S	Prim	0888	276019	00	8.0	GPP		
SPARKY T	Prim	0888	276020	00	8.0	GPP		
SPARKY U	Prim	0888	276021	00	8.0	GPP		
SPARKY V	Prim	0888	276022	00	8.0	GPP	3	
SPARKY W	Prim	0888	276023	00	8.0	GPP		
GENERAL PETROLEUM A	Prim	0888	286001	00	8.0	GPP		
GENERAL PETROLEUM C	Prim	0888	286003	00	8.0	GPP		
GENERAL PETROLEUM E	Prim	0888	286005	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SWIMMING (continued)								
REX E	Prim	0888	288005	00	8.0	GPP		
DINA G	Prim	0888	322007	00	8.0	GPP		
DINA I	Prim	0888	322009	00	8.0	GPP		
DINA J	Prim	0888	322010	00	8.0	GPP		
DINA K	Prim	0888	322011	00	8.0	GPP		
DINA L	Prim	0888	322012	00	8.0	8.0	70	
COMMINGLED POOL 004	Prim	0888	800460	00	8.0	GPP	12, 12a	
SYLVAN LAKE								
CARDIUM A	Prim	0891	176001	00	8.0	GPP		
CARDIUM B	Prim	0891	176002	00	8.0	GPP		
CARDIUM C	Prim	0891	176003	00	8.0	GPP		
CARDIUM H	Prim	0891	176008	00	8.0	GPP		
CARDIUM J	Prim	0891	176010	00	8.0	GPP		
CARDIUM M	Prim	0891	176013	00	8.0	GPP		
CARDIUM N	Prim	0891	176014	00	8.0	GPP		
CARDIUM P	Prim	0891	176016	00	8.0	GPP	3	
SECOND WHITE SPECKS A	Prim	0891	186001	00	8.5	GPP		
SECOND WHITE SPECKS C	Prim	0891	186003	00	8.0	GPP		
SECOND WHITE SPECKS D	Prim	0891	186004	00	8.0	GPP	3	
SECOND WHITE SPECKS E	Prim	0891	186005	00	8.5	GPP		
FISH SCALE A	Prim	0891	202001	00	9.0	GPP		
VIKING E	Prim	0891	218005	00	8.5	GPP		
VIKING M	Prim	0891	218013	00	8.0	GPP		
VIKING W	Prim	0891	218023	00	8.0	GPP		
VIKING EE	Prim	0891	218031	00	9.0	GPP		
VIKING NN	Prim	0891	218040	00	9.5	GPP		
GLAUCONITIC G	Prim	0891	300007	00	9.0	GPP		
GLAUCONITIC H	Prim	0891	300008	00	9.0	GPP		
GLAUCONITIC L	Prim	0891	300012	00	9.5	GPP		
GLAUCONITIC S	Prim	0891	300019	00	8.0	GPP		
GLAUCONITIC Y	Prim	0891	300025	00	9.5	GPP		
LOWER MANNVILLE GG	Prim	0891	310033	00	9.5	GPP		
LOWER MANNVILLE QQ	Prim	0891	310043	00	10.0	GPP	12d	
LOWER MANNVILLE AAA	Prim	0891	310101	00	8.0	GPP		
LOWER MANNVILLE CCC	Prim	0891	310103	00	11.5	GPP		
OSTRACOD T	Prim	0891	316020	00	10.0	GPP		
OSTRACOD V	Prim	0891	316022	00	11.0	GPP		
OSTRACOD AA	Prim	0891	316027	00	11.5	GPP		
JURASSIC A	Prim	0891	446001	00	10.0	GPP	10h, 12d	
JURASSIC C	Prim	0891	446003	00	10.0	GPP		
JURASSIC D	Prim	0891	446004	00	10.0	GPP		
JURASSIC D	WF	0891	446004	20	8.0	GPP		
JURASSIC N	Prim	0891	446014	00	10.0	GPP		
JURASSIC R	Prim	0891	446018	00	10.0	GPP		
JURASSIC GG	Prim	0891	446033	00	10.5	GPP		
JURASSIC II	Prim	0891	446035	00	10.5	GPP		
JURASSIC MM	Prim	0891	446039	00	10.5	GPP		
JURASSIC VV	Prim	0891	446048	00	10.5	GPP		
JURASSIC WW	Prim	0891	446049	00	10.5	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
SYLVAN LAKE (continued)								
ELKTON J	Prim	0891	638010	00	11.5	GPP		
ELKTON K	Prim	0891	638011	00	9.5	GPP		
ELKTON L	Prim	0891	638012	00	11.0	GPP		
ELKTON M	Prim	0891	638013	00	12.0	GPP	12a, 12b	
ELKTON O	Prim	0891	638015	00	8.0	GPP	12a	
ELKTON Q	Prim	0891	638017	00	10.0	GPP		
ELKTON R	Prim	0891	638018	00	8.0	GPP		
ELKTON T	Prim	0891	638020	00	10.5	GPP	12a	
ELKTON U	Prim	0891	638021	00	11.0	GPP	12	
ELKTON-SHUNDA D	Prim	0891	639004	00	10.0	GPP		
ELKTON-SHUNDA K	Prim	0891	639011	00	10.0	GPP		
SHUNDA C	Prim	0891	640003	00	9.5	GPP		
SHUNDA Y	Prim	0891	640025	00	10.5	GPP		
PEKISKO B	Prim	0891	642002	00	9.5	9.5	300	
PEKISKO B	WF	0891	642002	20	9.5	GPP	12a, 12c	
PEKISKO C	Prim	0891	642003	00	10.0	GPP	12a, 12c	
PEKISKO D	Prim	0891	642004	00	10.0	GPP		
PEKISKO G	Prim	0891	642007	00	9.0	GPP		
PEKISKO G	WF	0891	642007	20	9.0	GPP		
PEKISKO R	Prim	0891	642018	00	10.0	GPP		
PEKISKO U	Prim	0891	642021	00	10.0	GPP		
PEKISKO V	Prim	0891	642022	00	10.5	GPP		
PEKISKO GG	Prim	0891	642033	00	11.0	GPP	12a	
PEKISKO WW	Prim	0891	642049	00	11.0	GPP		
PEKISKO XX	Prim	0891	642050	00	11.0	GPP		
D-3 B	Prim	0891	720002	00	19.5	GPP	12a	
D-3 C	Prim	0891	720003	00	20.0	GPP		
D-3 H	Prim	0891	720008	00	19.5	GPP		
D-3 I	Prim	0891	720009	00	19.5	GPP		
D-3 L	Prim	0891	720012	00	16.5	GPP		
COMMINGLED POOL 002	Prim	0891	800260	00	8.0	GPP	12, 12e	
COMMINGLED POOL 003	Prim	0891	800360	00	11.5	GPP		
COMMINGLED POOL 009	Prim	0891	800960	00	11.5	GPP		
COMMINGLED POOL 011	Prim	0891	801160	00	11.5	GPP		
COMMINGLED POOL 012	Prim	0891	801260	00	10.0	GPP	12	
COMMINGLED POOL 013	Prim	0891	801360	00	10.5	GPP	12	
COMMINGLED POOL 014	Prim	0891	801460	00	10.0	GPP		
COMMINGLED POOL 034	Prim	0891	803460	00	10.0	GPP		
COMMINGLED POOL 035	Prim	0891	803560	00	11.5	GPP	12a, 12d	
COMMINGLED POOL 036	Prim	0891	803660	00	8.0	GPP		
COMMINGLED POOL 037	Prim	0891	803760	00	8.0	GPP		
COMMINGLED POOL 040	Prim	0891	804060	00	8.0	GPP		
TABER								
GLAUCONITIC D	Prim	0893	300004	00	8.0	GPP		
GLAUCONITIC F	Prim	0893	300006	00	8.0	GPP		
GLAUCONITIC G	Prim	0893	300007	00	8.0	GPP		
GLAUCONITIC H	Prim	0893	300008	00	8.0	GPP		
GLAUCONITIC K	ASP	0893	300011	70	8.0	GPP		
GLAUCONITIC M	Prim	0893	300013	00	8.0	GPP	3	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
TABER (continued)								
TABER A	Prim	0893	346001	00	8.0	GPP		
TABER B	Prim	0893	346002	00	8.0	GPP		
TABER F	Prim	0893	346006	00	8.0	GPP		
TABER G	Prim	0893	346007	00	8.0	GPP		
TABER H	Prim	0893	346008	00	8.0	GPP		
TABER I	Prim	0893	346009	00	8.0	GPP		
TABER I	WF	0893	346009	20	8.0	GPP		
TABER L	Prim	0893	346012	00	8.0	GPP		
TABER L	WF	0893	346012	20	8.0	GPP		
TABER M	Prim	0893	346013	00	8.0	GPP		
TABER N	Prim	0893	346014	00	8.0	GPP		
TABER N	WF	0893	346014	20	8.0	GPP		
TABER P	Prim	0893	346016	00	8.0	GPP		
TABER P	WF	0893	346016	20	8.0	GPP		
TABER R	Prim	0893	346018	00	8.0	GPP		
TABER U	Prim	0893	346021	00	8.0	GPP		
TABER X	Prim	0893	346024	00	8.0	GPP		
TABER BB	Prim	0893	346028	00	8.0	GPP		
TABER FF	Prim	0893	346032	00	8.0	GPP		
TABER JJ	Prim	0893	346036	00	8.0	GPP		
TABER KK	Prim	0893	346037	00	8.0	GPP		
TABER RR	Prim	0893	346044	00	8.0	GPP		
TABER UU	Prim	0893	346047	00	8.0	GPP		
TABER UU	WF	0893	346047	20	8.0	GPP		
TABER VV	Prim	0893	346048	00	8.0	GPP		
TABER XX	WF	0893	346050	20	8.0	GPP		
LIVINGSTONE B	Prim	0893	628002	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0893	800160	00	8.0	GPP		
TABER NORTH								
GLAUCONITIC A	Prim	0894	300001	00	8.0	GPP		
GLAUCONITIC A	WF	0894	300001	20	8.0	GPP		
GLAUCONITIC C	Prim	0894	300003	00	8.0	GPP		12
GLAUCONITIC C	WF	0894	300003	20	8.0	GPP		12
GLAUCONITIC E	Prim	0894	300005	00	8.0	GPP		
GLAUCONITIC E	WF	0894	300005	20	8.0	GPP		
GLAUCONITIC L	Prim	0894	300012	00	8.0	GPP		
GLAUCONITIC N	Prim	0894	300014	00	8.0	GPP		
OSTRACOD A	Prim	0894	316001	00	8.0	GPP		
TABER A	Prim	0894	346001	00	8.0	GPP		
TABER A	WF	0894	346001	20	8.0	GPP		
TABER C	Prim	0894	346003	00	8.0	GPP		
TABER D	Prim	0894	346004	00	8.0	GPP		
TABER E	Prim	0894	346005	00	8.0	GPP		
TABER K	Prim	0894	346011	00	8.0	GPP		
TABER K	WF	0894	346011	20	8.0	GPP		
TABER V	WF	0894	346022	20	8.0	GPP		
TABER W	Prim	0894	346023	00	8.0	GPP		
TABER Y	Prim	0894	346025	00	8.0	GPP		
TABER Z	Prim	0894	346026	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
TABER NORTH (continued)								
TABER AA	Prim	0894	346027	00	8.0	GPP		
TABER CC	Prim	0894	346029	00	8.0	GPP		
TABER DD	Prim	0894	346030	00	8.0	GPP		
TABER EE	Prim	0894	346031	00	8.0	GPP		
TABER FF	Prim	0894	346032	00	8.0	GPP		
TABER MM	Prim	0894	346039	00	8.0	GPP		
TABER NN	Prim	0894	346040	00	8.0	GPP		
TABER RR	Prim	0894	346044	00	8.0	GPP		
TABER RR	WF	0894	346044	20	8.0	GPP		
TABER SS	Prim	0894	346045	00	8.0	GPP		
TABER TT	Prim	0894	346046	00	8.0	GPP		
TABER UU	Prim	0894	346047	00	8.0	GPP		
TABER XX	Prim	0894	346050	00	8.0	GPP		
TABER YY	Prim	0894	346051	00	8.0	GPP		
TABER ZZ	Prim	0894	346052	00	8.0	GPP		
SAWTOOTH B	Prim	0894	428002	00	8.0	GPP		
LIVINGSTONE B	Prim	0894	628002	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0894	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0894	800260	00	8.0	GPP		
TABER SOUTH								
MANNVILLE A	Prim	0895	248001	00	8.0	GPP		
MANNVILLE A	WF	0895	248001	20	8.0	GPP		
MANNVILLE B	Prim	0895	248002	00	8.0	GPP		
MANNVILLE B	WF	0895	248002	20	8.0	GPP		
MANNVILLE B	ASP	0895	248002	70	8.0	GPP		
MANNVILLE D	WF	0895	248004	20	8.0	GPP		
MANNVILLE L	Prim	0895	248012	00	8.0	GPP		
MANNVILLE N	WF	0895	248014	20	8.0	GPP		
MANNVILLE U	Prim	0895	248021	00	8.0	GPP		
GLAUCONITIC A	Prim	0895	300001	00	8.0	8.0	70	
GLAUCONITIC A	WF	0895	300001	20	8.0	GPP		
GLAUCONITIC B	Prim	0895	300002	00	8.0	GPP		
GLAUCONITIC C	Prim	0895	300003	00	8.0	GPP		
GLAUCONITIC G	Prim	0895	300007	00	8.0	GPP		
GLAUCONITIC G	WF	0895	300007	20	8.0	GPP		
GLAUCONITIC J	Prim	0895	300010	00	8.0	GPP		
TABER B	Prim	0895	346002	00	8.0	GPP		
TABER B	WF	0895	346002	20	8.0	GPP		
SAWTOOTH A	Prim	0895	428001	00	8.0	GPP		
LIVINGSTONE B	Prim	0895	628002	00	8.0	GPP		
TURNER VALLEY A	Prim	0895	630001	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0895	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0895	800160	20	8.0	GPP		
TABER SOUTHEAST								
MANNVILLE A	Prim	0896	248001	00	8.0	GPP		
MANNVILLE C	Prim	0896	248003	00	8.0	GPP		
MANNVILLE D	Prim	0896	248004	00	8.0	GPP		
TANGENT								
TRIASSIC J	Prim	0899	500010	00	8.0	GPP	12a	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
TANGENT (continued)								
MONTNEY F	Prim	0899	524006	00	8.0	GPP		
MONTNEY F	WF	0899	524006	20	8.0	GPP		
MONTNEY M	Prim	0899	524013	00	8.0	GPP		
MONTNEY Q	Prim	0899	524017	00	8.0	GPP		
MONTNEY R	Prim	0899	524018	00	8.0	GPP		
MONTNEY R	WF	0899	524018	20	8.0	GPP		
MONTNEY S	Prim	0899	524019	00	8.0	GPP		
DEBOLT C	Prim	0899	612003	00	8.0	GPP		12
D-1 D	Prim	0899	658004	00	8.0	GPP		
D-1 H	Prim	0899	658008	00	8.0	GPP		
D-1 M	Prim	0899	658013	00	8.0	GPP		
D-1 Y	Prim	0899	658025	00	8.0	GPP		
D-1 AA	Prim	0899	658027	00	8.0	GPP		
D-1 CC	Prim	0899	658029	00	8.0	GPP		
D-1 EE	Prim	0899	658031	00	8.0	GPP		
D-1 JJ	Prim	0899	658036	00	8.0	GPP		
D-1 LL	Prim	0899	658038	00	8.0	GPP		
D-1 QQ	Prim	0899	658043	00	8.0	GPP		
D-1 SS	Prim	0899	658045	00	8.0	GPP		
D-1 WW	Prim	0899	658049	00	8.0	GPP		
D-1 YY	Prim	0899	658051	00	8.0	GPP		
D-1 ZZ	Prim	0899	658052	00	8.0	GPP		3
D-1 AAA	Prim	0899	658101	00	8.0	GPP		
D-1 DDD	Prim	0899	658104	00	8.0	GPP		
D-1 NNN	Prim	0899	658114	00	8.0	GPP		
D-1 UUU	Prim	0899	658121	00	8.0	GPP		
D-1 VVV	Prim	0899	658122	00	8.0	GPP		
TEEPEE								
LOWER MANNVILLE D	Prim	0904	310004	00	8.0	GPP		3
CHARLIE LAKE C	Prim	0904	508003	00	8.0	GPP		
DOIG B	Prim	0904	520002	00	8.0	GPP		12
DOIG F	Prim	0904	520006	00	8.0	GPP		
THORSBY								
UPPER MANNVILLE A	Prim	0964	250001	00	8.0	GPP		
GLAUCONITIC A	WF	0964	300001	20	8.0	GPP		12e
GLAUCONITIC B	Prim	0964	300002	00	8.0	GPP		12
GLAUCONITIC K	Prim	0964	300011	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0964	800160	00	8.0	GPP		12, 12a
THREE HILLS CREEK								
VIKING G	Prim	0906	218007	00	8.0	GPP		
VIKING I	Prim	0906	218009	00	8.5	GPP		
VIKING M	Prim	0906	218013	00	8.0	GPP		
VIKING R	Prim	0906	218018	00	8.0	GPP		
VIKING II	Prim	0906	218035	00	8.0	GPP		
ELLERSLIE X	Prim	0906	336024	00	8.0	GPP		12
PEKISKO B	Prim	0906	642002	00	8.0	GPP		
PEKISKO D	Prim	0906	642004	00	8.0	GPP		
PEKISKO F	Prim	0906	642006	00	8.0	GPP		
BANFF B	Prim	0906	644002	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
THREE HILLS CREEK (continued)								
D-3 A	Prim	0906	720001	00	10.0	GPP		12
COMMINGLED POOL 002	Prim	0906	800260	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0906	800460	00	8.0	GPP		
COMMINGLED POOL 018	Prim	0906	801860	00	8.0	GPP		
TINDASTOLL								
BASAL BELLY RIVER A	Prim	0981	134001	00	8.0	GPP		
BASAL BELLY RIVER A	WF	0981	134001	20	8.0	GPP		
BASAL BELLY RIVER G	Prim	0981	134007	00	8.0	GPP		
VIKING C	Prim	0981	218003	00	8.0	GPP		
VIKING E	Prim	0981	218005	00	8.0	GPP		
LOWER MANNVILLE G	Prim	0981	310007	00	8.0	GPP		
PEKISKO E	Prim	0981	642005	00	8.5	GPP		
TOMAHAWK								
CARDIUM A	Prim	0773	176001	00	8.0	GPP		
OSTRACOD A	Prim	0773	316001	00	8.0	GPP		
OSTRACOD K	Prim	0773	316011	00	8.0	GPP		
NORDEGG A	Prim	0773	444001	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0773	800160	00	8.0	GPP		
COMMINGLED POOL 002	Prim	0773	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0773	800360	00	8.0	GPP		
TONY CREEK NORTH								
DUVERNAY C	Prim	0947	728003	00	20.0	GPP		6f
TROCHU								
MANNVILLE S	Prim	0908	248019	00	8.0	GPP		12a
TROUT								
KEG RIVER A	WF	0763	772101	20	8.0	GPP		
KEG RIVER C	Prim	0763	772103	00	8.0	GPP		
KEG RIVER K	Prim	0763	772111	00	8.0	GPP		
KEG RIVER N	Prim	0763	772114	00	8.0	GPP		
KEG RIVER P	Prim	0763	772116	00	8.0	GPP		
KEG RIVER W	Prim	0763	772123	00	8.0	GPP		
KEG RIVER Z	Prim	0763	772126	00	8.0	GPP		
KEG RIVER LL	Prim	0763	772138	00	8.0	GPP		
KEG RIVER NN	Prim	0763	772140	00	8.0	GPP		
KEG RIV-GRAN WASH A	Prim	0763	773901	00	8.0	GPP		
KEG RIV-GRAN WASH B	Prim	0763	773902	00	8.0	GPP		
TURNER VALLEY								
SECOND WHITE SPECKS A	Prim	0909	186001	00	8.0	GPP		
RUNDLE	WF	0909	610000	20	13.0	GPP		
RUNDLE H	Prim	0909	610008	00	20.0	GPP		
TWINING								
UPPER MANNVILLE P	Prim	0913	250016	00	8.0	GPP		12
GLAUCONITIC C	Prim	0913	300003	00	8.0	GPP		
GLAUCONITIC E	Prim	0913	300005	00	8.0	GPP		
GLAUCONITIC G	Prim	0913	300007	00	8.0	GPP		
GLAUCONITIC N	Prim	0913	300014	00	8.0	GPP		
LOWER MANNVILLE B	WF	0913	310002	20	8.0	GPP		
LOWER MANNVILLE C	Prim	0913	310003	00	8.0	GPP		
LOWER MANNVILLE F	Prim	0913	310006	00	8.0	GPP		12d

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
TWINING (continued)								
LOWER MANNVILLE G	Prim	0913	310007	00	8.0	GPP		
LOWER MANNVILLE J	Prim	0913	310010	00	8.0	GPP		
LOWER MANNVILLE P	Prim	0913	310016	00	8.0	GPP		
BANFF A	Prim	0913	644001	00	8.0	GPP		
NISKU A	Prim	0913	696001	00	8.5	GPP		
NISKU B	Prim	0913	696002	00	8.5	GPP		
NISKU C	Prim	0913	696003	00	8.5	GPP		
NISKU D	Prim	0913	696004	00	8.5	GPP		
NISKU E	Prim	0913	696005	00	8.5	GPP		
NISKU F	Prim	0913	696006	00	8.5	GPP		
NISKU G	Prim	0913	696007	00	8.5	GPP		
NISKU H	Prim	0913	696008	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0913	800160	00	8.0	GPP		
TWO CREEK								
GETHING F	Prim	0915	326006	00	8.0	GPP		12
JURASSIC A	WF	0915	446001	20	8.0	GPP		
JURASSIC B	Prim	0915	446002	00	8.0	GPP		12
JURASSIC B	GF	0915	446002	40	8.0	GPP		12
DUVERNAY B	Prim	0915	728002	00	19.5	GPP		6f
DUVERNAY C	Prim	0915	728003	00	17.0	GPP		6f
DUVERNAY E	Prim	0915	728005	00	19.5	GPP		6f
VALHALLA								
DOE CREEK K	Prim	0920	190011	00	8.0	GPP		
DOE CREEK K	WF	0920	190011	20	8.0	GPP		
DOE CREEK L	Prim	0920	190012	00	8.0	GPP		12d
DOE CREEK M	Prim	0920	190013	00	8.0	GPP		
DOE CREEK M	WF	0920	190013	20	8.0	GPP		
DOE CREEK O	Prim	0920	190015	00	8.0	GPP		
DOE CREEK V	WF	0920	190022	20	8.0	GPP		12a
DOE CREEK Y	WF	0920	190025	20	8.0	GPP		
DOE CREEK II	Prim	0920	190035	00	8.0	GPP		
DOE CREEK RR	Prim	0920	190044	00	8.0	GPP		
DOE CREEK TT	Prim	0920	190046	00	8.0	GPP		
DOE CREEK TT	WF	0920	190046	20	8.0	GPP		
DOE CREEK VV	WF	0920	190048	20	8.0	GPP		
GETHING UU	Prim	0920	326047	00	8.0	GPP		
GETHING WW	Prim	0920	326049	00	8.0	GPP		
NORDEGG A	Prim	0920	444001	00	8.0	GPP		
CHARLIE LAKE POOLS	Prim	0920	508000	00	8.0	GPP		
CHARLIE LAKE K2K	Prim	0920	508737	00	8.0	GPP		12
CHARLIE LAKE Q3Q	Prim	0920	508817	00	8.0	GPP		
BOUNDARY B	Prim	0920	510002	00	8.5	GPP		
BOUNDARY H	Prim	0920	510008	00	8.0	GPP		12b
BOUNDARY I	Prim	0920	510009	00	8.0	GPP		12
BOUNDARY J	Prim	0920	510010	00	8.5	GPP		
BOUNDARY L	Prim	0920	510012	00	8.0	GPP		
BOUNDARY M	Prim	0920	510013	00	8.0	GPP		
BOUNDARY M	WF	0920	510013	20	8.0	GPP		
BOUNDARY Q	Prim	0920	510017	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
VALHALLA (continued)								
BOUNDARY R	Prim	0920	510018	00	8.0	GPP		
BOUNDARY T	Prim	0920	510020	00	8.0	GPP		
BOUNDARY V	Prim	0920	510022	00	8.5	GPP		
BOUNDARY X	Prim	0920	510024	00	8.0	GPP		
BOUNDARY Y	Prim	0920	510025	00	8.0	GPP		
BOUNDARY Z	Prim	0920	510026	00	8.0	GPP		
BOUNDARY AA	Prim	0920	510027	00	8.5	GPP	12	
BOUNDARY BB	Prim	0920	510028	00	8.0	GPP		
BOUNDARY GG	Prim	0920	510033	00	8.5	GPP	3	
HALFWAY C	Prim	0920	516003	00	8.0	GPP	12e	
HALFWAY H	Prim	0920	516008	00	8.0	GPP		
HALFWAY J	Prim	0920	516010	00	8.5	GPP	12a	
HALFWAY EE	Prim	0920	516031	00	8.0	GPP		
HALFWAY FF	Prim	0920	516032	00	8.0	GPP		
HALFWAY KK	Prim	0920	516037	00	8.5	GPP		
HALFWAY SS	Prim	0920	516045	00	8.5	GPP		
HALFWAY AAA	Prim	0920	516201	00	8.0	GPP	12	
DOIG B	Prim	0920	520002	00	8.5	GPP		
DOIG D	Prim	0920	520004	00	8.5	GPP	12a	
DOIG F	Prim	0920	520006	00	8.5	GPP		
DOIG G	Prim	0920	520007	00	8.5	GPP		
DOIG V	Prim	0920	520022	00	8.0	GPP		
DOIG EE	Prim	0920	520031	00	8.0	GPP		
MONTNEY A	Prim	0920	524001	00	9.5	GPP	6e	
MONTNEY B	Prim	0920	524002	00	10.0	GPP	6e	
MONTNEY B	WF	0920	524002	20	10.0	GPP	6e	
MONTNEY G	Prim	0920	524007	00	9.0	GPP	6e	
MONTNEY H	Prim	0920	524008	00	9.0	GPP	6e, 12a	
MONTNEY X	Prim	0920	524024	00	9.5	GPP	6e, 12	
MONTNEY CC	Prim	0920	524029	00	10.5	GPP	6e	
MONTNEY DD	Prim	0920	524030	00	11.0	GPP	6e	
MONTNEY EE	Prim	0920	524031	00	9.0	GPP	6e	
MONTNEY JJ	Prim	0920	524036	00	9.0	GPP	6e, 12a	
MONTNEY KK	Prim	0920	524037	00	9.0	GPP	6e, 12a	
MONTNEY QQQ	Prim	0920	524317	00	10.0	GPP	6e	
MONTNEY SSS	Prim	0920	524319	00	9.5	GPP	6e	
MONTNEY U2U	Prim	0920	524347	00	9.5	GPP	6e	
MONTNEY A3A	Prim	0920	524401	00	8.0	GPP		
MONTNEY B3B	Prim	0920	524402	00	9.5	GPP	6e	
MONTNEY C3C	Prim	0920	524403	00	8.5	GPP	6e	
COMMINGLED POOL 001	Prim	0920	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0920	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0920	800260	00	8.0	8.0	70 9a	
COMMINGLED POOL 002	WF	0920	800260	20	8.0	GPP		
COMMINGLED POOL 003	Prim	0920	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0920	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0920	800560	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0920	800660	00	8.0	GPP		
COMMINGLED POOL 007	Prim	0920	800760	00	9.5	GPP	6e	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
VALHALLA (continued)								
COMMINGLED POOL 008	Prim	0920	800860	00	9.0	GPP	6e	
COMMINGLED POOL 009	Prim	0920	800960	00	9.5	GPP	5, 6e, 12a	
COMMINGLED POOL 009	WF	0920	800960	20	8.0	GPP	6e	
COMMINGLED POOL 027	Prim	0920	802760	00	8.0	GPP		
COMMINGLED POOL 029	Prim	0920	802960	00	8.5	GPP		
COMMINGLED POOL 032	Prim	0920	803260	00	8.0	GPP	12a	
COMMINGLED POOL 032	WF	0920	803260	20	8.0	GPP	12a	
COMMINGLED POOL 033	WF	0920	803360	20	8.0	GPP		
COMMINGLED POOL 035	Prim	0920	803560	00	8.0	GPP		
COMMINGLED POOL 038	Prim	0920	803860	00	8.0	GPP		
COMMINGLED POOL 039	Prim	0920	803960	00	8.0	GPP		
VAUXHALL								
UPPER MANNVILLE B	Prim	0975	250002	00	8.0	GPP		
UPPER MANNVILLE G	Prim	0975	250007	00	8.0	GPP		
UPPER MANNVILLE M	Prim	0975	250013	00	8.0	GPP		
UPPER MANNVILLE V	Prim	0975	250022	00	8.0	GPP		
LOWER MANNVILLE D	Prim	0975	310004	00	8.0	GPP		
VERGER								
VIKING B	Prim	0919	218002	00	8.0	GPP		
MANNVILLE F	Prim	0919	248006	00	8.0	GPP		
UPPER MANNVILLE C	Prim	0919	250003	00	8.0	GPP	12d	
UPPER MANNVILLE Q	Prim	0919	250017	00	8.0	GPP	12a	
UPPER MANNVILLE R	Prim	0919	250018	00	8.0	GPP		
UPPER MANNVILLE FFF	Prim	0919	250706	00	8.0	GPP		
VERMILION								
COLONY G	Prim	0921	256007	00	8.0	GPP		
COLONY J	Prim	0921	256010	00	8.0	GPP		
SPARKY A	Prim	0921	276001	00	8.0	GPP		
SPARKY A	WF	0921	276001	20	8.0	GPP		
SPARKY M	Prim	0921	276013	00	8.0	GPP		
SPARKY N	Prim	0921	276014	00	8.0	GPP		
SPARKY R	Prim	0921	276018	00	8.0	GPP		
SPARKY T	Prim	0921	276020	00	8.0	GPP		
GENERAL PETROLEUM B	Prim	0921	286002	00	8.0	GPP		
LLOYDMINSTER F	Prim	0921	294006	00	8.0	GPP		
DINA B	Prim	0921	322002	00	8.0	GPP		
DINA D	Prim	0921	322004	00	8.0	GPP		
DINA F	Prim	0921	322006	00	8.0	GPP		
VIKING-KINSELLA								
UPPER MANNVILLE A4A	WF	0923	251127	20	8.0	GPP		
UPPER MANNVILLE J4J	Prim	0923	251136	00	8.0	GPP	5	
UPPER MANNVILLE M4M	Prim	0923	251139	00	8.0	GPP		
UPPER MANNVILLE Z5Z	Prim	0923	251526	00	8.0	GPP		
UPPER MANNVILLE A7A	Prim	0923	251901	00	8.0	GPP		
UPPER MANNVILLE C7C	Prim	0923	251903	00	8.0	GPP	3	
COLONY U	Prim	0923	256021	00	8.0	8.0	70 12a, 12d	
COLONY ZZZ	Prim	0923	256426	00	8.0	GPP		
SPARKY E	Prim	0923	276005	00	8.0	GPP		
SPARKY E	WF	0923	276005	20	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
VIKING-KINSELLA (continued)								
SPARKY F	Prim	0923	276006	00	8.0	8.0	70	12a
SPARKY F	WF	0923	276006	20	8.0	GPP		12a
SPARKY G	WF	0923	276007	20	8.0	GPP		
SPARKY I	Prim	0923	276009	00	8.0	GPP		
SPARKY JJ	Prim	0923	276036	00	8.0	GPP		
SPARKY JJ	WF	0923	276036	20	8.0	GPP		
SPARKY I3I	Prim	0923	276309	00	8.0	GPP		
SPARKY W3W	Prim	0923	276323	00	8.0	GPP		
SPARKY Z4Z	Prim	0923	276352	00	8.0	GPP		
SPARKY D5D	Prim	0923	277504	00	8.0	GPP		
SPARKY D5D	WF	0923	277504	20	8.0	GPP		
WAINWRIGHT B	Prim	0923	278002	00	8.0	8.0	70	
WAINWRIGHT B	WF	0923	278002	20	8.0	GPP		
D-2 H	Prim	0923	696008	00	8.0	GPP		
D-2 J	Prim	0923	696010	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0923	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0923	800160	20	8.0	GPP		12
COMMINGLED POOL 002	WF	0923	800260	20	8.0	GPP		
COMMINGLED MFP9509	Prim	0923	950960	00	8.0	GPP		12, 12e
VIRGINIA HILLS								
GETHING A	Prim	0925	326001	00	8.0	GPP		
BELLOY A	WF	0925	556001	20	8.0	GPP		12b, 12e
NISKU A	WF	0925	696001	20	11.0	GPP		
BEAVERHILL LAKE	Prim	0925	744000	00	17.0	17.0	150	9a
BEAVERHILL LAKE	SF	0925	744000	10	17.0	GPP		
BEAVERHILL LAKE	WF	0925	744000	20	17.0	GPP		
VIRGO								
KEG RIVER E	WF	0926	772105	20	8.0	GPP		6b
KEG RIVER S	WF	0926	772119	20	8.0	GPP		6b
KEG RIVER W	WF	0926	772123	20	8.0	GPP		6b
KEG RIVER Z	WF	0926	772126	20	8.0	GPP		6b
KEG RIVER SS	Prim	0926	772145	00	8.0	GPP		
KEG RIVER BBB	WF	0926	772202	20	8.0	GPP		
KEG RIVER GGG	Prim	0926	772207	00	8.0	GPP		
KEG RIVER TTT	WF	0926	772220	20	8.0	GPP		6b
KEG RIVER A2A	WF	0926	772227	20	8.0	GPP		6b
KEG RIVER D2D	WF	0926	772230	20	8.0	GPP		6b
KEG RIVER V2V	Prim	0926	772248	00	8.0	GPP		
KEG RIVER X2X	Prim	0926	772250	00	8.0	GPP		
KEG RIVER Y2Y	Prim	0926	772251	00	8.0	GPP		6b
KEG RIVER G4G	WF	0926	772333	20	8.0	GPP		6b
KEG RIVER H4H	Prim	0926	772334	00	8.0	GPP		
KEG RIVER X4X	Prim	0926	772350	00	8.0	GPP		12
KEG RIVER B7B	Prim	0926	772502	00	8.0	GPP		6b
KEG RIVER D7D	Prim	0926	772504	00	8.0	GPP		6b
KEG RIVER E7E	Prim	0926	772505	00	8.0	GPP		6b
KEG RIVER J7J	Prim	0926	772510	00	8.0	GPP		6b
MUSKEG POOLS	Prim	0926	782000	00	8.0	GPP		6b
KEG RIVER POOLS	Prim	0926	788000	00	8.0	GPP		6b

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
VIRGO (continued)								
COMMINGLED POOL 002	Prim	0926	800260	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0926	800560	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0926	800860	00	8.0	GPP		
COMMINGLED POOL 009	Prim	0926	800960	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0926	801060	00	8.0	GPP		
VULCAN								
BOW ISLAND B	Prim	0927	213002	00	8.0	GPP		
BOW ISLAND C	Prim	0927	213003	00	8.0	GPP		
BASAL MANNVILLE G	Prim	0927	320007	00	8.0	GPP		12
BASAL MANNVILLE I	Prim	0927	320009	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0927	800160	00	8.0	GPP		
WAINWRIGHT								
COLONY P	Prim	0928	256016	00	8.0	GPP		
COLONY CC	Prim	0928	256029	00	8.0	GPP		
COLONY ZZZ	Prim	0928	256426	00	8.0	GPP		
COLONY U2U	Prim	0928	256447	00	8.0	GPP		
COLONY E4E	Prim	0928	258731	00	8.0	GPP		
MCLAREN D	Prim	0928	268004	00	8.0	GPP		
SPARKY F	Prim	0928	276006	00	8.0	GPP		
SPARKY CC	Prim	0928	276029	00	8.0	GPP		12a
SPARKY QQ	Prim	0928	276043	00	8.0	GPP		3
SPARKY RR	Prim	0928	276044	00	8.0	GPP		3
WAINWRIGHT D	Prim	0928	278004	00	8.0	GPP		
WAINWRIGHT E	Prim	0928	278005	00	8.0	GPP		
WAINWRIGHT F	Prim	0928	278006	00	8.0	GPP		
REX F	Prim	0928	288006	00	8.0	GPP		
LLOYDMINSTER A	Prim	0928	294001	00	8.0	GPP		
LLOYDMINSTER H	Prim	0928	294008	00	8.0	GPP		
LLOYDMINSTER I	Prim	0928	294009	00	8.0	GPP		
LEDUC A	Prim	0928	720001	00	8.0	GPP		
LEDUC B	Prim	0928	720002	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0928	800160	00	8.0	8.0	70	
COMMINGLED POOL 002	Prim	0928	800260	00	8.0	GPP		12, 12a
COMMINGLED POOL 003	Prim	0928	800360	00	8.0	GPP		
COMMINGLED POOL 003	WF	0928	800360	20	8.0	GPP		12, 12e
COMMINGLED POOL 004	Prim	0928	800460	00	8.0	GPP		10o
WAPITI								
CARDIUM W	Prim	0953	176023	00	8.0	GPP		
CARDIUM X	Prim	0953	176024	00	8.0	GPP		
CARDIUM Y	Prim	0953	176025	00	8.0	GPP		
CARDIUM AA	Prim	0953	176027	00	8.0	GPP		
CARDIUM CC	Prim	0953	176029	00	8.0	GPP		
CARDIUM EE	Prim	0953	176031	00	8.0	GPP		
CARDIUM GG	Prim	0953	176033	00	8.0	GPP		
DUNVEGAN B	Prim	0953	192002	00	8.0	GPP		12a
DUNVEGAN U	Prim	0953	192021	00	8.0	GPP		
DUNVEGAN V	Prim	0953	192022	00	8.0	GPP		
DUNVEGAN W	Prim	0953	192023	00	8.0	GPP		
HALFWAY A	Prim	0953	516001	00	16.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WAPITI (continued)								
HALFWAY G	Prim	0953	516007	00	15.5	GPP		
COMMINGLED POOL 081	Prim	0953	808160	00	8.0	GPP		
COMMINGLED MFP9529	Prim	0953	952960	00	8.0	GPP		
WARWICK								
UPPER MANNVILLE A3A	Prim	0929	251101	00	8.0	GPP		
WASKAHIGAN								
DUNVEGAN A	Prim	0930	192001	00	8.0	GPP		12a
DUNVEGAN C	Prim	0930	192003	00	8.0	GPP		12
DUNVEGAN E	Prim	0930	192005	00	8.0	GPP		
DUNVEGAN FF	Prim	0930	192032	00	8.5	GPP		
DUNVEGAN GG	Prim	0930	192033	00	8.5	GPP		
DUNVEGAN HH	Prim	0930	192034	00	8.5	GPP		
GETHING F	Prim	0930	326006	00	8.0	GPP		
NORDEGG A	Prim	0930	444001	00	11.0	GPP		
MONTNEY D	Prim	0930	524004	00	10.0	GPP		
MONTNEY F	Prim	0930	524006	00	9.0	GPP		
MONTNEY G	Prim	0930	524007	00	9.0	GPP		
MONTNEY J	Prim	0930	524010	00	10.0	GPP		3
MONTNEY M	Prim	0930	524013	00	10.0	GPP		
SWAN HILLS A	Prim	0930	756001	00	20.0	GPP		
COMMINGLED POOL 001	Prim	0930	800160	00	8.0	GPP		
WATELET								
BELLY RIVER B	Prim	0936	126002	00	8.0	GPP		
ELLERSLIE A	Prim	0936	336001	00	8.0	GPP		12
WATTS								
LOWER MANNVILLE B	Prim	0933	310002	00	8.0	GPP		12e
LOWER MANNVILLE I	Prim	0933	310009	00	8.0	GPP		
BANFF C	Prim	0933	644003	00	8.0	GPP		12
BANFF D	Prim	0933	644004	00	8.0	GPP		12
BANFF H	Prim	0933	644008	00	8.0	GPP		
BANFF M	Prim	0933	644013	00	8.0	GPP		
WAYNE-ROSEDALE								
VIKING H	Prim	0935	218008	00	8.0	GPP		
VIKING D3D	Prim	0935	223904	00	8.0	GPP		
BASAL COLORADO E	Prim	0935	242005	00	8.0	GPP		
MANNVILLE E	Prim	0935	248005	00	8.0	GPP		12
MANNVILLE H	Prim	0935	248008	00	8.0	GPP		
MANNVILLE H	WF	0935	248008	20	8.0	GPP		
MANNVILLE S	Prim	0935	248019	00	8.0	GPP		
MANNVILLE T	Prim	0935	248020	00	8.0	GPP		
MANNVILLE AA	Prim	0935	248027	00	8.0	GPP		
MANNVILLE BB	Prim	0935	248028	00	8.0	GPP		12
UPPER MANNVILLE G	Prim	0935	250007	00	8.0	GPP		
UPPER MANNVILLE O	Prim	0935	250015	00	8.0	GPP		
UPPER MANNVILLE OO	Prim	0935	250041	00	8.0	GPP		12
UPPER MANNVILLE III	Prim	0935	250709	00	8.0	GPP		12a
UPPER MANNVILLE RRR	Prim	0935	250718	00	8.0	GPP		
UPPER MANNVILLE XXX	Prim	0935	250724	00	8.0	GPP		
UPPER MANNVILLE M4M	Prim	0935	251139	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WAYNE-ROSEDALE (continued)								
GLAUCONITIC EEE	Prim	0935	300905	00	8.0	GPP	12	
GLAUCONITIC III	Prim	0935	300909	00	8.0	GPP	12	
GLAUCONITIC OOO	Prim	0935	300915	00	8.0	GPP		
GLAUCONITIC B2B	Prim	0935	300928	00	8.0	GPP		
GLAUCONITIC C2C	Prim	0935	300929	00	8.0	GPP	12	
GLAUCONITIC O2O	Prim	0935	300941	00	8.0	GPP		
GLAUCONITIC E3E	Prim	0935	301505	00	8.0	GPP		
GLAUCONITIC E4E	GF	0935	301531	40	8.0	GPP	12	
GLAUCONITIC L4L	Prim	0935	301538	00	8.0	GPP		
GLAUCONITIC Y4Y	Prim	0935	301551	00	8.0	GPP		
GLAUCONITIC Z4Z	Prim	0935	301552	00	8.0	GPP	12	
GLAUCONITIC R5R	Prim	0935	301718	00	8.0	GPP		
LOWER MANNVILLE K	Prim	0935	310011	00	8.0	GPP		
LOWER MANNVILLE R	Prim	0935	310018	00	8.0	GPP	12	
LOWER MANNVILLE EE	Prim	0935	310031	00	8.0	GPP		
LOWER MANNVILLE PPP	Prim	0935	310116	00	8.0	GPP		
LOWER MANNVILLE ZZZ	Prim	0935	310126	00	8.0	GPP	12	
LOWER MANNVILLE L2L	Prim	0935	310138	00	8.0	GPP		
LOWER MANNVILLE P3P	Prim	0935	310216	00	8.0	GPP		
LOWER MANNVILLE C4C	Prim	0935	310229	00	8.0	GPP	12	
LOWER MANNVILLE H4H	Prim	0935	310234	00	8.0	GPP		
LOWER MANNVILLE I4I	Prim	0935	310235	00	8.0	GPP		
LOWER MANNVILLE V4V	Prim	0935	310248	00	8.0	GPP	12	
LOWER MANNVILLE J5J	Prim	0935	310310	00	8.0	GPP		
LOWER MANNVILLE K5K	Prim	0935	310311	00	8.0	GPP		
LOWER MANNVILLE N5N	Prim	0935	310314	00	8.0	GPP	12	
LOWER MANNVILLE U5U	Prim	0935	310321	00	8.0	GPP		
LOWER MANNVILLE V5V	Prim	0935	310322	00	8.0	GPP		
OSTRACOD M	Prim	0935	316013	00	8.0	GPP	12	
BASAL QUARTZ A	Prim	0935	334001	00	8.0	GPP		
BASAL QUARTZ F	Prim	0935	334006	00	8.0	GPP		
BASAL QUARTZ U	Prim	0935	334021	00	8.0	GPP	3	
BASAL QUARTZ W	Prim	0935	334023	00	8.0	GPP		
BASAL QUARTZ DD	Prim	0935	334030	00	8.0	GPP		
BASAL QUARTZ FF	Prim	0935	334032	00	8.0	GPP	12	
BASAL QUARTZ GG	Prim	0935	334033	00	8.0	GPP		
BASAL QUARTZ GG	WF	0935	334033	20	8.0	GPP		
BASAL QUARTZ OO	Prim	0935	334041	00	8.0	GPP	12a	
BASAL QUARTZ VV	Prim	0935	334048	00	8.0	GPP		
BASAL QUARTZ YYY	WF	0935	334125	20	8.0	GPP		
BASAL QUARTZ C2C	Prim	0935	334129	00	8.0	GPP	12a	
BASAL QUARTZ E2E	Prim	0935	334131	00	8.0	GPP		
BASAL QUARTZ G2G	Prim	0935	334133	00	8.0	GPP		
BASAL QUARTZ L2L	Prim	0935	334138	00	8.0	GPP	12	
BASAL QUARTZ Y2Y	Prim	0935	334151	00	8.0	GPP		
BASAL QUARTZ B3B	Prim	0935	334802	00	8.0	GPP		
BASAL QUARTZ H3H	Prim	0935	334808	00	8.0	GPP	12	
BASAL QUARTZ N3N	Prim	0935	334814	00	8.0	GPP		
BASAL QUARTZ O3O	Prim	0935	334815	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WAYNE-ROSEDALE (continued)								
BASAL QUARTZ V3V	Prim	0935	334822	00	8.0	GPP		12a
BASAL QUARTZ A4A	Prim	0935	334827	00	8.0	GPP		
BASAL QUARTZ H4H	Prim	0935	334834	00	8.0	GPP		
BASAL QUARTZ K4K	Prim	0935	334837	00	8.0	GPP		
BASAL QUARTZ Q4Q	Prim	0935	334843	00	8.0	GPP		
BASAL QUARTZ S4S	Prim	0935	334845	00	8.0	GPP		
BASAL QUARTZ X4X	Prim	0935	334850	00	8.0	GPP		
BASAL QUARTZ G5G	Prim	0935	334907	00	8.0	GPP		
BASAL QUARTZ H5H	Prim	0935	334908	00	8.0	GPP		
BASAL QUARTZ I5I	Prim	0935	334909	00	8.0	GPP		
BASAL QUARTZ J5J	Prim	0935	334910	00	8.0	GPP		
BASAL QUARTZ L5L	Prim	0935	334912	00	8.0	GPP		
ELLERSLIE A	Prim	0935	336001	00	8.0	GPP		3
BANFF C	Prim	0935	644003	00	8.0	GPP		
BANFF D	Prim	0935	644004	00	8.0	GPP		
BANFF J	Prim	0935	644010	00	8.0	GPP		
NISKU A	Prim	0935	696001	00	8.0	GPP		
NISKU C	Prim	0935	696003	00	8.0	GPP		12a
NISKU E	Prim	0935	696005	00	8.0	GPP		
NISKU F	Prim	0935	696006	00	8.0	GPP		
NISKU G	Prim	0935	696007	00	8.0	GPP		
NISKU H	Prim	0935	696008	00	8.0	GPP		
NISKU K	Prim	0935	696011	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0935	800360	00	8.0	GPP		12
COMMINGLED POOL 030	Prim	0935	803060	00	8.0	GPP		
COMMINGLED POOL 032	Prim	0935	803260	00	8.0	GPP		
COMMINGLED POOL 041	Prim	0935	804160	00	8.0	GPP		
COMMINGLED POOL 047	Prim	0935	804760	00	8.0	GPP		12, 12b
COMMINGLED MFP9501	Prim	0935	950160	00	8.0	GPP		12
COMMINGLED MFP9501	WF	0935	950160	20	8.0	GPP		
WEBSTER								
HALFWAY B	Prim	0937	516002	00	8.0	GPP		
WEMBLEY								
CHARLIE LAKE A	Prim	0948	508001	00	8.5	GPP		
CHARLIE LAKE B	Prim	0948	508002	00	8.5	GPP		
CHARLIE LAKE C	Prim	0948	508003	00	9.5	GPP		
CHARLIE LAKE D	Prim	0948	508004	00	8.5	GPP		
CHARLIE LAKE F	Prim	0948	508006	00	8.5	GPP		
CHARLIE LAKE L	Prim	0948	508012	00	8.0	GPP		
CHARLIE LAKE M	Prim	0948	508013	00	8.5	GPP		
CHARLIE LAKE Q	Prim	0948	508017	00	8.5	GPP		
CHARLIE LAKE R	Prim	0948	508018	00	9.5	GPP		
CHARLIE LAKE S	Prim	0948	508019	00	9.5	GPP		
BOUNDARY A	Prim	0948	510001	00	9.5	GPP		
HALFWAY V	Prim	0948	516022	00	8.5	GPP		
HALFWAY CC	Prim	0948	516029	00	15.5	GPP		
HALFWAY GG	Prim	0948	516033	00	10.0	GPP		
DOIG E	Prim	0948	520005	00	9.0	GPP		12b
DOIG F	Prim	0948	520006	00	9.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WEMBLEY (continued)								
DOIG G	Prim	0948	520007	00	10.5	GPP		
DOIG J	Prim	0948	520010	00	10.0	GPP		
DOIG M	Prim	0948	520013	00	10.5	GPP		
DOIG O	Prim	0948	520015	00	10.5	GPP		
MFP8524 HALFWAY	Prim	0948	852400	00	9.0	GPP		12e
MFP8524 HALFWAY	WF	0948	852400	20	9.0	GPP		
WEST COVE								
NORDEGG B	Prim	0768	444002	00	8.0	GPP		
WESTEROSE								
UPPER MANNVILLE U	Prim	0941	250021	00	8.0	GPP		
LOWER MANNVILLE U	Prim	0941	310021	00	8.0	GPP		
LOWER MANNVILLE XX	Prim	0941	310050	00	8.0	GPP		
D-3	Prim	0941	720000	00	9.5	GPP		12, 12e
COMMINGLED POOL 003	Prim	0941	800360	00	8.0	GPP		
WESTLOCK								
VIKING R	Prim	0946	218018	00	8.0	GPP		
VIKING EE	Prim	0946	218031	00	8.0	GPP		
ELLERSLIE C	Prim	0946	336003	00	8.0	GPP		
WABAMUN B	Prim	0946	658002	00	8.0	GPP		
WABAMUN D	Prim	0946	658004	00	8.0	GPP		
WESTPEM								
CARDIUM D	Prim	0942	176004	00	9.5	GPP		
CARDIUM F	Prim	0942	176006	00	8.5	GPP		
SECOND WHITE SPECKS B	Prim	0942	186002	00	9.0	GPP		
SECOND WHITE SPECKS C	Prim	0942	186003	00	10.0	GPP		
OSTRACOD G	Prim	0942	316007	00	12.0	GPP		
OSTRACOD G	WF	0942	316007	20	12.0	GPP		
OSTRACOD H	Prim	0942	316008	00	13.0	GPP		
OSTRACOD K	Prim	0942	316011	00	13.0	GPP		
OSTRACOD M	Prim	0942	316013	00	11.5	GPP		
ELLERSLIE F	Prim	0942	336006	00	12.0	GPP		
ELLERSLIE G	Prim	0942	336007	00	12.0	GPP		
ELLERSLIE H	Prim	0942	336008	00	12.0	GPP		
ELLERSLIE I	Prim	0942	336009	00	11.5	GPP		
ELLERSLIE J	Prim	0942	336010	00	12.0	GPP		
ELLERSLIE FF	Prim	0942	336032	00	11.5	GPP		
ROCK CREEK Y	Prim	0942	432025	00	11.0	GPP		
ROCK CREEK BB	Prim	0942	432028	00	11.0	GPP		
ROCK CREEK GGG	Prim	0942	432507	00	13.0	GPP		
COMMINGLED POOL 001	Prim	0942	800160	00	11.5	GPP		
COMMINGLED POOL 004	Prim	0942	800460	00	11.0	GPP		
COMMINGLED POOL 023	Prim	0942	802360	00	15.5	GPP		
WETASKIWIN								
COLONY A	Prim	0972	256001	00	8.0	GPP		
COLONY B	Prim	0972	256002	00	8.0	GPP		
WHITECOURT								
VIKING A	Prim	0951	218001	00	8.0	GPP		3
VIKING C	Prim	0951	218003	00	8.0	GPP		
VIKING H	Prim	0951	218008	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WHITECOURT (continued)								
JURASSIC Q	Prim	0951	446017	00	8.0	GPP		
PEKISKO L	Prim	0951	642012	00	8.0	GPP		
WHITEHORSE								
CARDIUM A	Prim	0970	176001	00	9.5	GPP		
CARDIUM M	Prim	0970	176013	00	8.5	GPP		
SECOND WHITE SPECKS A	Prim	0970	186001	00	9.0	GPP		
WHITFORD								
SPARKY U	Prim	0957	276021	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0957	800560	00	8.0	8.0	70	9a
WIDEWATER								
GILWOOD A	Prim	0771	765501	00	8.0	GPP		
WILD RIVER								
COMMINGLED MFP9529	Prim	0962	952960	00	20.0	GPP		
WILDMERE								
COLONY I	Prim	0963	256009	00	8.0	GPP		
COLONY U	Prim	0963	256021	00	8.0	GPP		
COLONY PP	Prim	0963	256042	00	8.0	GPP		
COLONY B2B	Prim	0963	256428	00	8.0	GPP		
COLONY D2D	Prim	0963	256430	00	8.0	GPP		
COLONY A3A	Prim	0963	258701	00	8.0	GPP		
COLONY E3E	Prim	0963	258705	00	8.0	GPP		
COLONY F3F	Prim	0963	258706	00	8.0	GPP		
COLONY J3J	Prim	0963	258710	00	8.0	GPP		
COLONY W3W	Prim	0963	258723	00	8.0	GPP		
COLONY X3X	Prim	0963	258724	00	8.0	GPP		
COLONY M4M	Prim	0963	258739	00	8.0	GPP		
COLONY P4P	Prim	0963	258742	00	8.0	GPP		
COLONY S5S	Prim	0963	258819	00	8.0	GPP		
COLONY W5W	Prim	0963	258823	00	8.0	GPP		
COLONY A6A	Prim	0963	258827	00	8.0	GPP		
COLONY B6B	Prim	0963	258828	00	8.0	GPP		
MCLAREN C	Prim	0963	268003	00	8.0	GPP		
MCLAREN F	Prim	0963	268006	00	8.0	GPP		
MCLAREN N	Prim	0963	268014	00	8.0	GPP		
MCLAREN T	Prim	0963	268020	00	8.0	GPP		
MCLAREN V	Prim	0963	268022	00	8.0	GPP		
MCLAREN X	Prim	0963	268024	00	8.0	GPP		3
WASECA G	Prim	0963	270007	00	8.0	GPP		
SPARKY B	Prim	0963	276002	00	8.0	GPP		
SPARKY B	WF	0963	276002	20	8.0	GPP		
SPARKY G	Prim	0963	276007	00	8.0	GPP		
SPARKY I	Prim	0963	276009	00	8.0	GPP		
SPARKY N	Prim	0963	276014	00	8.0	GPP		12a
SPARKY N	WF	0963	276014	20	8.0	GPP		
SPARKY O	Prim	0963	276015	00	8.0	GPP		
SPARKY O	WF	0963	276015	20	8.0	GPP		
SPARKY Q	Prim	0963	276017	00	8.0	GPP		
SPARKY MM	Prim	0963	276039	00	8.0	GPP		
SPARKY NN	Prim	0963	276040	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WILDMERE (continued)								
SPARKY SS	Prim	0963	276045	00	8.0	GPP		
SPARKY WW	Prim	0963	276049	00	8.0	GPP		
SPARKY FFF	Prim	0963	276206	00	8.0	GPP		
SPARKY HHH	Prim	0963	276208	00	8.0	GPP		
SPARKY LLL	Prim	0963	276212	00	8.0	GPP		
SPARKY NNN	Prim	0963	276214	00	8.0	GPP		
SPARKY PPP	Prim	0963	276216	00	8.0	GPP		
SPARKY QQQ	Prim	0963	276217	00	8.0	GPP		
SPARKY UUU	Prim	0963	276221	00	8.0	GPP		
SPARKY ZZZ	Prim	0963	276226	00	8.0	GPP		
SPARKY B2B	Prim	0963	276228	00	8.0	GPP		
WAINWRIGHT A	Prim	0963	278001	00	8.0	GPP		
WAINWRIGHT B	Prim	0963	278002	00	8.0	GPP		
GENERAL PETROLEUM A	Prim	0963	286001	00	8.0	GPP		
GENERAL PETROLEUM G	Prim	0963	286007	00	8.0	8.0	70	
GENERAL PETROLEUM G	WF	0963	286007	20	8.0	GPP		
GENERAL PETROLEUM H	Prim	0963	286008	00	8.0	GPP		
GENERAL PETROLEUM J	Prim	0963	286010	00	8.0	GPP		
GENERAL PETROLEUM J	WF	0963	286010	20	8.0	GPP		
GENERAL PETROLEUM O	Prim	0963	286015	00	8.0	GPP		
GENERAL PETROLEUM Q	Prim	0963	286017	00	8.0	GPP		
GENERAL PETROLEUM S	Prim	0963	286019	00	8.0	GPP		3
LLOYDMINSTER C	Prim	0963	294003	00	8.0	GPP		
LLOYDMINSTER C	WF	0963	294003	20	8.0	GPP		
LLOYDMINSTER C	PF	0963	294003	21	8.0	GPP		
LLOYDMINSTER V	Prim	0963	294022	00	8.0	GPP		
LLOYDMINSTER MM	Prim	0963	294039	00	8.0	GPP		
LLOYDMINSTER DDD	Prim	0963	294304	00	8.0	GPP		
LLOYDMINSTER JJJ	Prim	0963	294310	00	8.0	GPP		
LLOYDMINSTER LLL	Prim	0963	294312	00	8.0	GPP		
LLOYDMINSTER MMM	Prim	0963	294313	00	8.0	GPP		
LLOYDMINSTER PPP	Prim	0963	294316	00	8.0	GPP		
LLOYDMINSTER RRR	Prim	0963	294318	00	8.0	GPP		
LLOYDMINSTER VVV	Prim	0963	294322	00	8.0	GPP		
LLOYDMINSTER WWW	Prim	0963	294323	00	8.0	GPP		
CUMMINGS I	Prim	0963	302009	00	8.0	GPP		
CUMMINGS J	Prim	0963	302010	00	8.0	GPP		
CUMMINGS M	Prim	0963	302013	00	8.0	8.0	70	9a
COMMINGLED POOL 002	Prim	0963	800260	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0963	800360	00	8.0	GPP		12, 12d
COMMINGLED POOL 003	WF	0963	800360	20	8.0	GPP		
COMMINGLED POOL 003	PF	0963	800360	21	8.0	GPP		
COMMINGLED POOL 025	Prim	0963	802560	00	8.0	GPP		12
COMMINGLED POOL 026	Prim	0963	802660	00	8.0	GPP		
COMMINGLED POOL 030	Prim	0963	803060	00	8.0	GPP		
WILDWOOD								
NORDEGG D	Prim	0809	444004	00	8.0	GPP		
WILLESDEN GREEN								
BELLY RIVER DD	Prim	0967	126030	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WILLESDEN GREEN (continued)								
BELLY RIVER JJJ	Prim	0967	126310	00	8.0	GPP		
BELLY RIVER LLL	Prim	0967	126312	00	8.0	GPP		
BELLY RIVER D2D	Prim	0967	126330	00	8.0	GPP		
BELLY RIVER H2H	Prim	0967	126334	00	8.0	GPP		
BELLY RIVER P2P	Prim	0967	126342	00	8.0	GPP		
BELLY RIVER Q2Q	Prim	0967	126343	00	8.0	GPP		
BELLY RIVER S3S	Prim	0967	126419	00	8.0	GPP		
BELLY RIVER Y3Y	Prim	0967	126425	00	8.0	GPP		
BASAL BELLY RIVER A	Prim	0967	134001	00	8.0	GPP		
BASAL BELLY RIVER B	Prim	0967	134002	00	8.0	GPP		
BASAL BELLY RIVER E	Prim	0967	134005	00	8.0	GPP	12e	
BASAL BELLY RIVER F	Prim	0967	134006	00	8.0	GPP	12	
BASAL BELLY RIVER I	Prim	0967	134009	00	8.0	GPP		
BASAL BELLY RIVER O	Prim	0967	134015	00	8.0	GPP		
BASAL BELLY RIVER Q	Prim	0967	134017	00	8.0	GPP		
BASAL BELLY RIVER GG	Prim	0967	134033	00	8.0	GPP		
BASAL BELLY RIVER KK	Prim	0967	134037	00	8.0	GPP		
BASAL BELLY RIVER SS	Prim	0967	134045	00	8.0	GPP		
BASAL BELLY RIVER DDD	Prim	0967	134104	00	8.0	GPP		
BASAL BELLY RIVER EEE	Prim	0967	134105	00	8.0	GPP		
CARDIUM H	Prim	0967	176008	00	8.0	GPP		
CARDIUM S	Prim	0967	176019	00	8.0	GPP		
CARDIUM T	Prim	0967	176020	00	8.0	GPP		
CARDIUM U	Prim	0967	176021	00	8.5	GPP		
CARDIUM U	WF	0967	176021	20	8.5	GPP		
CARDIUM LL	Prim	0967	176038	00	8.5	GPP		
CARDIUM QQ	Prim	0967	176043	00	8.5	GPP		
CARDIUM TT	Prim	0967	176046	00	8.0	GPP		
SECOND WHITE SPECKS F	Prim	0967	186006	00	9.0	GPP		
SECOND WHITE SPECKS G	Prim	0967	186007	00	9.5	GPP		
SECOND WHITE SPECKS H	Prim	0967	186008	00	9.0	GPP		
SECOND WHITE SPECKS L	Prim	0967	186012	00	8.5	GPP		
SECOND WHITE SPECKS N	Prim	0967	186014	00	8.5	GPP		
SECOND WHITE SPECKS P	Prim	0967	186016	00	9.5	GPP		
SECOND WHITE SPECKS R	Prim	0967	186018	00	8.5	GPP		
SECOND WHITE SPECKS S	Prim	0967	186019	00	9.0	GPP		
SECOND WHITE SPECKS T	Prim	0967	186020	00	9.0	GPP	3	
SECOND WHITE SPECKS W	Prim	0967	186023	00	8.5	GPP		
SECOND WHITE SPECKS X	Prim	0967	186024	00	11.5	GPP		
SECOND WHITE SPECKS Y	Prim	0967	186025	00	9.0	GPP		
SECOND WHITE SPECKS Z	Prim	0967	186026	00	8.0	GPP		
SECOND WHITE SPCKS AA	Prim	0967	186027	00	10.0	GPP		
SECOND WHITE SPCKS DD	Prim	0967	186030	00	9.0	GPP		
SECOND WHITE SPCKS EE	Prim	0967	186031	00	9.0	GPP		
VIKING B	Prim	0967	218002	00	9.0	GPP		
VIKING H	Prim	0967	218008	00	10.5	GPP		
VIKING R	Prim	0967	218018	00	9.5	GPP		
VIKING V	Prim	0967	218022	00	10.0	GPP		
VIKING Y	Prim	0967	218025	00	10.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WILLESDEN GREEN (continued)								
VIKING Z	Prim	0967	218026	00	10.0	GPP		
VIKING HH	Prim	0967	218034	00	9.5	GPP		
VIKING JJ	Prim	0967	218036	00	9.0	GPP		
VIKING KK	Prim	0967	218037	00	10.0	GPP		
VIKING OO	Prim	0967	218041	00	10.0	GPP		
VIKING RR	Prim	0967	218044	00	9.5	GPP		
VIKING SS	Prim	0967	218045	00	9.5	GPP		
VIKING TT	Prim	0967	218046	00	9.0	GPP		
VIKING UU	Prim	0967	218047	00	8.5	GPP		
VIKING VV	Prim	0967	218048	00	8.5	GPP		
VIKING WW	Prim	0967	218049	00	10.5	GPP		
VIKING ZZ	Prim	0967	218052	00	10.5	GPP		
VIKING HHH	Prim	0967	220408	00	10.5	GPP		
VIKING III	Prim	0967	220409	00	10.5	GPP		
VIKING JJJ	Prim	0967	220410	00	9.5	GPP	3	
GLAUCONITIC SS	Prim	0967	300045	00	11.0	GPP		
GLAUCONITIC YY	Prim	0967	300051	00	11.0	GPP		
OSTRACOD J	Prim	0967	316010	00	11.5	GPP		
OSTRACOD K	Prim	0967	316011	00	11.0	GPP		
OSTRACOD T	Prim	0967	316020	00	10.0	GPP		
OSTRACOD U	Prim	0967	316021	00	11.5	GPP		
OSTRACOD FF	Prim	0967	316032	00	11.5	GPP		
ELLERSLIE QQQ	Prim	0967	336517	00	11.5	GPP		
ROCK CREEK F	Prim	0967	432006	00	8.0	GPP		
ROCK CREEK L	Prim	0967	432012	00	11.0	GPP		
ROCK CREEK BB	Prim	0967	432028	00	11.5	GPP		
ROCK CREEK A3A	Prim	0967	432601	00	11.5	GPP		
ROCK CREEK B3B	Prim	0967	432602	00	10.5	GPP		
ROCK CREEK K3K	Prim	0967	432611	00	11.0	GPP		
ROCK CREEK L3L	Prim	0967	432612	00	10.5	GPP		
ROCK CREEK P4P	Prim	0967	432642	00	12.0	GPP		
ROCK CREEK C5C	Prim	0967	432703	00	10.0	GPP		
ROCK CREEK N5N	Prim	0967	432714	00	11.0	GPP		
ROCK CREEK X5X	Prim	0967	432724	00	12.0	GPP		
NORDEGG C	Prim	0967	444003	00	11.5	GPP		
NORDEGG F	Prim	0967	444006	00	12.5	GPP		
NORDEGG W	Prim	0967	444023	00	12.5	GPP		
DUVERNAY C	Prim	0967	728003	00	20.0	GPP		
COMMINGLED POOL 001	Prim	0967	800160	00	8.0	GPP		
COMMINGLED POOL 003	Prim	0967	800360	00	8.0	GPP		
COMMINGLED POOL 004	Prim	0967	800460	00	8.0	GPP		
COMMINGLED POOL 005	Prim	0967	800560	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0967	800660	00	8.0	GPP		
COMMINGLED POOL 007	Prim	0967	800760	00	8.0	GPP	12	
COMMINGLED POOL 007	WF	0967	800760	20	8.0	GPP	12	
COMMINGLED POOL 008	Prim	0967	800860	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0967	801060	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0967	801160	00	10.0	GPP		
COMMINGLED POOL 013	Prim	0967	801360	00	9.0	GPP	12	

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WILLESDEN GREEN (continued)								
COMMINGLED POOL 014	Prim	0967	801460	00	8.5	GPP		
COMMINGLED POOL 015	Prim	0967	801560	00	11.5	GPP		
COMMINGLED POOL 016	Prim	0967	801660	00	11.0	GPP		12
COMMINGLED POOL 017	Prim	0967	801760	00	10.0	GPP		
COMMINGLED POOL 018	Prim	0967	801860	00	10.5	GPP		12
COMMINGLED POOL 020	Prim	0967	802060	00	11.0	GPP		
COMMINGLED POOL 021	Prim	0967	802160	00	11.5	GPP		
COMMINGLED POOL 022	Prim	0967	802260	00	12.0	GPP		
COMMINGLED POOL 034	Prim	0967	803460	00	10.0	GPP		
COMMINGLED POOL 076	Prim	0967	807660	00	9.0	GPP		
COMMINGLED POOL 077	Prim	0967	807760	00	8.0	GPP		
COMMINGLED POOL 079	Prim	0967	807960	00	8.0	GPP		
COMMINGLED POOL 085	Prim	0967	808560	00	11.5	GPP		
COMMINGLED POOL 089	Prim	0967	808960	00	8.0	GPP		
COMMINGLED POOL 097	Prim	0967	809760	00	12.0	GPP		
COMMINGLED POOL 103	Prim	0967	810360	00	11.0	GPP		12
WIMBORNE								
D-1 D	Prim	0976	658004	00	8.5	GPP		
D-2 A	Prim	0976	696001	00	10.0	GPP		
D-2 B	Prim	0976	696002	00	9.5	GPP		12a
D-2 H	Prim	0976	696008	00	10.0	GPP		3, 12a
D-2 I	Prim	0976	696009	00	10.5	GPP		
D-3 A	Prim	0976	720001	00	10.0	GPP		12
WINDFALL								
VIKING C	Prim	0979	218003	00	8.0	GPP		
BLUESKY F	Prim	0979	304006	00	8.5	GPP		
BLUESKY H	Prim	0979	304008	00	8.0	GPP		
GETHING OO	Prim	0979	326041	00	8.0	GPP		
RUNDLE A	Prim	0979	610001	00	8.5	GPP		12
D-3 A	Prim	0979	720001	00	14.0	GPP		
D-3 C	Prim	0979	720003	00	15.5	GPP		12
D-3 L	Prim	0979	720012	00	14.5	GPP		
BEAVERHILL LAKE A	Prim	0979	744001	00	14.5	GPP		
COMMINGLED POOL 002	Prim	0979	800260	00	8.5	GPP		
COMMINGLED POOL 002	WF	0979	800260	20	8.5	GPP		
WINTERING HILLS								
VIKING A	Prim	0982	218001	00	8.0	GPP		
VIKING DDD	Prim	0982	220404	00	8.0	GPP		
UPPER MANNVILLE S	Prim	0982	250019	00	8.0	GPP		
LOWER MANNVILLE A	Prim	0982	310001	00	8.0	GPP		
LOWER MANNVILLE HH	Prim	0982	310034	00	8.0	GPP		
LOWER MANNVILLE SS	Prim	0982	310045	00	8.0	GPP		
LOWER MANNVILLE TT	Prim	0982	310046	00	8.0	GPP		
LOWER MANNVILLE VV	Prim	0982	310048	00	8.0	GPP		
LOWER MANNVILLE FFF	Prim	0982	310106	00	8.0	GPP		12
LOWER MANNVILLE NNN	Prim	0982	310114	00	8.0	GPP		
ELLERSLIE H	Prim	0982	336008	00	8.0	GPP		
ELLERSLIE J	Prim	0982	336010	00	8.0	GPP		
ELLERSLIE K	Prim	0982	336011	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WINTERING HILLS (continued)								
ELLERSLIE V	Prim	0982	336022	00	8.0	GPP		
ELLERSLIE X	Prim	0982	336024	00	8.0	GPP		
ELLERSLIE Y	Prim	0982	336025	00	8.0	GPP		
ELLERSLIE Z	Prim	0982	336026	00	8.0	GPP		
ELLERSLIE BB	Prim	0982	336028	00	8.0	GPP		
ELLERSLIE II	Prim	0982	336035	00	8.0	GPP		
ELLERSLIE KK	Prim	0982	336037	00	8.0	GPP		
ELLERSLIE LL	Prim	0982	336038	00	8.0	GPP		3
PEKISKO A	Prim	0982	642001	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0982	800160	00	8.0	GPP		12
COMMINGLED POOL 023	Prim	0982	802360	00	8.0	GPP		12
COMMINGLED POOL 034	Prim	0982	803460	00	8.0	GPP		
COMMINGLED MFP9501	Prim	0982	950160	00	8.0	GPP		
COMMINGLED MFP9514	Prim	0982	951460	00	8.0	GPP		12
WIZARD LAKE								
GLAUCONITIC D	Prim	0985	300004	00	8.0	GPP		12a
D-2 A	Prim	0985	696001	00	8.0	GPP		12
D-3 B	Prim	0985	720002	00	9.0	GPP		
WOKING								
HALFWAY B	Prim	0987	516002	00	8.0	GPP		
HALFWAY B	WF	0987	516002	20	8.0	GPP		
WOOD RIVER								
LOWER MANNVILLE A	Prim	0988	310001	00	8.0	GPP		12
LOWER MANNVILLE P	Prim	0988	310016	00	8.0	GPP		
LOWER MANNVILLE Q	Prim	0988	310017	00	8.0	GPP		
LOWER MANNVILLE EE	Prim	0988	310031	00	8.0	GPP		3
D-2 A	Prim	0988	696001	00	8.0	GPP		
D-2 C	WF	0988	696003	20	8.0	GPP		
D-2 D	Prim	0988	696004	00	8.0	GPP		
D-3 B	Prim	0988	720002	00	8.0	GPP		
D-3 C	Prim	0988	720003	00	8.0	GPP		
D-3 E	Prim	0988	720005	00	8.0	GPP		
D-3 F	Prim	0988	720006	00	8.0	GPP		
COMMINGLED POOL 001	Prim	0988	800160	00	8.0	GPP		
WORSLEY								
GETHING-MONTNEY A	WF	0991	326701	20	8.0	GPP		
CHARLIE LAKE A	Prim	0991	508001	00	8.0	GPP		
CHARLIE LAKE B	Prim	0991	508002	00	8.0	GPP		12a
CHARLIE LAKE C	Prim	0991	508003	00	8.0	GPP		
CHARLIE LAKE O	Prim	0991	508015	00	8.0	GPP		
CHARLIE LAKE S	Prim	0991	508019	00	8.0	8.0	120	
CHARLIE LAKE S	WF	0991	508019	20	8.0	GPP		
CHARLIE LAKE JJ	Prim	0991	508036	00	8.0	GPP		
CHARLIE LAKE KK	Prim	0991	508037	00	8.0	GPP		
CHARLIE LAKE MM	Prim	0991	508039	00	8.0	GPP		
CHARLIE LAKE NN	Prim	0991	508040	00	8.0	GPP		
CHARLIE LAKE TT	Prim	0991	508046	00	8.0	GPP		
CHARLIE LAKE UU	Prim	0991	508047	00	8.0	GPP		
CHARLIE LAKE VV	Prim	0991	508048	00	8.0	GPP		

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
WORSLEY (continued)								
CHARLIE LAKE WW	Prim	0991	508049	00	8.0	GPP		
CHARLIE LAKE BBB	Prim	0991	508702	00	8.0	GPP		
CHARLIE LAKE DDD	Prim	0991	508704	00	8.0	GPP		
CHARLIE LAKE EEE	Prim	0991	508705	00	8.0	GPP		
CHARLIE LAKE III	Prim	0991	508709	00	8.0	GPP		3
MONTNEY A	Prim	0991	524001	00	8.0	GPP		12a
MONTNEY L	WF	0991	524012	20	8.0	GPP		12
D-2 D	Prim	0991	696004	00	9.0	GPP		
D-3 M	Prim	0991	720013	00	8.5	GPP		
D-3 O	Prim	0991	720015	00	9.0	GPP		
D-3 GG	Prim	0991	720033	00	11.0	GPP		
GRANITE WASH G	Prim	0991	797507	00	10.0	GPP		
COMMINGLED POOL 001	Prim	0991	800160	00	8.0	GPP		
COMMINGLED POOL 001	WF	0991	800160	20	8.0	GPP		
COMMINGLED POOL 002	Prim	0991	800260	00	10.0	GPP		
COMMINGLED POOL 003	Prim	0991	800360	00	9.5	GPP		
COMMINGLED POOL 009	Prim	0991	800960	00	8.0	GPP		
WRENTHAM								
GLAUCONITIC B	Prim	0992	300002	00	8.0	GPP		
GLAUCONITIC C	Prim	0992	300003	00	8.0	GPP		
LOWER MANNVILLE B	ASP	0992	310002	70	8.0	GPP		
LOWER MANNVILLE C	ASP	0992	310003	70	8.0	GPP		
LOWER MANNVILLE E	Prim	0992	310005	00	8.0	8.0	70	
LOWER MANNVILLE E	WF	0992	310005	20	8.0	GPP		
LOWER MANNVILLE F	Prim	0992	310006	00	8.0	GPP		
LOWER MANNVILLE F	WF	0992	310006	20	8.0	GPP		
LOWER MANNVILLE G	Prim	0992	310007	00	8.0	8.0	70	
LOWER MANNVILLE G	WF	0992	310007	20	8.0	GPP		
YOUNGSTOWN								
UPPER MANNVILLE O	Prim	0996	250015	00	8.0	GPP		
ARCS	Prim	0996	694000	00	8.0	GPP		
ARCS B	Prim	0996	694002	00	8.0	GPP		
ZAMA								
JEAN MARIE A	Prim	0997	702001	00	8.0	GPP		
SULPHUR POINT E2E	Prim	0997	767631	00	8.0	GPP		12a
SULPHUR POINT Q7Q	Prim	0997	768017	00	8.0	GPP		
MUSKEG POOLS	Prim	0997	768500	00	8.0	GPP		6b
MUSKEG L	SF	0997	768512	10	8.0	GPP		
MUSKEG V	WF	0997	768522	20	8.0	GPP		
MUSKEG AAA	WF	0997	768601	20	8.0	GPP		6b
KEG RIVER POOLS	Prim	0997	772100	00	8.0	GPP		6b
KEG RIVER H	WF	0997	772108	20	8.0	GPP		6b
KEG RIVER J	WF	0997	772110	20	8.0	GPP		6b
KEG RIVER L	Prim	0997	772112	00	8.0	GPP		
KEG RIVER N	WF	0997	772114	20	8.0	GPP		
KEG RIVER O	WF	0997	772115	20	8.0	GPP		6b
KEG RIVER V	Prim	0997	772122	00	8.0	GPP		
KEG RIVER CC	WF	0997	772129	20	8.0	GPP		6b
KEG RIVER LL	WF	0997	772138	20	8.0	GPP		6b

1 Field/ Pool Name	2 Pool Type	3 Codes			4 Basic Well Rate (m ³ /day)	5 Maximum Rate Limitation (m ³ /d/well)	6 Base GOR (m ³ /m ³)	7 Special Provisions (See Appendix II)
		Field	Pool	Pool Type				
ZAMA (continued)								
KEG RIVER PP	WF	0997	772142	20	8.0	GPP		
KEG RIVER VV	Prim	0997	772148	00	8.0	GPP		6b
KEG RIVER YY	Prim	0997	772151	00	8.0	GPP		6b
KEG RIVER DDD	WF	0997	772204	20	8.0	GPP		
KEG RIVER NNN	SF	0997	772214	10	8.0	GPP		
KEG RIVER RRR	SF	0997	772218	10	8.0	GPP		
KEG RIVER J2J	Prim	0997	772236	00	8.0	GPP		6b
KEG RIVER P2P	Prim	0997	772242	00	8.0	GPP		
KEG RIVER X2X	Prim	0997	772250	00	8.0	GPP		6b
KEG RIVER F3F	Prim	0997	772306	00	8.0	GPP		6b
KEG RIVER I3I	WF	0997	772309	20	8.0	GPP		6b
KEG RIVER K3K	WF	0997	772311	20	8.0	GPP		
KEG RIVER L3L	WF	0997	772312	20	8.0	GPP		6b
KEG RIVER L4L	Prim	0997	772338	00	8.0	GPP		6b
KEG RIVER T4T	WF	0997	772346	20	8.0	GPP		6b
KEG RIVER L5L	WF	0997	772412	20	8.0	GPP		6b
KEG RIVER O9O	Prim	0997	772615	00	8.0	GPP		
KEG RIVER R9R	Prim	0997	772618	00	8.0	GPP		
KEG RIVER S9S	Prim	0997	772619	00	8.0	GPP		
KEG RIVER T9T	Prim	0997	772620	00	8.0	GPP		
KEG RIVER W9W	WF	0997	772623	20	8.0	GPP		
KEG RIVER H10H	Prim	0997	772634	00	8.0	GPP		
KEG RIVER J10J	Prim	0997	772636	00	8.0	GPP		
KEG RIVER L10L	Prim	0997	772638	00	8.0	GPP		
COMMINGLED POOL 006	Prim	0997	800660	00	8.0	GPP		
COMMINGLED POOL 008	Prim	0997	800860	00	8.0	GPP		
COMMINGLED POOL 010	Prim	0997	801060	00	8.0	GPP		
COMMINGLED POOL 011	Prim	0997	801160	00	8.0	GPP		
COMMINGLED POOL 013	Prim	0997	801360	00	8.0	GPP		

1. Net GOR Relief

For pools granted net GOR penalty relief, the GOR penalty factor assessed against the base MRL for a well is the GOR penalty base divided by the net produced GOR. Net produced GOR is defined as the total gas flared plus vented divided by the total oil production. The GOR penalty base for the pools is specified in Appendix 1.

1a. Net GOR Relief - Special Conditions

In addition to clause 1, the pools listed below are granted net GOR penalty relief with special conditions.

Field / Pool Name	Particulars
SWAN HILLS	
COMMINGLED POOL 001 - Prim	Temporary Net GOR Penalty Relief Expires April 30, 2017 for 00/11-28-068-09W5/0 only
SWAN HILLS SOUTH	
COMMINGLED POOL 001 - Prim	Gas delivered to an approved enhanced recovery scheme as per Energy Resources Conservation Board (ERCB) letter dated 28 August 1986 LS 00/02-16-065-10W5/0 ONLY

3. Bulletin 2015-29

Pools meeting the criteria outlined in Bulletin 2015-29 shall be subject to GPP.

5. Off-Target Penalty Factors In GPP Pools

Wells located within the following GPP pools are subject to the base MRL and off-target penalty factors specified in the following table.

5 . Off-Target Penalty Factors In GPP Pools (continued)

Field / Pool Name	Well Identifier	Maximum Rate Limitation (m ³ /day)	Off-Target Penalty Factor
ALDERSON			
LOWER MANNVILLE W - Prim	02/14-07-018-10W4/0	12.4	0.250
CHIN COULEE			
SAWTOOTH B - WF	02/04-01-008-15W4/0	11.0	0.250
	02/05-01-008-15W4/0	8.0	0.250
	02/09-02-008-15W4/0	9.0	0.250
	02/10-02-008-15W4/0	8.0	0.500
CHINCHAGA			
SLAVE POINT RR	00/16-03-098-08W6/0	80.0	0.250
GRAND FORKS			
SAWTOOTH L	00/03-12-012-13W4/0	8.0	0.250
HUXLEY			
NISKU B	00/12-11-035-24W4/0	24.4	0.250
JUMPBUSH			
UPPER MANNVILLE A - WF	03/16-14-020-20W4/2	8.0	0.500
UPPER MANNVILLE Y	02/09-01-020-20W4/0	9.4	0.250
KAYBOB			
BEAVERHILL LAKE A - Prim	00/08-20-064-19W5/0	19.5	0.500
MATZWIN			
PEKISKO A	02/09-09-023-14W4/0	8.0	0.500
MITSUE			
GILWOOD A - WF	00/01-26-073-05W5/0	8.0	0.500
NIPISI			
COMMINGLED POOL 002 - Prim	00/15-24-078-08W5/0	20.0	0.500
PEMBINA			
NISKU II - WF	02/15-36-048-09W5/0	280.0	0.500
NISKU AAA	03/14-27-047-10W5/2	40.0	0.500
RETLAW			
UPPER MANNVILLE B	03/04-23-011-17W4/0	8.0	0.250
SUFFIELD			
UPPER MANNVILLE II - Prim	05/05-26-018-08W4/0	8.0	0.250
VALHALLA			
COMMINGLED POOL 009 - Prim	00/04-36-075-09W6/2	9.5	0.250

6a. D-1 (Wabamun) Pools

In accordance with the ERCB letter to All Operators dated 20 November 1990, unless otherwise approved by the AER, pools declared in the D-1 (Wabamun) Formation in the fields listed in the following table shall be subject to an MRL of 40 m³/day per well.

Field Name
BELLOY
CINDY
CULP
EAGLESHAM
EAGLESHAM NORTH
NORMANDVILLE
PEORIA
TANGENT

6b. Muskeg & Keg River Pools

New pools declared in the Muskeg and Keg River formations in the Virgo and Zama fields may be granted GPP status (refer to the ERCB letter dated 27 February 1998, Application No. 1002741) upon receipt and approval of an application that meets the following criteria:

- the initial pool pressure is above 12000 kPa
- all produced gas is being conserved

6c. Granite Wash Pools

As specified in the ERCB letters dated 21 April and 22 June 1993, pools declared in the Granite Wash Formation in the fields listed in the following table shall be subject to GPP. Granting of GPP, for new pools, requires that applications for a base MRL (AER Form O-38) provide an initial pressure and evidence of an O/W contact

Field Name
EVI
JOAN
OGSTON

6d. Dina Pools

In accordance with the ERCB letter dated 23 January 1989, pools declared in the Dina Formation in the fields listed in the following table shall be subject to GPP.

Field Name
HAYTER
PROVOST

6e. Montney-Lower Doig Zone

Pools declared in the Montney-Lower Doig Zone within the area designated by AER Subsurface Order No. 1A shall be subject to GPP.

6f. Duvernay Zone

Pools declared in the Duvernay Zone within the area designated by AER Subsurface Order No. 3 shall be subject to GPP.

7. Gas Flared or Vented

Any wells venting or flaring gas from pools listed in the following table shall be subject to the base MRL and base GOR specified in the following table.

Field / Pool Name	Maximum Rate Limitation (m ³ /day)	Base GOR (m ³ /m ³)
GARRINGTON		
COMMINGLED POOL 002	16.0	530
PENHOLD		
COMMINGLED POOL 001	8.0	110

8 . Off-Target Penalty

The base MRL of the entities listed in the following table shall be subject to the off-target penalty factor as specified.

Field / Pool Name	Well Identifier	Off-Target Penalty Factor
CLIVE		
D-3 A - Prim	00/13-34-038-24W4/0	0.250
SWAN HILLS		
COMMINGLED POOL 001 - Prim	00/06-16-066-10W5/0	0.500
	00/05-15-069-09W5/0	0.500
	00/02-19-069-09W5/0	0.500
	00/06-04-070-11W5/0	0.500
SWAN HILLS SOUTH		
COMMINGLED POOL 001 - Prim	00/15-26-064-11W5/2	0.750

9a. Horizontal Well Modifier (HWM)

The wells listed in the following table have been granted a HWM as specified. A horizontal well is assigned a base MRL equal to the product of the HWM and the base MRL that applies to a vertical well in the pool.

Field / Pool Name	Well Identifier	Horizontal Well Modifier
ANTE CREEK NORTH		
MONTNEY X	00/01-19-067-26W5/2	4.1
BERLAND RIVER		
DUNVEGAN I	00/13-10-059-23W5/0	3.5
BLUEBERRY		
CHARLIE LAKE D	00/01-34-082-07W6/2	4.6
BOUNDARY LAKE SOUTH		
BOUNDARY G	00/16-02-083-13W6/0	4.1
CARSON CREEK NORTH		
COMMINGLED POOL 001	02/04-33-061-11W5/2	3.4
CECIL		
CHARLIE LAKE AA	00/03-09-085-07W6/2	2.3
CESSFORD		
BANFF S	00/08-16-025-11W4/0	3.6
	00/08-18-025-11W4/0	3.9

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
CRANBERRY		
SLAVE POINT D - Prim	00/11-01-095-06W6/2	3.3
ELMWORTH		
DUNVEGAN J2J	00/09-19-068-03W6/0	3.7
ENCHANT		
COMMINGLED POOL 014 - Prim	00/03-13-014-17W4/0	3.3
FERGUSON		
LWR BANFF-EXSHAW-BV B - Prim	00/04-30-003-15W4/0	6.1
	00/06-30-003-15W4/0	6.3
	00/11-30-003-15W4/0	6.3
	00/01-27-003-16W4/0	4.9
	00/08-27-003-16W4/0	4.6
	00/15-28-003-16W4/2	4.5
	03/16-12-003-17W4/0	3.6
	00/11-22-003-17W4/0	4.7
	00/14-26-003-17W4/0	3.7
	00/04-27-003-17W4/0	3.9
	00/08-35-003-17W4/0	4.8
	00/15-14-003-18W4/0	5.4
FERRIER		
BASAL BELLY RIVER A - Prim	00/15-25-040-09W5/0	2.5
JUDY CREEK		
PEKISKO F - Prim	00/01-33-063-09W5/0	3.2
	00/13-33-063-09W5/0	3.2
	00/15-34-063-09W5/0	3.3
	00/02-13-063-10W5/0	3.2
	02/04-14-063-10W5/0	3.2
	00/01-03-064-09W5/0	3.3
	00/04-04-064-09W5/0	3.3
	00/01-05-064-09W5/0	3.2
BEAVERHILL LAKE B - Prim	00/13-06-063-11W5/0	3.6
	00/14-06-063-11W5/2	3.7
	02/01-07-063-11W5/0	3.5
	00/02-07-063-11W5/0	3.3
	00/13-01-063-12W5/0	4.3
	00/14-01-063-12W5/0	3.8
	00/15-01-063-12W5/0	3.7
	00/16-01-063-12W5/0	3.8
	00/01-11-063-12W5/0	3.8
	02/04-13-063-12W5/0	3.8
BEAVERHILL LAKE H	00/06-17-063-09W5/2	3.9
	00/13-18-063-09W5/0	3.9
	00/03-20-063-09W5/0	4.2

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
JUDY CREEK		
BEAVERHILL LAKE H (cont)	00/14-20-063-09W5/0	4.1
	00/02-21-063-09W5/0	4.6
	00/05-28-063-09W5/0	3.9
	00/16-29-063-09W5/0	3.6
	00/13-31-063-09W5/0	3.6
	00/01-32-063-09W5/0	3.8
	00/04-33-063-09W5/0	3.9
	00/05-33-063-09W5/0	3.9
	00/12-33-063-09W5/2	3.8
	02/13-33-063-09W5/3	3.7
	00/06-13-063-10W5/2	2.9
	02/06-13-063-10W5/0	3.3
	00/16-13-063-10W5/2	3.7
	00/15-22-063-10W5/0	3.2
	00/01-23-063-10W5/0	4.6
	00/16-24-063-10W5/0	3.8
	00/01-25-063-10W5/0	3.4
	00/01-26-063-10W5/0	3.8
	00/08-26-063-10W5/0	3.7
	00/09-26-063-10W5/0	3.7
	00/16-26-063-10W5/2	3.4
	00/01-27-063-10W5/0	3.4
	00/16-34-063-10W5/0	3.7
	00/04-35-063-10W5/0	4.4
	00/13-35-063-10W5/2	3.8
	00/03-36-063-10W5/0	3.9
	00/15-36-063-10W5/0	3.6
	02/01-05-064-09W5/2	4.0
	00/14-05-064-09W5/0	4.3
	00/04-06-064-09W5/0	3.6
	00/08-01-064-10W5/0	3.6
	00/13-01-064-10W5/0	3.6
	00/04-02-064-10W5/0	3.8
	00/15-02-064-10W5/0	3.5
	00/16-02-064-10W5/0	3.7
	00/01-03-064-10W5/0	3.8
BEAVERHILL LAKE T - Prim	03/13-29-064-11W5/0	3.9
KLESKUN		
BEAVERHILL LAKE A - Prim	00/08-05-072-26W5/3	1.6
	02/16-05-072-26W5/0	2.1
LOON		
SLAVE POINT G - Prim	00/13-21-086-09W5/0	4.3
	02/14-21-086-09W5/0	4.1

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
LOON		
SLAVE POINT G - Prim (cont)	00/15-21-086-09W5/0	4.4
	02/09-29-086-09W5/0	3.9
	03/09-29-086-09W5/0	3.9
	00/10-29-086-09W5/0	3.9
	02/09-33-086-09W5/0	2.7
	00/01-24-086-10W5/0	3.8
	00/02-24-086-10W5/2	3.8
	02/02-24-086-10W5/0	3.8
	00/03-25-086-10W5/0	2.6
	00/06-36-086-10W5/2	3.5
	00/05-03-087-09W5/0	4.3
	00/07-04-087-09W5/0	4.0
	00/08-04-087-09W5/0	4.1
	00/01-18-087-09W5/2	3.7
	00/08-18-087-09W5/0	3.6
	00/09-01-087-10W5/0	4.0
	00/07-11-087-10W5/0	3.5
	02/01-13-087-10W5/0	3.8
	00/08-13-087-10W5/0	3.7
MEEKWAP		
D-2 A - Prim	00/11-30-066-15W5/2	1.8
	00/01-32-066-15W5/2	2.6
MONTAG		
MONTNEY D	00/09-30-084-06W6/0	3.0
NIPISI		
CLEARWATER F	00/15-36-076-07W5/0	4.2
PARADISE		
CUMMINGS B	00/03-32-047-03W4/0	2.7
PEMBINA		
COMMINGLED POOL 001 - Prim	02/16-19-046-01W5/0	2.0
	00/16-28-046-02W5/0	2.6
	00/12-02-047-02W5/0	3.5
COMMINGLED POOL 166	02/08-06-046-02W5/0	2.1
PENNY		
LWR BANFF-EXSHAW-BV D	00/12-03-010-24W4/0	2.7
POUCE COUPE SOUTH		
BOUNDARY B - Prim	00/05-10-078-12W6/0	3.4
PRINCESS		
BASAL MANNVILLE HHH	02/14-05-020-10W4/0	2.5
PROVOST		
VIKING H9H	00/16-20-034-09W4/0	3.6
VIKING N9N	00/03-06-033-05W4/0	3.3
UPPER MANNVILLE S12S	00/11-31-039-03W4/0	3.3

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
RETLAW		
MANNVILLE V	00/07-05-012-18W4/0	2.4
STOLBERG		
CARDIUM O	00/12-12-042-15W5/2	2.8
SWAN HILLS		
COMMINGLED POOL 001 - Prim	00/04-19-066-09W5/0	3.8
	00/04-20-066-09W5/0	3.6
	00/06-21-066-09W5/2	3.8
	00/13-21-066-09W5/0	3.1
	00/15-35-066-09W5/0	4.3
	00/06-15-066-10W5/0	2.2
	00/01-05-067-09W5/0	3.0
	00/03-09-067-09W5/2	3.8
	00/02-14-067-09W5/0	3.8
	00/04-24-067-09W5/0	3.7
	00/13-25-067-09W5/0	3.3
	00/14-36-067-11W5/0	3.6
	00/01-16-068-08W5/0	3.8
	00/15-01-068-09W5/0	3.9
	03/04-02-068-09W5/0	2.5
	00/15-18-068-09W5/0	3.5
	00/08-23-068-09W5/0	3.5
	00/13-23-068-09W5/0	3.5
	00/15-23-068-09W5/0	3.5
	00/01-25-068-09W5/0	3.6
	00/10-26-068-09W5/0	5.7
	00/06-28-068-09W5/0	3.6
	00/11-28-068-09W5/0	3.8
	00/14-28-068-09W5/0	3.8
	00/03-34-068-09W5/0	3.8
	00/04-34-068-09W5/0	3.9
	00/01-35-068-09W5/0	3.8
	00/16-36-068-09W5/0	3.5
	00/14-15-068-11W5/0	4.0
	00/15-04-069-09W5/0	4.7
	00/09-05-069-09W5/0	4.7
	00/10-05-069-09W5/0	3.0
	00/14-05-069-09W5/0	3.7
	00/03-08-069-09W5/0	4.1
	02/14-11-069-09W5/0	4.4
	00/05-15-069-09W5/0	4.7
	00/07-15-069-09W5/0	4.7
	00/08-15-069-09W5/0	4.7

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
SWAN HILLS		
COMMINGLED POOL 001 - Prim (cont)	00/01-16-069-09W5/0	3.8
	00/08-16-069-09W5/0	4.0
	00/09-16-069-09W5/0	3.8
	00/16-16-069-09W5/0	3.7
	00/06-17-069-09W5/0	3.6
	00/02-19-069-09W5/0	2.6
	00/10-25-069-09W5/0	4.3
	00/03-09-069-10W5/0	3.4
	00/13-16-069-10W5/2	3.9
	00/14-16-069-10W5/0	4.1
	00/09-17-069-10W5/0	3.8
	00/16-19-069-10W5/0	3.7
	00/09-23-069-10W5/0	2.9
	00/06-24-069-10W5/0	3.0
	00/14-24-069-10W5/0	3.3
	00/09-26-069-10W5/0	2.7
	03/01-12-069-11W5/0	3.7
	00/16-25-069-11W5/0	3.7
	00/13-35-069-11W5/0	3.7
	00/02-02-070-11W5/0	3.8
	00/03-02-070-11W5/0	3.4
	00/07-02-070-11W5/0	3.8
	00/15-03-070-11W5/0	3.2
	00/01-10-070-11W5/0	4.0
	00/05-10-070-11W5/0	3.4
	00/07-16-070-11W5/0	2.8
	00/09-16-070-11W5/0	2.9
	00/05-21-070-11W5/0	3.7
	00/01-27-070-12W5/0	4.1
SWAN HILLS SOUTH		
COMMINGLED POOL 001 - Prim	00/15-26-064-11W5/2	2.0
	00/14-19-065-09W5/2	2.9
	00/13-28-065-09W5/0	4.0
	00/04-29-065-09W5/0	3.7
	00/05-30-065-09W5/2	3.5
	00/15-30-065-09W5/0	3.8
	00/02-32-065-09W5/3	3.4
	00/16-33-065-09W5/4	2.7
	00/13-34-065-09W5/0	3.2
	00/01-13-065-10W5/0	3.6
	00/13-04-066-09W5/0	3.8
	02/04-09-066-09W5/2	4.3
	02/15-01-066-10W5/0	4.0

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
SWAN HILLS SOUTH		
COMMINGLED POOL 001 - Prim (cont)	00/16-01-066-10W5/0	3.8
	00/02-02-066-10W5/0	1.9
	00/04-10-066-10W5/0	3.8
VALHALLA		
DOE CREEK V - Prim	00/16-11-076-10W6/0	3.4
COMMINGLED POOL 002 - Prim	02/04-31-075-07W6/0	3.1
	00/02-32-075-07W6/2	2.8
	00/11-32-075-07W6/0	2.2
	00/10-24-075-08W6/0	2.9
	02/12-24-075-08W6/0	3.4
	00/13-28-076-07W6/0	2.7
	00/07-29-076-07W6/0	2.5
VIRGINIA HILLS		
BEAVERHILL LAKE - Prim	00/02-07-064-13W5/0	3.4
	00/11-08-064-13W5/0	3.4
	02/12-16-064-13W5/0	4.8
	00/01-17-064-13W5/0	3.5
	00/13-17-064-13W5/0	3.4
	00/01-18-064-13W5/0	3.6
	00/01-19-064-13W5/0	3.6
	00/01-20-064-13W5/0	3.9
	00/12-20-064-13W5/0	3.5
	00/13-20-064-13W5/0	3.7
	00/16-21-064-13W5/0	3.3
	00/11-27-064-13W5/0	2.9
	02/01-28-064-13W5/0	3.8
	00/14-29-064-13W5/0	3.9
	00/14-30-064-13W5/0	3.7
	00/16-30-064-13W5/0	3.6
	00/16-31-064-13W5/0	3.7
	00/10-32-064-13W5/0	3.0
	00/13-32-064-13W5/0	4.0
	00/04-33-064-13W5/0	3.8
	02/14-33-064-13W5/0	3.8
	02/02-25-064-14W5/0	3.3
	00/03-19-065-12W5/0	4.1
	00/10-19-065-12W5/0	3.7
	00/14-30-065-12W5/0	3.4
	00/08-06-065-13W5/0	3.6
	00/07-07-065-13W5/0	3.6
	00/15-14-065-13W5/0	3.4
	02/10-23-065-13W5/2	3.1
	00/02-24-065-13W5/0	3.9

9a. Horizontal Well Modifier (HWM) (continued)

Field / Pool Name	Well Identifier	Horizontal Well Modifier
VIRGINIA HILLS		
BEAVERHILL LAKE - Prim (cont)	00/04-24-065-13W5/0	3.8
	00/01-25-065-13W5/0	3.9
	02/12-03-066-13W5/0	3.9
	00/13-10-066-13W5/0	3.4
	00/10-11-066-13W5/2	3.7
	00/13-12-066-13W5/0	3.8
	00/06-16-066-13W5/0	4.0
	00/01-20-066-13W5/2	3.8
	00/03-20-066-13W5/0	3.6
	00/02-21-066-13W5/0	3.9
	00/03-21-066-13W5/0	3.8
	00/16-21-066-13W5/2	4.0
	00/10-23-066-13W5/0	3.9
	00/12-24-066-13W5/2	3.8
	00/04-26-066-13W5/0	4.0
	00/14-28-066-13W5/2	3.9
	00/02-33-066-13W5/0	3.9
WHITFORD		
COMMINGLED POOL 005	02/16-03-059-15W4/0	3.4
WILDMERE		
CUMMINGS M	04/13-32-048-05W4/0	4.0
	02/13-33-048-05W4/0	3.3

10a. Hays Arcs A,C & E Pool

Wells in the Hays Arcs A,C & E Pool which exceed a monthly gas production volume of 420.0 10³ m³ must be shut in.

10c. Sinclair Commingled Pool 002 (Doe Creek T Pool)

The wells listed in the following table shall be restricted to the base MRL and base GOR specified. The wells shall be subject to GPP upon implementation of full gas conservation (refer to ERCB letter dated November 1, 2001).

10c. Sinclair Commingled Pool 002 (Doe Creek T Pool) (continued)

Field / Pool Name	Well Identifier	Maximum Rate Limitation (m ³ /day)	Base GOR (m ³ /m ³)
SINCLAIR			
COMMINGLED POOL 002	00/10-19-073-12W6/0	8.0	110
	00/13-19-073-12W6/0	8.0	110
	00/08-31-073-12W6/0	8.0	110
	00/09-31-073-12W6/0	8.0	110

10f. Kelsey Lower Mannville B Pool

Wells in the Kelsey Lower Mannville B Pool are subject to a maximum producing GOR of 200 m³/m³. Wells with a GOR exceeding 200 m³/m³ in any given month must be shut in until test production below this level can be attained.

10g. Minimum Operating Pressure (MOP)

The pools listed in the following table are restricted to a MOP as specified. Production must be suspended if the pressure falls below the MOP.

Field / Pool Name	Particulars
GUTAH	
KEG RIVER A - WF	MOP 20 000 kPa
KEG RIVER B - WF	MOP 20 000 kPa
KEG RIVER C	MOP 20 000 kPa
KEG RIVER D	MOP 20 000 kPa
MEGA	
KEG RIVER A	MOP 18 900 kPa
PEMBINA	
NISKU II - WF	MOP 16 800 kPa
NISKU SS	MOP 17 400 kPa
NISKU VV - WF	MOP 15 300 kPa
NISKU OOO - WF	MOP 16 300 kPa
NISKU QQQ	MOP 16 200 kPa
NISKU C2C - WF	MOP 14 700 kPa

10g. Minimum Operating Pressure (MOP) (continued)

Field / Pool Name	Particulars
PEMBINA	
NISKU K2K	MOP 15 700 kPa
NISKU O2O	MOP 16 200 kPa

10h. Sylvan Lake Jurassic A Pool

Wells in the Sylvan Lake Jurassic A Pool having a producing GOR greater than 3000 m³/m³ for two consecutive months must be shut in. The only exception is well 00/14-18-037-03W5/0; the producing GOR limit is 5000 m³/m³.

10m. GPP is subject to gas conservation

Wells in the following pools shall be subject to GPP conditional upon full gas conservation. If gas is not conserved then the following MRL and Base GOR will apply.

Field / Pool Name	Maximum Rate Limitation (m ³ /day)	Base GOR (m ³ /m ³)
CHINCHAGA		
SLAVE POINT RR	9.5	260
KAKWA		
A CARDIUM A	8.0	350

10o. Wainwright Nisku A & Camrose A Pool

The maximum producing GOR (gross) in the Wainwright Nisku A and Camrose A Pool shall not exceed 1500 m³/m³ for 3 consecutive months. Wells in the pool exceeding this level must be shut in until production below this level can be attained.

10q. Caroline Cardium E Pool - Primary

The wells listed in the following table are approved for unrestricted gas production as per Applications No. 1000565 & 1001873 and shall be subject to GPP.

Field / Pool Name	Well Identifier
CAROLINE	
CARDIUM E - Prim	00/16-15-036-08W5/0
	00/10-22-036-08W5/0
	00/03-23-036-08W5/0
	00/03-27-036-08W5/0
	00/03-33-036-08W5/0
	00/12-33-036-08W5/0

12. Concurrent Production (CCP)

Concurrent production of the oil accumulation and its associated gas cap is permitted on the condition that:

- every reasonable effort will be made to achieve maximum oil recovery from the pool and
- all hydrocarbons produced from the scheme shall be gathered and conserved in a manner satisfactory to the AER.

For commingled pools, only the geological pools listed in the following table are approved for CCP.

Field / Pool Name	Particulars
ACHESON	
COMMINGLED POOL 001	Acheson Blairmore D (0009 0244004) 12a Acheson Blairmore I (0009 0244009)12a
ALDERSON	
COMMINGLED POOL 002	Alderson Upper Mannville B (0043 0250002) 12a
ANTE CREEK NORTH	
COMMINGLED POOL 002	Ante Creek North Triassic F (0056 0500006) 12
ATLEE-BUFFALO	
COMMINGLED POOL 003 - WF	Atlee-Buffalo Glauconitic V (0085 0300022) 12
BANTRY	
COMMINGLED POOL 002	Bantry Mannville Y4Y (0092 0248251) 12a
BASHAW	
COMMINGLED POOL 002	Bashaw D2A (0096 0696001)12a Bashaw D3A (0096 0720001)12a

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
BLACKFOOT	
COMMINGLED POOL 001	Blackfoot Upper Mannville A (0138 0250001) 12a Blackfoot Glauconitic A (0138 0300001) 12a
COMMINGLED MFP9501	Blackfoot Ellerslie A (0138 0336001) 12a
BOUNDARY LAKE SOUTH	
COMMINGLED POOL 010	Boundary Lake South Triassic G (0157 0500007) 12
BRAZEAU RIVER	
COMMINGLED POOL 004	Brazeau River Belly River QQ (0168 0126043) 12
COMMINGLED POOL 007	Brazeau River Belly River LLL (0168 0126312) 12
CAMPBELL-NAMAO	
COMMINGLED POOL 001	Campbell-Namao Blairmore A (0185 0244001) 12
CAROLINE	
COMMINGLED POOL 003	Caroline Viking A (0194 0218001) 12
CARROT CREEK	
COMMINGLED POOL 004	Carrot Creek Jurassic X (0196 0446024) 12 Carrot Creek Jurassic AA (0196 0446027) 12
CARSON CREEK NORTH	
COMMINGLED POOL 001 - WF	Carson Creek North Beaverhill Lake A (0200 0744001) 12e Carson Creek North Beaverhill Lake B (0200 0744002) 12e
CAVALIER	
COMMINGLED POOL 001	Cavalier Glauconitic D (0167 0300004) 12a Cavalier Glauconitic L (0167 0300012) 12a
CESSFORD	
COMMINGLED POOL 001	Cessford Mannville M (0206 0248013) 12
COMMINGLED POOL 002	Cessford Mannville Y (0206 0248025) 12d
CHICKADEE	
COMMINGLED MFP9510	Chickadee Gething D (0235 0326004) 12
CINDY	
COMMINGLED POOL 001	Cindy Debolt A (0236 0612001) 12
COUNTESS	
COMMINGLED POOL 004	Countess Lower Mannville QQ (0259 0310043) 12a Countess Lower Mannville FFF (0259 0310106) 12a
COMMINGLED POOL 005	Countess Ostracod D (0259 0316004) 12

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
COUNTESS	
COMMINGLED POOL 059	Countess Upper Mannville PP (0259 0250042) 12a
COMMINGLED MFP9501 - Prim	Countess Upper Mannville A18A (0259 0259127) 12
DOE	
COMMINGLED POOL 001	Doe Doig A (0294 0520001) 12a Doe Doig L (0294 0520012) 12a
COMMINGLED POOL 004	Doe Doig H (0294 0520008) 12a
EDSON	
COMMINGLED POOL 003	Edson Bluesky A (0320 304001) 12
ELMWORTH	
COMMINGLED POOL 044	Elmworth Dunvegan TTT (0333 0195820) 12
COMMINGLED POOL 048	Elmworth Charlie Lake EE (0333 508031) 12
EXPANSE	
COMMINGLED POOL 002	Expanse Gething F (1077 0326006) 12
FENN WEST	
COMMINGLED POOL 004	Fenn West Glauconitic H (0373 030008) 12
FERRIER	
COMMINGLED POOL 001	Ferrier Belly River Q (0377 0126017) 12 Ferrier Cardium G (0377 0176007) 12 Ferrier Cardium L (0377 0176012) 12
COMMINGLED POOL 004	Ferrier Cardium N (0377 0176014) 12
FERRYBANK	
COMMINGLED POOL 001	Ferrybank Belly River G (0378 0126007) 12 Ferrybank Basal Belly River A (0378 0134001) 12
FOX CREEK	
COMMINGLED MFP9510 - Prim	Fox Creek Gething (0395 0851700) 12
GARRINGTON	
COMMINGLED POOL 013	Garrington Mannville L (0405 0248012) 12
GHOST PINE	
COMMINGLED POOL 002	Ghost Pine Upper Mannville C (0408 0250003) 12
COMMINGLED POOL 007	Ghost Pine Lower Mannville B (0408 0310002) 12
COMMINGLED MFP9501	Ghost Pine Upper Mannville C (0408 0250003) 12
GILBY	
COMMINGLED POOL 005	Gilby Basal Mannville A (0412 0320001) 12 Gilby Jurassic D (0412 0446004) 12
COMMINGLED POOL 006	Gilby Jurassic-Rundle (0412 0446100) 12
GRAND FORKS	
COMMINGLED POOL 004	Grand Forks Arcs B (0430 0694002) 12

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
GRAND FORKS	
COMMINGLED POOL 009 - WF	Grand Forks Arcs R (0430 0694018) 12a
GREENCOURT	
COMMINGLED POOL 002	Greencourt Pekisko A (0431 0642001) 12
HALKIRK	
COMMINGLED POOL 001	Halkirk Upper Mannville S (0437 0250019) 12a Halkirk Lower Mannville S (0437 0310019) 12a
HAYNES	
COMMINGLED POOL 001	Haynes D-2 A (0455 0696001) 12a,12b Haynes D-3 A (0455 0720001) 12a,12b
HAYS	
COMMINGLED POOL 003 - WF	Hays Arcs O (0456 0694015) 12
HEATHDALE	
COMMINGLED POOL 001 - WF	Heathdale Upper Mannville L (0459 0250012) 12a, 12d Heathdale Glauconitic S (0459 0300019) 12a,12d
COMMINGLED POOL 008	Heathdale Detrital P (0459 0350016) 12
HERRONTON	
COMMINGLED POOL 006	Herronton Turner Valley B (0467 0630002) 12
HOMEULEN-RIMBEY	
COMMINGLED POOL 011	Homeulen-Rimbey Glauconitic Y (0470 0300025) 12d Homeulen-Rimbey Ellerslie O (0470 0336015) 12d
HUSSAR	
COMMINGLED MFP9501	Hussar Basal Mannville H3H (0486 0320734) 12e
JUMPING POUND	
COMMINGLED POOL 001	Jumping Pound Viking A (0511 0218001) 12
KAKWA	
COMMINGLED MFP9529	Kakwa Chinook R (0519 0154018) 12
KAYBOB	
COMMINGLED POOL 003	Kaybob Gething K (0513 0326011) 12
KAYBOB SOUTH	
COMMINGLED POOL 002	Kaybob South Triassic B (0514 0500002) 12
KILLAM NORTH	
COMMINGLED POOL 001	Killam North Sparky F (0525 0276006) 12e
LEDUC-WOODBEND	
COMMINGLED POOL 002	Leduc-Woodbend Glauconitic N (0551 0300014) 12
LEO	
COMMINGLED MFP9501	Leo Upper Mannville F (0555 0250006) 12

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
LITTLE BOW	
COMMINGLED POOL 001	Little Bow Upper Mannville BB (0560 0250028) 12
LONG COULEE	
COMMINGLED POOL 002	Long Coulee Sawtooth D (0577 0428004) 12a Long Coulee Livingstone A (0577 0628001) 12a Long Coulee Livingstone B (0577 0628002) 12a
MCLEOD	
COMMINGLED POOL 002	McLeod Gething L (0603 0326012) 12
MEDICINE RIVER	
COMMINGLED POOL 002	Medicine River Ostracod CCC (0604 0316029) 12
COMMINGLED POOL 003	Medicine River Elkton-Shunda A (0604 0639001) 12
COMMINGLED POOL 004	Medicine River Ostracod A (0604 0316001) 12
COMMINGLED POOL 030	Medicine River Basal Quartz J (0604 034010) 12
MICHICHI	
COMMINGLED POOL 002	Michichi Lower Mannville A (0621 0310001) 12 Michichi Lower Mannville B (0621 0310002) 12
MIKWAN	
COMMINGLED POOL 002	Mikwan Lower Mannville HHH (0609 0310108) 12
MINEHEAD	
COMMINGLED MFP9529	Minehead Belly River A (0646 0126001) 12
MIRAGE	
COMMINGLED POOL 001	Mirage Halfway D (0629 0516004) 12a
NELSON	
COMMINGLED POOL 004	Nelson Lower Mannville Q (673 0310017) 12a
NITON	
COMMINGLED POOL 001	Niton Basal Quartz I (0650 0334009) 12 Niton Rock Creek A (0650 0432001) 12
COMMINGLED POOL 002	Niton Basal Quartz A (0650 0334001) 12
PAGEANT	
COMMINGLED POOL 006	Pageant Glauconitic E (0677 0300005) 12a
PECO	
COMMINGLED POOL 001	Peco Belly River J (0682 0126010) 12
PEMBINA	
COMMINGLED POOL 005	Pembina Viking G (0685 0218007) 12
COMMINGLED POOL 007	Pembina Eilerslie J5J (0685 0337410) 12 Pembina Jurassic U4U (0685 0446447) 12
COMMINGLED POOL 011	Pembina Glauconitic P (0685 0300016) 12

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
PEMBINA	
COMMINGLED POOL 020	Pembina Jurassic Q (0685 0446017) 12
COMMINGLED POOL 027	Pembina Ellerslie O4O (0685 0337041) 12
COMMINGLED POOL 037	Pembina Ellerslie ZZZ (0685 0336552) 12
COMMINGLED POOL 145	Pembina Ostracod L2L(0685 0312138) 12
COMMINGLED POOL 169 - WF	Pembina Ostracod E (0685 0312005) 12e
COMMINGLED POOL 182	Pembina Basal Belly River N2N (0685 0134140) 12e
COMMINGLED POOL 183	Pembina Belly River Z8Z (0685 0129052) 12
COMMINGLED MFP9537	Pembina Viking R (0685 0218018) 12 Pembina Ostracod DD (0685 0312030) 12
PENHOLD	
COMMINGLED POOL 001	Penhold Viking B (0694 0218002) 12
POUCE COUPE SOUTH	
COMMINGLED POOL 012	Pouce Coupe South Montney O (0729 0524015) 12
COMMINGLED POOL 026	Pouce Coupe South Doig E (0729 0520005) 12
PREVO	
COMMINGLED POOL 001	Prevo Viking A (0736 0218001) 12
COMMINGLED POOL 011	Prevo Pekisko F (0736 0642006) 12
PROVOST	
COMMINGLED POOL 005	Provost Upper Mannville S7S (0750 0251919) 12
COMMINGLED POOL 007	Provost Upper Mannville OOO (0750 0250715) 12a
COMMINGLED POOL 078	Provost General Petroleum D (0750 0286004) 12a
COMMINGLED POOL 130	Provost Ellerslie B4B (0750 0337028) 12
COMMINGLED MFP9515	Provost Viking A (0750 0218001) 12 Provost Viking C (0750 0218003) 12 Provost Viking K (0750 0218011) 12
REDWATER	
COMMINGLED MFP9508	Redwater Lower Viking A (0770 0224001) 12
RETLAW	
COMMINGLED POOL 003	Retlaw Mannville A (0778 0248001) 12
RICHDALE	
COMMINGLED POOL 003	Richdale Upper Mannville K (783 0250011) 12
COMMINGLED POOL 017	Richdale Upper Mannville H2H (783 250734) 12 Richdale Upper Mannville L2L (783 250738) 12
ROWLEY	
COMMINGLED MFP9501	Rowley Lower Mannville H (0798 0310008) 12
RUMSEY	
COMMINGLED POOL 002	Rumsey Lower Mannville F (0777 0310006) 12

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
SEDGEWICK	
COMMINGLED POOL 001 - WF	Sedgewick Basal Mannville C (0832 0320003) 12
ST ANNE	
COMMINGLED POOL 001	St. Anne Banff C (854-644003) 12a,12d St. Anne Banff D (854-644004) 12a,12d
STANMORE	
COMMINGLED POOL 002	Stanmore Upper Mannville B (0864 0250002) 12 Stanmore Upper Mannville SS (0864 0250045) 12
SWIMMING	
COMMINGLED POOL 004	Swimming Dina C (888 322003) 12a
SYLVAN LAKE	
COMMINGLED POOL 002	Sylvan Lake Viking A (0891 0218001) 12e
COMMINGLED POOL 012	Sylvan Lake Pekisko N (0891 0642014) 12
COMMINGLED POOL 013	Sylvan Lake Shunda I (0891 0640009) 12 Sylvan Lake Pekisko AA (0891 0642027) 12
THORSBY	
COMMINGLED POOL 001	Thorsby Glauconitic D (964 030004) 12a
THREE HILLS CREEK	
COMMINGLED POOL 006	Three Hills Creek Pekisko (0906 0642000) 12
VIKING-KINSELLA	
COMMINGLED POOL 001 - WF	Viking-Kinsella Upper Mannville Z3Z (0923 0251126) 12
COMMINGLED MFP9509	Viking-Kinsella Upper Mannville CCC (0923 0950960) 12e
WAINWRIGHT	
COMMINGLED POOL 002	Wainwright Rex C (0928 0288003) 12a
COMMINGLED POOL 003	Wainwright Wainright Pool (0928 0278000) 12e
WAYNE-ROSEDALE	
COMMINGLED POOL 003	Wayne-Rosedale Glauconitic K2K (0935 0300937) 12
COMMINGLED POOL 047	Wayne-Rosedale Glauconitic U5U (0935 0301721) 12b
COMMINGLED MFP9501	Wayne-Rosedale Basal Quartz JJJ (0935-0334110) 12 Wayne-Rosedale Upper Mannville N3N (0935-0251114) 12
WILDMERE	
COMMINGLED POOL 003	Wildmere Lloyminster A Pool (0963 0294001) 12d
WILLEDEN GREEN	
COMMINGLED POOL 007	Willesden Green Cardium A (0967 0176001) 12
COMMINGLED POOL 013	Willesden Green Viking A (0967 0218001) 12 Willesden Green Glauconitic F(0967 0300006) 12
COMMINGLED POOL 016	Willesden Green Rock Creek G (0967 0432007) 12
COMMINGLED POOL 018	Willesden Green Glauconitic P (0967 0300016)

12 . Concurrent Production (CCP) (continued)

Field / Pool Name	Particulars
WINTERING HILLS	
COMMINGLED POOL 001	Wintering Hills Lower Mannville T (0982 0310020) 12
COMMINGLED POOL 023	Wintering Hills Lower Mannville B (0982 0310002) 12
COMMINGLED MFP9514	Wintering Hills MFP8526 Eilerslie (0982 0852600) 12

12a. Concurrent Production

In addition to the conditions specified in clause 12, the pools listed in Appendix I as clause 12a may produce gas cap gas by coning through oil wells only.

12b. Concurrent Production - Maximum Withdrawal Rate

In addition to conditions specified in clause 12, the pools listed in the following table are subject to the specified maximum gas withdrawal rate.

Field / Pool Name	Particulars
BANTRY	
MANNVILLE G4G - WF	25 10 ³ m ³ /day (pool)
CESSFORD	
BANFF B	5580 10 ³ m ³ /month (pool)
CROSSFIELD	
RUNDLE P	2830 10 ³ m ³ /month (pool)
ERSKINE	
D-3	<ul style="list-style-type: none"> Gas cap may be produced only through wells in north and south lobes of subject pool. Gas sales from north lobe restricted to 150 10³ m³/day on an annual basis. Gas sales from south lobe restricted to 170 10³ m³/day on an annual basis.
FENN-BIG VALLEY	
UPPER MANNVILLE PP	84 10 ³ m ³ /day on an annual basis (pool).

12b. Concurrent Production - Maximum Withdrawal Rate (continued)

Field / Pool Name	Particulars
GARRINGTON	
COMMINGLED POOL 002 - Prim	35 10 ³ m ³ /day/section on an annual basis (pool)
GHOST PINE	
UPPER MANNVILLE S4S	Total raw gas production from the Glauconitic formation, in the well 00/14-09-030-22W4/0, is restricted to 300 10 ³ m ³ /month.
HAYNES	
COMMINGLED POOL 001	Total raw gas production from any well is restricted to 1700 10 ³ m ³ /month calculated at surface conditions
KAKUT	
CHARLIE LAKE B - WF	3650 10 ³ m ³ /month (pool)
LEO	
UPPER MANNVILLE L	112.7 10 ³ m ³ /day/well on an annual basis.
LONG COULEE	
GLAUCONITIC H	100 10 ³ m ³ /day/gas well
MEDICINE RIVER	
PEKISKO N	254 10 ³ m ³ /day on a monthly basis
PAKOWKI LAKE	
SUNBURST B	Net gas production from the pool shall not exceed a rate of 254.0 10 ³ m ³ /d calculated on a monthly basis. Net gas production used in the calculation of the gas rate is defined as the difference between the monthly gas production and the monthly gas injection.
PEMBINA	
VIKING BBB	2830 10 ³ m ³ /month (pool)
RICINUS	
CARDIUM L	600 10 ³ m ³ /day on a monthly basis
ROWLEY	
UPPER MANNVILLE E	5.2 10 ⁶ m ³ /year/well
SHOULDICE	
GLAUCONITIC G	365 10 ³ m ³ /month from the well 00/14-10-020-23W4/0
SUFFIELD	
UPPER MANNVILLE A - WF	The gas production rate from the gas cap shall be controlled so that recoverable reserves are depleted uniformly, but the pool gas production rate shall not exceed 280 10 ³ m ³ /day.
SYLVAN LAKE	
ELKTON M	Net gas, 1310 10 ³ m ³ /month/well, as defined in Clause 1

12b. Concurrent Production - Maximum Withdrawal Rate (continued)

Field / Pool Name	Particulars
VALHALLA	
BOUNDARY H	608 10 ³ m ³ /month
VIRGINIA HILLS	
BELLOY A - WF	60 10 ³ m ³ /day/well
WAYNE-ROSEDALE	
COMMINGLED POOL 047	5580 10 ³ m ³ /month (pool)
WEMBLEY	
DOIG E	Net gas, 324 10 ³ M ³ /day, calculated on an annual basis

12c. Concurrent Production - Maximum Gas-Oil Ratio (GOR)

In addition to conditions specified in clause 12, the entities producing from the pools listed in the following table are subject to the specified maximum gas-oil ratio.

Field / Pool Name	Particulars
BADGER	
UPPER MANNVILLE B - WF	1000 m ³ /m ³
BANTRY	
MANNVILLE G4G - WF	1500 m ³ /m ³
HAYS	
ARCS S	2000 m ³ /m ³
HERRONTON	
GLAUCONITIC J	4000 m ³ /m ³
JOHNSON	
GLAUCONITIC B - WF	500 m ³ /m ³ for three consecutive months
NEW NORWAY	
ELLERSLIE A	240 m ³ /m ³ for three consecutive months
SYLVAN LAKE	
PEKISKO B	1000 m ³ /m ³

12d. Concurrent Production - Approved Wells

In addition to conditions specified in clause 12, gas cap gas production may only occur from the approved wells listed in the following table. Well rates are specified where applicable.

Field / Pool Name	Particulars
ALDERSON	
LOWER MANNVILLE TT - WF	00/09-17-015-10W4/0 02/10-17-015-10W4/0 00/11-18-015-10W4/0
BERRY	
UPPER MANNVILLE HH	One gas well per section per month
BOUNDARY LAKE SOUTH	
TRIASSIC N - WF	00/14-04-086-12W6/0
CARMANGAY	
SUNBURST B	00/16-28-013-22W4/0
CESSFORD	
BANFF B	00/06-34-026-17W4/0 (gas well) 00/10-02-027-17W4/0 (gas well)
COMMINGLED POOL 002	00/07-26-024-13W4/0 - Cessford Mannville Y (206-0248025)
CHAUVIN SOUTH	
UPPER MANNVILLE F	00/11-19-043-02W4/2 00/15-19-043-02W4/0
GARRINGTON	
MANNVILLE II	00/07-23-036-03W5/0 00/10-23-036-03W5/0 00/11-23-036-03W5/0
GHOST PINE	
UPPER MANNVILLE LLL	00/16-18-032-22W4/0
HALKIRK	
LOWER MANNVILLE F	00/10-17-038-16W4/0 00/10-20-038-16W4/2 00/11-20-038-16W4/0
HEATHDALE	
COMMINGLED POOL 001 - WF	00/13-10-027-09W4/0 (7000 m ³ per month)
HIGHVALE	
LOWER MANNVILLE A	00/06-13-051-014W5/0
HOMEULEN-RIMBEY	
COMMINGLED POOL 011	Glauconitic Y Ellerslie O

12d. Concurrent Production - Approved Wells (continued)

Field / Pool Name	Particulars
JENNER	
UPPER MANNVILLE MMM	00/10-02-022-09W4/0 00/12-02-022-09W4/0 00/13-02-022-09W4/0 02/13-02-022-09W4/2 00/14-02-022-09W4/2 02/14-02-022-09W4/2 04/14-02-022-09W4/2 02/04-11-022-09W4/2
KAKUT	
CHARLIE LAKE B - WF	00/06-17-075-02W6/0 (910 10 ³ m ³ /month) 00/06-18-075-02W6/0 (910 10 ³ m ³ /month)
KAYBOB SOUTH	
TRIASSIC A - Prim	02/06-21-062-19W5/0
KEHO	
BOW ISLAND F	00/06-05-012-21W4/0 00/08-05-012-21W4/0
LEDUC-WOODBEND	
D-3 A - Prim	00/16-30-49-25W4/0 (SE extension)
D-3 A - WF	00/16-34-049-26W4/0 (Saddle)
LEO	
UPPER MANNVILLE D	00/09-18-036-17W4/0
LLOYDMINSTER	
COLONY T2T	00/10-24-048-04W4/3
LONG COULEE	
SUNBURST P - Prim	00/03-24-016-22W4/0
MAJORVILLE	
UPPER MANNVILLE B	00/10-01-019-20W4/0 (gas well) 02/06-06-019-19W4/0
MANYBERRIES	
SUNBURST OO - WF	00/11-29-005-05W4/0
MEDICINE RIVER	
JURASSIC A - WF	00/10-05-040-03W5/3 00/14-05-040-03W5/0 00/15-05-040-03W5/0 00/03-08-040-03W5/0
NEWELL	
UPPER MANNVILLE D	00/12-23-017-14W4/0 00/04-26-017-14W4/0

12d. Concurrent Production - Approved Wells (continued)

Field / Pool Name	Particulars
PEAVEY	
BLAIRMORE	00/06-28-056-24W4/0
PEMBINA	
JURASSIC R	02/06-14-049-06W5/0 02/07-14-049-06W5/0 02/14-14-049-06W5/0 02/16-15-049-06W5/0 00/04-23-049-06W5/0
PRINCESS	
BASAL MANNVILLE O - WF	00/09-32-019-12W4/0 02/16-32-019-12W4/0
RETLAW	
MANNVILLE EE	00/11-02-012-19W4/0 00/08-03-012-19W4/0
RICINUS	
CARDIUM L	00/12-01-034-08W5/2 00/09-02-034-08W5/0 00/16-10-034-08W5/0 00/01-11-034-08W5/0 00/06-11-034-09W5/0 00/06-14-034-08W5/0 00/13-14-034-08W5/0 00/05-22-034-08W5/0 02/10-22-034-08W5/0 00/11-28-034-08W5/0
ROCKYFORD	
UPPER MANNVILLE E - WF	0/3-29-25-23W4/0
SHOULDICE	
GLAUCONITIC G	00/14-10-020-23W4/0 (365 10 ³ m ³ /month) 00/04-15-020-23W4/0 00/06-16-020-23W4/0 00/08-16-020-23W4/0
ST ANNE	
COMMINGLED POOL 001 - Prim	00/09-17-015-10W4/0 02/10-17-015-10W4/0 00/11-18-015-10W4/0

12d. Concurrent Production - Approved Wells (continued)

Field / Pool Name	Particulars
STANMORE	
UPPER MANNVILLE BBB	00/15-17-029-11W4/3 00/08-20-029-11W4/3 00/08-21-029-11W4/3 00/06-21-029-11W4/0
SYLVAN LAKE	
LOWER MANNVILLE QQ	00/12-36-037-04W5/3
JURASSIC A	02/12-19-037-03W5/0 (5600 10 ³ m ³ /year)
COMMINGLED POOL 035	00/07-26-036-04W5/0 (1278 10 ³ m ³ /month)
TWINING	
UPPER MANNVILLE H	00/05-17-033-23W4/0
LOWER MANNVILLE F	00/06-26-030-24W4/2 (8.5 10 ³ m ³ /day)
VALHALLA	
DOE CREEK L	00/06-30-075-09W6/0 00/07-25-075-10W6/0 (Total rate for listed 2 wells - 35.2 10 ³ m ³ /month)
VERGER	
UPPER MANNVILLE C	02/06-13-022-14W4/0 00/08-13-022-14W4/0 00/10-13-022-14W4/0 00/11-13-022-14W4/0 (Total rate for listed 4 wells - 845 10 ³ m ³ /month)
VIKING-KINSELLA	
COLONY U	00/01-14-048-08w4/2
WILDMERE	
COMMINGLED POOL 003	03/01-14-047-05W4/0 Wildmere Lloydminster (963-0294001)

12e. Concurrent Production - Approvals or Orders

In addition to conditions specified in clause 12, the pools listed in the following table are subject to special operating conditions which are contained in the approvals or orders specified.

Field / Pool Name	Particulars
BASHAW	
D-3 B	Approval No. 2287C
BERRY	
UPPER MANNVILLE C	Order No. Misc 8913K

12e. Concurrent Production - Approvals or Orders (continued)

Field / Pool Name	Particulars
BONNIE GLEN	
D-3 A	Approval No. 5283E
CARSON CREEK NORTH	
COMMINGLED POOL 001 - WF	Carson Creek North Beaverhill Lake A (0200 0744001) - Approval No. 6027Q
COUNTESS	
UPPER MANNVILLE L24L - WF	Approval No. 1544I
UPPER MANNVILLE M24M - WF	Approval No. 2091
CYGNET	
PEKISKO A	Order No. Misc 8808
DAVEY	
BASAL BELLY RIVER B - Prim	Approval No. 7852J
BASAL BELLY RIVER B - WF	Approval No. 7852J
ERSKINE	
D-3	Approval No. 7634A
FERRIER	
COMMINGLED POOL 004	Approval No. 2266
GARRINGTON	
WABAMUN A	Order No. Misc 93271
COMMINGLED POOL 008	Approval No. 4089A
GILBY	
BASAL MANNVILLE B - WF	Approval No. 10811D
JURASSIC B - WF	Approval No. 7328E
HALKIRK	
UPPER MANNVILLE R - WF	Approval No. 7496I
HARMATTAN EAST	
VIKING E - Prim	Order No. Misc 9054
VIKING E - WF	Order No. Misc 9054
COMMINGLED POOL 001 - Prim	Approval No. 1761B
HARMATTAN-ELKTON	
RUNDLE C - Prim	Approval No. 3967C
RUNDLE C - WF	Approval No. 3967C
HUSSAR	
COMMINGLED MFP9501	Approval No. 2738
JOARCAM	
VIKING	Order No. Misc 93078
KILLAM NORTH	
COMMINGLED POOL 001	Approval No. 2091

12e. Concurrent Production - Approvals or Orders (continued)

Field / Pool Name	Particulars
LONG COULEE	
SUNBURST K	Approval No. 7480
MEDICINE RIVER	
PEKISKO N - GF	Approval No. 10528B
MIKWAN	
UPPER MANNVILLE F	CApapproval No. 3269
MITSUE	
GILWOOD A - Prim	Order No. Mlsc 96006
GILWOOD A - WF	Order No. Mlsc 96006
PEMBINA	
COMMINGLED POOL 169 - WF	Approval No. 4337 G
COMMINGLED POOL 182	Order No. Misc 9401
PROGRESS	
HALFWAY X	Approval No. 7490
RETLAW	
MANNVILLE Y	Order No Misc 95047
MANNVILLE LL - WF	Approval No. 7351H
LOWER MANNVILLE P2P	Approval No. 4196A
SYLVAN LAKE	
COMMINGLED POOL 002	Approval No. 4196A
THORSBY	
GLAUCONITIC A - WF	Approval No. 67201
VALHALLA	
HALFWAY C - Prim	Order No. Misc 92162
VIKING-KINSELLA	
COMMINGLED MFP9509	Order No. Misc 8422
VIRGINIA HILLS	
BELLOY A - WF	Approval No. 10072K
WAINWRIGHT	
COMMINGLED POOL 003 - WF	Approval No. 5445F
WATTS	
LOWER MANNVILLE B	Approval No. 4741A
WEMBLEY	
MFP8524 HALFWAY - Prim	Approval No. 4503
WESTEROSE	
D-3	Approval No. 8285D

12e. Concurrent Production - Approvals or Orders (continued)

Field / Pool Name	Particulars
WILLESDEN GREEN	
BASAL BELLY RIVER H	Order No. Misc 9998C

12f. Concurrent Production - Exempt Wells

In addition to conditions specified in clause 12, the pools or wells listed in the following table are exempt from conserving gas.

Field / Pool Name	Particulars
ALEXANDER	
BASAL QUARTZ G	02/06-03-056-01W5/0