

Sulphur Recovery and Sulphur Emissions at Alberta Sour Gas Plants

Annual Report

August 2005



ALBERTA ENERGY AND UTILITIES BOARD ST101-2005: Sulphur Recovery and Sulphur Emissions at Alberta Sour Gas Plants

August 2005

Published by
Alberta Energy and Utilities Board
640 – 5 Avenue SW
Calgary, Alberta
T2P 3G4

Telephone: (403) 297-8311 Fax: (403) 297-7040

Web site: <www.eub.gov.ab.ca>

Contents

1	Introduction	1
2	Summary of Performance for Grandfathered Plants, 2000-2004	
	2.1 Grandfathered Plants That Have Been Degrandfathered	
	2.2 Sulphur Emission Performance Credits (Emission Credits)	
	2.3 Sulphur Emissions and Inlets at Grandfathered Plants, 2000-2004	4
	2.3.1 Sulphur Emission Reduction	4
	2.3.2 Decline in Sulphur Inlet	5
3	Summary of Performance for Nongrandfathered Plants, 2000-2004	6
4	Summary of Overall Performance for Grandfathered and	
	Nongrandfathered Plants, 2000-2004	6
Fig	gures	
1	Net sulphur emission credits over time	3
2	Sulphur emissions from grandfathered plants	4
3	Sulphur inlet for grandfathered plants	5
Αŗ	ppendices	
1	Grandfathered and Nongrandfathered Sour Gas Plants	7
	1.1 Grandfathered Sulphur Recovery (SR) Gas Plant	7
	1.2 Grandfathered Acid Gas Flaring Plants	8
	1.3 Nongrandfathered Sulphur Recovery Plants	9
	1.4 Nongrandfathered Acid Gas Injection Plants	10
2	Plants That Have Been Degrandfathered	11
3	Sulphur Credits Earned	12
4	Gas Plants with Sulphur Recovery	13
	4.1 Year 2004 Minus Year 2000	13
	4.2 Year 2000	14
	4.3 Year 2004	15

1 Introduction

In *Interim Directive (ID) 2001-3: Sulphur Recovery Guidelines for the Province of Alberta*, the Alberta Energy and Utilities Board (EUB) committed to monitoring the sulphur recovery of grandfathered¹ sour gas plants and publishing an annual summary report on industry performance. This report covers both grandfathered sour gas plants (sulphur recovery and larger acid gas flaring sour gas plants) and nongrandfathered² gas plants (sulphur recovery and all acid gas injection sour gas plants). A complete list of the grandfathered and nongrandfathered plants is in Appendices 1.1-1.4.

While *ID 2001-3* did not change the recovery levels expected for new gas plants, it set out clear expectations on when older grandfathered plants are required to meet the same requirements as new plants. The ID incorporates a phased approach to the more stringent requirements and encourages operators of sulphur recovery plants to take early action to improve performance.

Grandfathered sulphur recovery plants that perform better than the minimum requirements specified in *ID 2001-3* have the option to file sulphur emission performance credit report forms and may use the credits to meet a portion of the sulphur recovery requirements at a future date (i.e., operate for a longer time or at a higher inlet rate before having to degrandfather the plant). All grandfathered sulphur recovery plants are now taking advantage of the emission credit program, and credits are continuing to grow every year, as would be expected in these early years when credits are easier to earn.

Acid gas flaring plants have no ability to earn credits and are subject to more stringent requirements over time.

In the last five years a number of plants have degrandfathered:³ 11 plants have made upgrades to their plant, 4 plants have been relicensed to meet the requirements for new plants, and 4 plants have ceased operating. There are 41 grandfathered plants remaining. In addition, sulphur emissions have decreased substantially for both grandfathered acid gas flaring plants (emissions down 39 per cent) and grandfathered sulphur recovery plants (emissions down 28 per cent).

Nongrandfathered plants are those with an approved sulphur inlet greater than 1 t/d meeting the requirements for new plants, as listed in *ID* 2001-3. This includes some sulphur recovery plants and all acid gas injection plants.

Grandfathered plants are those that do not meet the sulphur recovery requirements for new plants listed in *ID 2001-3*. This includes some sulphur recovery plants and larger (sulphur inlet greater than 1 tonne per day [t/d]) acid gas flaring plants.

Degrandfathered plants are those that did not previously meet the requirements of *ID 2001-3* for new plants but have now been relicensed to meet the requirements for new plants, as set out in the ID.

2 Summary of Performance for Grandfathered Plants, 2000-2004

2.1 Grandfathered Plants That Have Been Degrandfathered

In the last five years, 11 plants have made modifications to improve or install sulphur recovery at their plants to meet the more stringent sulphur recovery requirements for new plants. In addition, 4 other plants have been relicensed to meet these more stringent sulphur recovery requirements, and 4 grandfathered plants have shut down.

Plants making modifications to meet the requirements for new plants

Plant name	Operator
1. Brazeau River	Keyera
2. Garrington (Olds)	Esprit
3. Homeglen (Rimbey)	Keyera
4. Bantry	AltaGas
Vulcan (Long Coulee)	Conoco Phillips
6. Wilson Creek	Petro-Canada
7. Rainbow	Husky
8. Edson	Talisman (2004 modifications)
9. Retlaw (Turin)	Taylor Management (2004 modifications)
10. Virginia Hills	Apache (2004 modifications)
11. Bellshill	Viking (2005 modifications)

The 11 operators listed above made significant physical modifications to their plants to achieve higher sulphur recoveries.

Plants relicensing to meet the requirements for new plants

Plant name	Operator
1. Okotoks (Mazeppa)	Mazeppa Processing
2. Crossfield East	PrimeWest
3. Sylvan Lake	NAL Resources
4. Sturgeon Lake	Chariot Energy (2005)

Of the 4 plants listed above, 3 were relicensed to a higher sulphur recovery efficiency with existing equipment and/or minor modifications and 1 was relicensed to a lower throughput without modifications.

Grandfathered plants that have ceased operating

Plant name	Operator
1. North Rosevear	Suncor
2. Bittern Lake	CNRL
3. North Caroline	BP Canada
4. South Caroline	BP Canada

A detailed list of plants that have been degrandfathered in the last five years is in Appendix 2, along with the process used for improving the sulphur recovery.

As of June 2005, there are 21 grandfathered sulphur recovery plants and 20 grandfathered acid gas flaring plants remaining (see Appendix 1).

2.2 Sulphur Emission Performance Credits (Emission Credits)

Emission credits can be earned by grandfathered sour gas plants with sulphur recovery that achieve recovery efficiencies higher than their required blended sulphur recovery efficiency. Credits cannot be transferred between facilities and do not apply to acid gas flaring plants.

Credit reports can help an operator

- operate at higher sulphur inlets,
- meet the required blended sulphur recovery efficiency, and
- defer upgrading for a longer period of time.

In order to earn credits, a credit report must be filed on time at the end of each quarter. The filing of credit reports is optional, but once an initial credit report is filed, the operator must continue to file them. Reports may not be filed retroactively.

Each sulphur emission credit represents 1 tonne (t) of sulphur emissions that would have been emitted if the plant exactly met its minimum requirement. Credits must be earned before they can be used.

Most plants that are able to file credit reports are doing so, and the emission credits are growing, as one would expect in this initial period. As of the end of the fourth quarter of 2004, over 47 000 t of sulphur emission credits had been earned (see Figure 1). The total sulphur emissions from grandfathered sulphur recovery plants in 2004 was only 41 000 t. Emission credits as of December 2004 equate to about 12 months of emissions from the grandfathered sulphur recovery plants.




Figure 1. Net sulphur emission credits over time

Appendix 3 lists cumulative credits for each of the grandfathered sulphur recovery plants in 2004.

2.3 Sulphur Emissions and Inlets at Grandfathered Plants, 2000-2004

An analysis of the sulphur emissions and sulphur inlet for the specific plants that were listed in *ID 2001-3* as grandfathered follows in Sections 2.3.1 and 2.3.2. For the purpose of this analysis, plants that have degrandfathered since the ID was issued are included with the grandfathered plants.

2.3.1 Sulphur Emission Reduction

There have been substantial reductions in sulphur emissions from the grandfathered plants between 2000 and 2004, as shown in Figure 2.




Figure 2. Sulphur emissions from grandfathered plants

The drop in emissions from grandfathered plants shown in Figure 2 is due to a decrease of about 39 per cent in emissions from the grandfathered acid gas flaring plants and a decrease of about 28 per cent from the grandfathered sulphur recovery plants between 2000 and 2004.

Of the 39 per cent decrease in emissions from grandfathered acid gas flaring plants from 2000 to 2004, about half, or 21 per cent, is due to declining sulphur inlet. The other 18 per cent is due in large part to the acid gas injection facility installed at ConocoPhillips Vulcan, the installation of sulphur recovery at PetroCanada Wilson Creek, and last year's installation of acid gas injection at Taylor Retlaw and Apache Virginia Hills. The Viking Energy Bellshill gas plant also became an acid gas injection facility in early 2005.


Between 2000 and 2004, 27 of the 28 grandfathered acid gas flaring plants showed emission reductions.

Of the 28 per cent decrease in emissions from grandfathered sulphur recovery facilities from 2000 to 2004, about 20 per cent is due to declining sulphur inlet. The other 8 per cent decrease in emissions is due in large part to improved operations at BP Windfall, Husky Ram River, and Shell Jumping Pound and the installation of acid gas injection at Keyera Brazeau. Between 2000 and 2004, 23 of the 28 grandfathered sulphur recovery plants reduced emissions, as shown in Appendix 4.

Appendix 4 lists sulphur production and emissions for each of the sulphur recovery plants for the years 2000 and 2004.

2.3.2 Decline in Sulphur Inlet

While improvements in operation and plant modifications have played a significant role in emission reductions at the grandfathered plants, as noted in the previous section, the reduction is also due to the declining sulphur inlets of these plants.






Figure 3. Sulphur inlet for grandfathered plants

3 Summary of Performance for Nongrandfathered Plants, 2000-2004

The sulphur emissions and sulphur inlet for the specific sour gas plants (having a sulphur inlet greater than 1 t/d) that met the requirements for new plants when *ID 2001-3* was issued were also examined.

The drop in sulphur emissions from these nongrandfathered plants was about 20 per cent between 2000 and 2004. A smaller reduction in sulphur inlet, about 3 per cent, occurred over the same period. Details on these reductions on an individual plant basis for plants with sulphur recovery are given in Appendix 4.

4 Summary of Overall Performance for Grandfathered and Nongrandfathered Plants, 2000-2004

Examining sulphur inlet and sulphur emissions from both the grandfathered acid gas flaring and sulphur recovery facilities and nongrandfathered acid gas injection and sulphur recovery facilities reveals a 28 per cent drop in emissions. Of the 28 per cent, 16 per cent was due to improved performance and modifications and 12 per cent was due to a decline in sulphur inlet.

				Guideline			
			Current Approved	Recovery for	Daily	Baseline	
			Sulphur Recovery	Approved	Approved	Capacity	Change in
		Plant	Efficiency	Sulphur Inlet	S Inlet	1999 S Inlet	Status
		Code	(%)	(%)	(t/d)	(t/d)	(from <i>ID 2001-3</i>)
	Brazeau R Keyera ¹	1108	98.4	98.4%	400.0	67.3	Degrandfathered in 2003; became AGI
	Brazeau R. (Nordegg) - Keyera	1121	93.5	95.9%	49.8	38.2	
	Burnt Timber - Shell	1131	96.5	98.4%	560.0	412.4	
	Caroline (North) 1-11 - BP Canada	1374	69.7	69.7%	5.0	5.0	Plant shut down in 2003
	Caroline (South) 4-20 - BP Canada	1104	85.0	89.7%	9.8	6.8	Plant shut down in 2003
	Carstairs - Bonavista	1020	90.0	98.2%	72.2*	9.5	
	Crossfield (Balzac) - Nexen	1050	98.0	98.5%	1,730.1	414.6	
	Edson - Talisman	1084	98.4	98.4%	350.0	220.9	Degrandfathered in 2003; upgraded SR
	Gold Creek - CNRL	1129	97.0	98.3%	100.0	64.1	
)	Jumping Pound - Shell	1037	96.2	98.4%	619.0	472.1	
	Kaybob S. 1 & 2 - BP Canada	1107	98.4	98.5%	1,107.7	540.6	
<u> </u>	Kaybob S. 3 - Central Midstream	1144	98.1	99.5%	3,629.7	1,009.6	
3	Lone Pine Ck ExxonMobil	1139	98.0	98.3%	165.4	129.5	
ι	Minnehik B. L Penn West	1047	95.6	95.9%	49.2	22.0	
5	Okotoks (Mazeppa) - Mazeppa Processing	1530	98.4	98.4%	586.6	263.4	Degrandfathered in 2002
6	Redwater - Imperial	1028	Fluctuating	95.9%	12.2*	3.1	
•	Rosevear (North) - Suncor	1206					Plant shut down in 2001
}	Rosevear (South) - Suncor	1268	95.6	98.3%	171.0	76.0	Plant consolidation 1206
)	Simonette - Suncor	1113	98.3	98.3%	120.0	92.3	
)	Strachan (Ram River) - Husky	1141	98.1	99.5%	4,660.5*	2,301.8	
<u> </u>	Strachan - Keyera	1133	98.1	98.4%	971.1	264.9	
2	Sturgeon Lk Chariot Energy	1112	95.9	95.9%	49.8	40.6	Degrandfathered in 2005
3	Teepee -Talisman	1296	92.0	95.9%	25.0	17.5	
1	Waterton - Shell	1056	98.7	99.5%	3,148.0	2,099.6	
5	Wildcat Hills - Petro-Canada	1054	97.5	98.3%	287.5	181.3	
3	Wimborne - Devon Windfall (West Whitecourt) - BP Canada	1081	95.5	98.3%	235.0	182.1	
7	Zama - Apache ²	1034	98.3	98.5%	1,356.1	777.6	
3	Zama - Apacne	1219	92.0	98.2%	80.3	38.6	Baseline revision 2001
	* Annual average sulphur inlet.						
	¹ KeySpan Brazeau River became an AGI faci	lity in 20	03. Injected sulphu	r volumes in 20	04 were 17	0.7 t/d.	
	² As of October 2004, Zama was delivering ac						

			Guideline Recovery for			Baseline	
			Approved	2004	Approved	Capacity	Change in
		Plant	Sulphur Inlet	S Emissions	S Inlet	1999 S Inlet	Status
		Code	(%)	(t/d)	(t/d)	(t/d)	(from ID 2001-3)
1	Ansell (Galloway) - CNRL	1417	69.7	0.42	1.40	1.3	
2	Bantry - AltaGas	1114	69.7	0.76	2.00	1.0	Degrandfathered in 2002; became SR
}	Bellshill Lake - Viking Holdings	1280	89.7	2.39	5.77	3.8	Degrandfathered in 2005; became AGI
ļ	Big Bend - CNRL	1293	69.7	0.08	1.46	1.0	
,	Bigoray - Penn West	1138	69.7	0.75	2.96	1.8	
3	Bittern Lake - CNRL	1124	69.7	0.00	2.48	1.0	Plant shut down in 2000
,	Boundary Lake S - Penn West	1202	69.7	0.72	2.20	1.1	
3	Boundary Lake S - Talisman	1024	69.7	0.81	1.90	1.0	
)	Carson Creek - ExxonMobil	1062	69.7	0.27	1.00	1.0	
0	Enchant - Taylor Management	1039	69.7	0.26	1.25	1.0	
1	Forestburg - Signalta	1365	69.7	1.49	4.50	4.0	
2	Greencourt - CNRL	1127	69.7	1.02	2.84	1.3	
3	Harmattan-Elkton - Bonavista	1083	69.7	0.28	1.60	1.0	
4	Judy Creek - Pengrowth	1069	69.7	2.01	3.60	2.7	
5	Kaybob - Trilogy	1058	89.7	1.04	5.15	1.0	
6	Killam (Sedgewick) - AltaGas	1510	69.7	1.27	4.75	2.2	
7	Leduc - Woodbend - Imperial	1023	69.7	0.00	1.01	1.0	
8	Little Bow (Travers) - ConocoPhillips	1150	69.7	0.80	1.60	1.2	
9	Retlaw (Turin) - Taylor Management ²	1191	69.7	1.12	4.64	1.7	Degrandfathered in 2004; became AGI
:0	Spirit River - Bonavista	1560	69.7	0.63	2.60	1.0	
1	Strome - CNRL	1179	69.7	0.24	3.40	1.6	
2	Sylvan Lake - NAL Resources	1070		0.30	0.75	1.0	Degrandfathered in 2002
:3	Virginia Hills (Hope Creek) - Apache ³	1135	95.9	4.60	16.00	5.2	Degrandfathered in 2004; became AGI
4	Vulcan - (Long Coulee) ConocoPhillips⁴	1100	69.7	0.02	4.90	2.7	Degrandfathered in 2002; became AGI
25	West Drumheller - Acclaim	1109	69.7	0.27	2.99	1.1	
26	Whitecourt - Shiningbank	1115	89.7	2.71	7.50	3.5	
27	Wilson Creek - Imperial	1399	69.7	0.14	1.68	1.0	
8	Wilson Creek - Petro-Canada	1096	69.7	0.12	4.70	2.3	Degrandfathered in 2001; became SR
	¹ Viking Bellshill Lk started AGI in January 2005.						
	² Taylor Retlaw injected sulphur in 2004 was	0.79 t/d.					
	³ Apache Virginia Hills injected sulphur in 200		5 t/d.				
	⁴ ConocoPhillips Vulcan injected sulphur in 2	004 was 1.	96 t/d.				
						1	

Appe	ndix 1.3. Nongrandfathered Sulphur Recovery Plants				
			Current Approved		
			Sulphur Recovery	Approved	
		Plant	Efficiency	S Inlet	
		Code	(%)	(t/d)	
ı	Basing (Hanlan Robb) - Petro-Canada	1360	98.5	1,270.0	
· I	Bonnie Glen - Imperial	1045	95.9	35.6	
	Brazeau R Petro-Canada	1482	98.4	500.0	
. 1	Brazeau R. (West Pembina) - Atco Midstream	1458	98.4	520.0	
	Campbell-Namao (Carbondale) - Atco Midstream	1638	69.7	1.15*	
	Caroline - Shell	1662	99.5	5,450.0	
. (Crossfield E Primewest	1079	98.4	863.8	
. (Garrington (Olds) - Esprit	1021	98.4	404.9	
	Harmattan - Solex	1060	98.6	82.7	
	Hays - Anadarko	1585	90.0	9.9	
1 I	Homeglen Rimbey - Keyera	1004	98.3	150.0	
	Nevis - Duke Energy	1002	98.4	300.0	
3 I	Progress - Anadarko	1506	96.5	49.5	
4 I	Progress - Suncor	1629	69.7	2.5	
5 (Quirk Ck Imperial	1134	98.3	306.4*	
6 I	Rainbow - Husky ¹	1105	98.3	213.5	
7 I	Rainbow - AltaGas	1658	95.9	23.2	
8	Saddle Hills (LaGlace) - EnCana	1892	98.4	483.1	
	Savanna Ck. (Coleman) - Northstar	1051	98.6	800.0	
	Sinclair (Hythe Brainard) - EnCana	1147	98.3	132.2	
	Swalwell - Viking Holdings	1654	70.0	4.6	
2 '	Valhalla - Primewest ² (new)	1960	70.0	3.5	
1	* Annual average sulphur inlet.		110 1111 655		
,	Husky Rainbow started as an AGI facility in January 2002.	Injected sulph	ur was 119.4 t/d for 2004.		
	Previously was nongrandfathered acid gas flaring plant.				
-+					
-+					
1					

Appe	ndix 1.4. Nongrandfathered Acid Gas Injection	n Plants				
			Sulphur Recovery			2004
			Equivalent	Approved	2004	Sulphur
		Plant	Required	S Inlet	S Emissions	Injected
Nong	randfathered acid gas injection plants	Code	(%)	(t/d)	(t/d)	(t/d)
1	Acheson -Acclaim	1628	69.7	4.65	0.00	0.92
2	Bistcho Lk - Paramount	1975	95.9	25.00	0.22	10.79
3	Bigoray - Enerpro Midstream	1357	98.2	64.00	0.57	26.62
4	Boundary Lk S (Clear Hills) - CNRL	1880	95.9	15.35	0.03	9.74
5	Dizzy (Steen River) Penn West	1738	95.9	34.40	0.03	3.73
<u>6</u>	Dunvegan - Devon	1169	89.7	9.90	0.00	0.54
7	Eaglesham - (West Culp) Devon	1775	95.9	17.20	0.03	1.81
8	Galahad - Husky	1690	89.7	7.54	0.01	2.78
9	Golden Spike - Atco Midstream	1547	95.9	26.46	0.00	2.92
10	Gordondale - Duke	1668	98.2	54.30	0.03	21.59
11	Kelsey (Rosalind) - Thunder	1244	69.7	2.50	0.01	1.64
12	Leduc-Woodbend (Calmar) - Midcoast Canada	1676	95.9	15.54	0.00	2.64
13	Marlowe (Dizzy) - Bearspaw	1765	95.9	19.70	0.00	0.00
14	Mulligan (Fourth Creek) - Duke	1895	89.7	10.00	0.03	7.45
15	Normandville - Devon	1990	69.7	1.90	0.00	0.07
16	O'Chiese - Burlington	1970	95.9	14.53	0.01	0.38
17	Paddle River - Keyera	1089	69.7	1.50	0.00	0.76
18	Pembina - Enerpro Midstream	1402	95.9	29.70*	0.14	13.27
19	Pembina - Imperial	1625	89.7	7.23	0.03	2.28
20	Pouce Coupe - Duke	1746	95.9	26.20	0.07	8.58
21	Provost (Hansman Lk) - Husky	1698	89.7	6.90	0.04	4.84
22	Provost (Thompson Lk) - Husky	1695	95.9	12.00	0.09	5.07
23	Puskwaskau - Devon	1964	89.7	5.15	0.01	0.2
24	Rainbow - ExxonMobil	1155	95.9	20.10*	0.31	9.17
25	Rainbow - Husky	1105	98.3	213.49	0.38	119.36
26	Rycroft - Devon	1793	95.9	21.00	0.03	5.15
27	Watelet (Glen Park) - Atco Midstream	1672	69.7	3.30	0.01	0.96
28	Wayne-Rosedale - EnCana	1888	89.7	5.90*	0.05	1.88
29	Wembley - ConocoPhillips	1520	98.3	124.00	0.14	44.23
30	Zama - Apache	1878&1978	98.3	247.00	0.13	42.69
Grand	dfathered plants (sulphur recovery or acid gas	s flaring) tha	t are now acid gas	injection		
31	Bellshill Lake - Viking Holdings	1280	89.7	5.77	AGI started in Jan	2005
32	Brazeau R Keyera	1108	98.4	400.00	0.30	170.68
33	Retlaw (Turin) - Taylor Management	1191	69.7	4.64	1.12	0.79
34	Virginia Hills (Hope Creek) - Apache	1135	95.9	16.00	4.60	2.15
35	Vulcan - (Long Coulee) ConocoPhillips	1100	69.7	4.90	0.02	1.96

nnen	dix 2. Plants That Have Been De	randfathe	red		
ppcii	dix 2. I failts That Have been be	jianaratiic	100		
				Approved	
				S Inlet	
				max daily	Modification
Plan	ts that have made modifications	Plant Code	Plant Name	(t/d)	Process
1	Plant Mods	1108	Brazeau R Keyera	400.00	(AGI)
2	Plant Mods	1021	Garrington (Olds) - Esprit	404.90	(SuperClaus)
3	Plant Mods	1004	Homeglen Rimbey - Keyera	150.00	(SuperClaus)
4	Plant Mods	1114	Bantry - AltaGas	2.00	(Xergy)
5	Plant Mods	1100	Vulcan (Long Coulee) - ConocoPhillips	4.90	(AGI)
6	Plant Mods	1096	Wilson Creek - Petro-Canada	4.70	(Claus)
7	Plant Mods	1105	Rainbow - Husky	213.50	(AGI)
8	Plant Mods	1084	Edson - Talisman	350.00	(SuperClaus)
9	Plant Mods	1191	Retlaw (Turin) - Taylor Management	4.64	(AGI)
10	Plant Mods	1135	Virginia Hills - Apache	16.00	(AGI)
11	Plant Mods	1280	Bellshill - Viking Holdings	5.77	(AGI)
Plant	s that have been relicensed to higher	S recovery e	efficiency or lower sulphur inlets		
12	Relicensed	1530	Okotoks (Mazeppa) - Mazeppa Processing	586.60	
13	Relicensed	1079	Crossfield E Primewest	863.80	
14	Relicensed	1070	Sylvan Lake - NAL Resources	0.75	
15	Relicensed	1112	Sturgeon Lake - Chariot	49.81	·
Othe	r - Sulphur recovery not required, give	n the low ap	proved sulphur inlet		
1	Plant Mods	1739	Bantry - EnCana	0.92	(Shell Paques/New Paradign

Appendix 3.	Sulphur Credits Earned									
				Credits			Cumulative C	redits		
		Jan-Mar	Apr-Jun	Jul-Sep	Oct-Dec	Jan-Mar	Apr-Jun	Jul-Sep	Oct-Dec	
Grandfathere	d sulphur recovery gas plants	2004	2004	2004	2004	2004	2004	2004	2004	Status
Plant Code										
1 1108	Brazeau R Keyera	-	-	-	-	-	-	-	-	Degrandfathered
1121	Brazeau R. (Nordegg) - Keyera	50.1	19.4	54.1	14.8	435.1	454.6	508.7	523.5	
1131	Burnt Timber - Shell	29.1	11.6	12.9	31.4	943.6	955.2	968.1	999.5	
1374	Caroline (North) 1-11 - BP Canada	-	-	-	-	-	-	-	-	Plant shut down
1104	Caroline (South) 4-20 - BP Canada	-	-	-	-	-	-	-	-	Plant shut down
1020	Carstairs - Bonavista	10.6	16.8	13.8	15.2	151.3	168.1	181.8	197.0	
1050	Crossfield (Balzac) - Nexen	103.6	98.5	31.7	34.3	1,305.0	1,403.5	1,435.2	1,469.5	
1084	Edson - Talisman	-	-	-	-	122.2	122.2	122.2	122.2	Degrandfathered
1129	Gold Creek - CNRL	-	-	-	47.0	-	-	0.0	47.0	
0 1037	Jumping Pound - Shell	286.8	230.4	197.4	122.1	1,887.0	2,117.4	2,314.8	2,436.9	
1 1107	Kaybob S. 1 & 2 - BP Canada	207.9	62.8	84.1	186.8	1,868.0	1,930.8	2,014.9	2,201.7	
2 1144	Kaybob S. 3 - Central Midstream	85.6	92.8	181.5	304.6	1,223.6	1,316.4	1,497.9	1,802.5	
3 1139	Lone Pine Ck ExxonMobil	0.0	22.0	11.3	12.5	95.1	117.0	128.3	140.8	
4 1047	Minnehik B. L Penn West	3.0	-1.2	8.3	8.2	41.9	40.7	49.1	57.2	
5 1530	Okotoks - Mazeppa Processing	-	-	-	-	-	-	-	-	Degrandfathered
6 1028	Redwater - Imperial	20.9	43.9	45.8	40.7	20.9	64.7	110.6	151.2	Variable inlet rate
7 1206	Rosevear (North) - Suncor ¹	-	-	-	-	-	-	-	-	Plant shut down
8 1268	Rosevear (South) - Suncor ¹	106.6	99.5	50.2	82.1	1,040.8	1,140.3	1,190.5	1,272.6	
9 1113	Simonette - Suncor	55.0	59.9	50.1	50.3	532.0	591.9	642.0	692.3	
0 1141	Strachan (Ram River) - Husky	1,809.4	1,800.0	1,743.7	1,907.2	14,894.0	16,694.0	18,437.6	20,344.8	
1 1133	Strachan - Keyera	93.6	73.2	79.9	62.5	795.2	868.4	948.2	1,010.7	
2 1112	Sturgeon Lk Chariot Energy	29.9	9.7	46.3	79.0	455.6	465.3	511.6	590.6	Degrandfathered
3 1296	Teepee - Talisman	51.9	49.0	27.2	19.4	355.3	404.3	431.5	450.9	
4 1056	Waterton - Shell	715.6	409.2	397.4	554.8	4,739.5	5,148.7	5,546.1	6,100.9	
1054	Wildcat Hills - Petro-Canada	95.6	98.6	82.7	99.3	1,086.8	1,185.4	1,268.1	1,367.3	
1081	Wimborne - Devon	69.5	77.7	72.2	49.2	1,031.2	1,109.0	1,181.2	1,230.4	
7 1034	Windfall (West Whitecourt) - BP Canada	229.2	195.2	135.0	204.2	2,921.4	3,116.6	3,251.6	3,455.8	
1219	Zama - Apache ²	35.8	105.4	97.2	-	778.0	883.4	980.6	980.6	Delivers acid gas to its Apache Zama AGI plant a of October 2004
	Totals	4,089.77	3,574.39	3,422.63	3,925.42	36,723.4	40,297.8	43,720.4	47,645.9	
Plant consolid	lation.									
Apache Zama	- shipping acid gas to adjacent AGI gas plant.									

	DI		Ohamma la sura la sur	
	Plant	E'.I I I '	Change in production and emission	
	Code	Field-Licensee	2004-2000	2004-200
Gran	dfathere	d plants (in 2001)	S Production (t/y)	S Emission (t S/y
4	4004	Windfall (West Whitecourt) - BP Canada	(470,400,0)	(0.040
1	1034 1141	Strachan (Ram River) - Husky	(172,199.2) (143,729.1)	(3,310. (2,929.
3	1108	Brazeau R Keyera	(35,158.5)	(2,044.
4	1037	Jumping Pound - Shell	(44,522.4)	(1,875.
5	1107	Kaybob S. 1 & 2 - BP Canada	(125,736.2)	(1,291
6	1056	Waterton - Shell	(135,907.8)	(1,120
7 8	1113 1206	Simonette - Suncor Rosevear (North) - Suncor	(17,465.6) (12,290.7)	(513) (499)
9	1081	Wimborne - Devon	(17,218.6)	(391
10	1133	Strachan - Keyera	(40,140.8)	(372
11	1104	Caroline (South) 4-20 - BP Canada	(2,186.0)	(349
12	1112	Sturgeon Lk Chariot Energy	(7,976.2)	(237)
13 14	1530 1084	Okotoks (Mazeppa) - Mazeppa Processing Edson - Talisman	(10,545.2)	(204
15	1121	Brazeau R. (Nordegg) - Keyera	(230.7)	(198 (177
16	1219	Zama - Apache	(6,585.7)	(158
17	1047	Minnehik B. L Penn West	(3,690.8)	(148
18	1129	Gold Creek - CNRL	(7,174.9)	(140
19	1020	Carstairs - Bonavista	(984.3)	(121
20 21	1144 1374	Kaybob S. 3 - Central Midstream Caroline (North) 1-11 - BP Canada	119.9 (903.1)	(99)
22	1050	Crossfield (Balzac) - Nexen	(12,100.9)	(59
23	1296	Teepee - Talisman	908.4	(22
24	1028	Redwater - Imperial	(283.1)	18
25	1054	Wildcat Hills - Petro-Canada	(1,760.3)	52
26 27	1268 1139	Rosevear (South) - Suncor Lone Pine Ck ExxonMobil	661.6 (78.1)	
28	1131	Burnt Timber - Shell	(1,952.1)	409
	Totals	Danie Timber Chen	(801,937.0)	(15,692
2	1114	Wilson Creek - Petro-Canada Bantry - AltaGas	135.5 669.7	(991 (3 ² (1,025
New	suphur r	ecovery plant (new S recovery gas plants or p		• • • • • • • • • • • • • • • • • • • •
1	1960	Valhalla - Primewest	138.3	,
			138.3	60
Nong	grandfath	lered plants (plants meeting the requirements	for new plants)	
				(1.425
1	1079 1105	ered plants (plants meeting the requirements Crossfield E Primewest Rainbow - Husky	for new plants) (61,914.5) (22,351.5)	
1 2 3	1079	Crossfield E Primewest	(61,914.5)	(985
1 2 3 4	1079 1105 1021 1004	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera	(61,914.5) (22,351.5) (739.0) (6,123.9)	(985 (894 (865
1 2 3 4 5	1079 1105 1021 1004 1360	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4)	(985 (894 (861 (427
1 2 3 4 5	1079 1105 1021 1004 1360 1458	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3	(985 (894 (867 (427 (394
1 2 3 4 5 6	1079 1105 1021 1004 1360	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5)	(985 (894 (867 (427 (394 (290
1 2 3 4 5 6 7	1079 1105 1021 1004 1360 1458 1662	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3	(985 (894 (866 (427 (394 (290 (100
1 2 3 4 5 6 7	1079 1105 1021 1004 1360 1458 1662 1002	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8)	(985 (894 (861 (427 (394 (299 (100
1 2 3 4 5 6 7 8 9 10	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7)	(985 (894) (866) (427) (394) (296) (100) (60) (26)
1 2 3 4 5 6 7 8 9 10 11	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1)	(98) (89) (86) (42) (39) (10) (6)
1 2 3 4 5 6 7 8 9 10 11 12 13	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1)	(985 (894) (866) (427) (394) (296) (100) (60) (26) (60) (100)
1 2 3 4 5 6 7 8 9 10 11 12 13	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1) 229.3	(988 (894) (866) (427) (394) (290) (100) (60) (20) (10) (10) (10) (10) (10) (10) (10) (1
1 2 3 4 5 6 7 8 9 10 11 12 13 14	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5)	(985 (894) (861) (427) (394) (290) (100) (60) (26) (6) (6)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5) 2,325.1	(988 (894) (866) (427) (394) (290) (100) (66) (26) (6) (10) (10) (10) (10) (10) (10) (10) (10
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,392.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5) 2,325.1	(985 (894) (861) (427) (394) (290) (100) (66) (26) (6) (0)
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5) 2,325.1	(988 (894) (866) (427) (394) (290) (100) (66) (26) ((6) (10) (10) (10) (10) (20) (20) (20) (20) (20) (20) (20) (2
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,3932.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5) 2,325.1 4,713.1 7,961.1	(985 (894) (861) (427) (394) (296) (100) (60) (226) (6) (727) (727) (8) (9) (9) (100
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892 1134	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5) 2,325.1 4,713.1 7,961.1 (42.0) 8,687.9 32,407.0	(1,425 (985 (894 (861 (427 (394 (290 (100) (60 (26 (60 (27) (100)
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892	Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Saddle Hills - EnCana Quirk Ck Imperial	(61,914.5) (22,351.5) (739.0) (6,123.9) (18,292.4) 7,694.3 (67,351.5) (4,776.8) (3,932.1) (45.7) 694.2 (192.1) 229.3 2,116.3 (136.5) 2,325.1 4,713.1 7,961.1 (42.0) 8,687.9	(985 (894) (861) (427) (394) (290) (100) (60) (26) (6) (0)

, , , p	endix a	4.2. Gas Plants with Sulphur Recovery,	Year 2000				
	Jenaix		1 Cai 2000		Actual	Current	
			Total	Total Annual	Sulphur	Required Sulphur	Total Annual
	Plant		Inlet	Emissions	Recovery Effic.	Recovery Effic.	Production
	Code	Field Licenses			·	-	
C		Field-Licensee	(t/y)	(t S/y)	(%)	(%)	(t/y)
Grai	naratner	ed Plants (in 2001)					
1	1034	Windfall (West Whitecourt) - BP Canada	286,311.3	4,616.6	98.4%	98.3	292,237.0
2	1141	Strachan (Ram River) - Husky	791,052.9	7,877.7	99.0%	98.1	781,009.3
3	1108	Brazeau R Keyera	36,697.0	2,152.6	94.2%	92.1	35,158.5
4	1037	Jumping Pound - Shell	161,744.1	5,509.7	96.6%	96.2	158,522.1
5	1107	Kaybob S. 1 & 2 - BP Canada	234,341.8	2,756.9	98.9%	98.4	250,134.3
6	1056	Waterton - Shell	671,377.4	6,233.1	99.1%	98.7	679,224.2
7	1113	Simonette - Suncor	32,358.2	793.8	97.5%	96.5	31,239.2
8 9	1206 1081	Rosevear (North) - Suncor Wimborne - Devon	10,771.6 57,618.0	499.6 1,833.9	96.1% 96.7%	94.6 95.5	12,290.7 54,008.0
10	1133	Strachan - Keyera	97,769.5	1,169.6	98.8%	98.1	97,129.6
11	1104	Caroline (South) 4-20 - BP Canada	2,483.7	349.5	86.2%	85.0	2,186.0
12	1112	Sturgeon Lk Chariot Energy	18,698.9	729.2	96.2%	94.0	18,456.1
13	1530	Okotoks (Mazeppa) - Mazeppa Processing	95,120.2	1,260.7	98.7%	98.3	95,760.9
14	1084	Edson - Talisman	73,009.3	1,421.2	98.1%	97.9	73,337.4
15	1121	Brazeau R. (Nordegg) - Keyera	12,991.3	727.9	94.6%	93.5	12,842.1
16 17	1219 1047	Zama - Apache Minnehik B. L Penn West	15,117.5 7,018.8	583.9	96.1%	92.0 95.6	14,405.1 6,748.4
17	1129	Gold Creek - CNRL	20,071.4	270.4 514.9	96.1% 97.6%	95.6	20,883.0
19	1020	Carstairs - Bonavista	3,815.5	324.6	91.2%	90.0	3,370.0
20	1144	Kaybob S. 3 - Central Midstream	360,565.8	6,646.1	98.2%	98.1	369,708.4
21	1374	Caroline (North) 1-11 - BP Canada	1,039.2	86.8	91.2%	89.7	903.1
22	1050	Crossfield (Balzac) - Nexen	144,323.2	2,408.8	98.3%	98.0	141,245.3
23	1296	Teepee - Talisman	5,424.7	372.2	93.2%	92.0	5,070.9
24 25	1028	Redwater - Imperial	1,184.9	88.3	92.7%	Fluctuating	1,118.3
25 26	1054 1268	Wildcat Hills - Petro-Canada Rosevear (South) - Suncor	71,413.7 16,104.4	1,220.0 457.5	98.2% 97.6%	97.5 95.6	66,931.2 18,426.7
27	1139	Lone Pine Ck ExxonMobil	38,390.2	599.7	98.4%	98.0	37,232.3
	1131	Burnt Timber - Shell	156,959.7	4,844.0	96.9%	96.5	152,115.5
	Totals		3,423,774.2	56,349.2	98.4%	00.0	3,431,693.7
Grai		ed plants that were previously acid gas flarir		-			
1	1096	Wilson Creek - Petro-Canada	908.0	1,036.4	0.0%	-	-
2	1114	Bantry - AltaGas	310.6	310.7	0.0%	-	-
DI	4-4		1,218.5	1,347.1	0.0%		-
Pian		vere previously acid gas flaring that had emi	ssions of less th	an 1 t/d and ar	e now suipnur r	ecovery	
1	1960				0.00/		
		Valhalla - Primewest	-	-	0.0%	-	-
		vainalia - Primewest	-	-	0.0% 0.0%	-	-
Nam	area die			-		-	
Non	grandfa	thered Plants (Plants Meeting the Requireme		-		-	
Non		thered Plants (Plants Meeting the Requireme	nts for New Plan	- - ts)	0.0%		-
1	1079	thered Plants (Plants Meeting the Requireme Crossfield E Primewest	nts for New Plan	- - ts)	98.2%	98.0 95.0	169,921.2
1 2		thered Plants (Plants Meeting the Requireme	nts for New Plan	- - ts)	0.0%	98.0	-
1 2 3 4	1079 1105 1021 1004	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4	- - s) 3,028.6 1,123.5 2,152.2 1,003.0	98.2% 95.2% 97.9% 94.8%	98.0 95.0 97.1 92.0	169,921.2 22,351.5 101,783.0 18,208.7
1 2 3 4 5	1079 1105 1021 1004 1360	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada	170,668.1 25,910.0 103,220.0 19,957.4 299,824.2	- - s) 3,028.6 1,123.5 2,152.2 1,003.0 3,434.8	98.2% 95.2% 97.9% 94.8% 98.8%	98.0 95.0 97.1 92.0 98.5	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9
1 2 3 4 5	1079 1105 1021 1004 1360 1458	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream	170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1	- - sts) 3,028.6 1,123.5 2,152.2 1,003.0 3,434.8 1,624.1	98.2% 95.2% 97.9% 94.8% 98.8% 98.6%	98.0 95.0 97.1 92.0 98.5 98.4	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2
1 2 3 4 5 6 7	1079 1105 1021 1004 1360 1458 1662	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell	170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9	- - ts) 3,028.6 1,123.5 2,152.2 1,003.0 3,434.8 1,624.1 2,458.5	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9%	98.0 95.0 97.1 92.0 98.5 98.4 99.8	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3
1 2 3 4 5 6 7	1079 1105 1021 1004 1360 1458 1662 1002	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy	170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7	- - ts) 3,028.6 1,123.5 2,152.2 1,003.3 3,434.8 1,624.1 2,458.5 467.5	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9%	98.0 95.0 97.1 92.0 98.5 98.4 99.8	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8
1 2 3 4 5 6 7 8	1079 1105 1021 1004 1360 1458 1662 1002	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1	- - ts) 3,028.6 1,123.5 2,152.2 1,003.3,434.8 1,624.1 2,458.5 467.5	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.8%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.4	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6
1 2 3 4 5 6 7 8 9	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2	- - - ts) 3,028.6 1,123.5 2,152.2 1,003.0 3,434.8 1,624.1 2,458.5 467.5 164.6	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.8% 94.5%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.4 98.6	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5
1 2 3 4 5 6 7 8	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6	- - - ts) 3,028.6 1,123.5 2,152.2 1,003.0 3,434.8 1,624.1 2,458.5 467.5 164.6 129.0	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.6% 94.5% 96.1%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.4 98.6 90.0	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0
1 2 3 4 5 6 7 8 9 10	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59	- - - ts) 3,028.6 1,123.5 2,152.2 1,003.0 3,434.8 1,624.1 2,458.5 467.5 164.6	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.6% 94.5% 96.1%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.4 98.6	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7
1 2 3 4 5 6 7 8 9 10 11	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6	- - - ts) 3,028.6 1,123.5 2,152.2 1,003. 3,434.8 1,624.1 2,458.5 467.5 164.6 129.0 125.8 0.2	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.6% 94.5% 96.1%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.4 99.6 90.0	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0
1 2 3 4 5 6 7 8 9 10 11 12	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.6% 94.5% 96.1% 100.0%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7
1 2 3 4 5 6 7 8 9 10 11 12 13	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 98.6% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 70.0	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7
1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.6% 98.6% 99.9% 98.6% 94.5% 96.1% 100.0% 17.3% 92.6% 99.0%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.4 98.6 90.0 95.9 69.7 69.7 70.0 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8 125,906.9	- - - ts) 3,028.6 1,123.5 2,152.2 1,003.3 3,434.8 1,624.1 2,458.5 467.5 164.6 129.0 125.8 0.2 - 237.8 138.9 127.9 1,369.9 296.2 1,292.3	98.2% 95.2% 97.9% 94.8% 98.8% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6% 99.0%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8 126,382.7
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Saddle Hills - EnCana Quirk Ck Imperial	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8 125,906.9 86,771.0	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6% 99.0% 99.0% 99.0%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8 126,382.7 90,372.6
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892 1134 1482	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8 125,906.9 86,771.0	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6% 99.0% 99.0% 99.9%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8 126,382.7 90,372.6 96,505.4
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Saddle Hills - EnCana Quirk Ck Imperial	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8 125,906.9 86,771.0	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6% 99.0% 99.0% 99.0%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8 126,382.7 90,372.6
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892 1134 1482	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Saddle Hills - EnCana Quirk Ck Imperial Brazeau R Petro-Canada	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8 125,906.9 86,771.0 97,601.0 3,103,888.0		98.2% 95.2% 97.9% 94.8% 98.8% 99.9% 99.9% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6% 99.0% 99.0% 99.9% 99.9%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8 126,382.7 90,372.6 96,505.4 3,102,702.9
1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20	1079 1105 1021 1004 1360 1458 1662 1002 1060 1585 1045 1638 1629 1506 1654 1658 1051 1147 1892 1134 1482	thered Plants (Plants Meeting the Requireme Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Saddle Hills - EnCana Quirk Ck Imperial	nts for New Plan 170,668.1 25,910.0 103,220.0 19,957.4 299,824.2 107,983.1 1,833,270.9 37,590.7 11,515.1 2,390.2 3,281.6 364.59 389.10 9,215.7 517.6 1,882.0 137,197.0 28,431.8 125,906.9 86,771.0	- - - - - - - - - - - - - - - - - - -	98.2% 95.2% 97.9% 94.8% 98.8% 99.9% 98.6% 94.5% 96.1% 100.0% 100.0% 97.4% 79.3% 92.6% 99.0% 99.0% 99.9%	98.0 95.0 97.1 92.0 98.5 98.4 99.8 98.6 90.0 95.9 69.7 69.7 96.5 70.0 70.0 98.6 98.3	169,921.2 22,351.5 101,783.0 18,208.7 288,911.9 112,615.2 1,844,827.3 37,091.8 11,875.6 2,217.5 3,062.0 403.7 336.7 9,060.8 533.4 1,597.4 136,352.7 28,291.8 126,382.7 90,372.6 96,505.4

					Current	
		Total	Total Annual	Annual Sulphur	Required Sulphur	Total Actual
Plant		Inlet	Emissions	Recovery	Recovery Effic.	Production
				-	-	
Code Grandfathe	Field-Licensee ered plants (in 2001)	(t/y)	(t S/y)	(%)	(%)	(t/y)
1 1034	Windfall (West Whitecourt) - BP Canada	121,450.4	1,306.1	98.9%	98.3	120,037.8
2 1141	Strachan (Ram River) - Husky	640,990.8	4,948.5	99.2%	98.1	637,280.2
3 1108	Brazeau R Keyera	62,499.2	108.3	99.8%	98.4	Injected (62470.5)
4 1037	Jumping Pound - Shell	116,231.7	3,634.6	96.9%	96.2	113,999.7
5 1107	Kaybob S. 1 & 2 - BP Canada	127,045.3	1,465.4	98.8%	98.4	124,398.1
6 1056	Waterton - Shell	550,669.5	5,113.0	99.1%	98.7	543,316.4
7 1113	Simonette - Suncor	14,313.3	280.7	98.0%	96.5	13,773.6
8 1206 9 1081	Rosevear (North) - Suncor Wimborne - Devon	36,943.5	1,442.4	0.0% 96.2%	0.0 95.5	36,789.4
10 1133	Strachan - Keyera	59,276.5	796.7	98.6%	98.1	56,988.8
11 1104	Caroline (South) 4-20 - BP Canada	-	-	0.0%	85.0	-
12 1112	Sturgeon Lk Chariot Energy	10,893.5	491.5	95.5%	95.9	10,479.9
13 1530	Okotoks (Mazeppa) - Mazeppa Processing	89,075.3	1,056.1	98.8%	98.4	85,215.7
14 1084	Edson - Talisman	68,985.6	1,223.0	98.4%	98.4	73,106.7
15 1121	Brazeau R. (Nordegg) - Keyera	10,549.6	550.4	94.8%	93.5	10,035.5
16 1219	Zama - Apache	10,846.9	425.3	94.8%	92.0	7,819.4
17 1047	Minnehik B. L Penn West	3,241.5	122.1	96.2%	95.6	3,057.6
18 1129	Gold Creek - CNRL Carstairs - Bonavista	14,204.6	374.6	97.3%	97.0	13,708.1
19 1020 20 1144	Kaybob S. 3 - Central Midstream	2,611.8 370,651.1	203.1 6.546.5	92.2% 98.3%	90.0 98.1	2,385.7 369,828.3
21 1374	Caroline (North) 1-11 - BP Canada	-	0,040.5	0.0%	69.7	JU3,020.3 -
22 1050	Crossfield (Balzac) - Nexen	133,410.6	2,349.2	98.2%	98.0	129,144.4
23 1296	Teepee - Talisman	6,346.9	349.4	94.5%	92.0	5,979.3
24 1028	Redwater - Imperial	932.1	106.6	88.7%	Fluctuating	835.2
25 1054	Wildcat Hills - Petro-Canada	68,513.9	1,272.2	98.1%	97.5	65,170.9
26 1268	Rosevear (South) - Suncor	19,645.7	527.9	97.3%	95.6	19,088.3
27 1139	Lone Pine Ck ExxonMobil	37,681.5	710.6	98.1%	98.0	37,154.2
28 1131	Burnt Timber - Shell	147,354.7 2,724,365.37	5,253.1 40,657.25	96.6% 98.5%	96.5	150,163.4 2,629,756.64
Grandfathe	ered plants that were previously acid gas flaring	g and are now sulp	hur recovery			
Grandfathe	ered plants that were previously acid gas flaring Wilson Creek - Petro-Canada	g and are now sulp	ohur recovery 45.3	92.2%	85.0	534.2
1 1096			-	32.9%	85.0 69.7	
1 1096 2 1114	Wilson Creek - Petro-Canada Bantry - AltaGas	519.9 491.1 1,011.0	45.3 276.5 321.8	32.9% 67.5%	69.7	135.5
1 1096 2 1114 Plants that	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis	519.9 491.1 1,011.0 sions of less than	45.3 276.5 321.8 1 t/d and are no	32.9% 67.5% w sulphur recove	69.7 Pry	135.5 669.7
1 1096 2 1114	Wilson Creek - Petro-Canada Bantry - AltaGas	519.9 491.1 1,011.0 sions of less than	45.3 276.5 321.8 1 t/d and are nov	32.9% 67.5% w sulphur recove 69.5%	69.7	135.5 669.7 138.3
1 1096 2 1114 Plants that	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis	519.9 491.1 1,011.0 sions of less than	45.3 276.5 321.8 1 t/d and are no	32.9% 67.5% w sulphur recove	69.7 Pry	135.5 669.7 138.3
1 1096 2 1114 Plants that 1 1960	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis	519.9 491.1 1,011.0 sions of less than 138.4 138.4	45.3 276.5 321.8 1 t/d and are not 60.7 60.7	32.9% 67.5% w sulphur recove 69.5%	69.7 Pry	135.5 669.7 138.3
1 1096 2 1114 Plants that 1 1960	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest	519.9 491.1 1,011.0 sions of less than 138.4 138.4	45.3 276.5 321.8 1 t/d and are not 60.7 60.7	32.9% 67.5% w sulphur recove 69.5% 69.5%	69.7 Pry	135.5 669.7 138.3
1 1096 2 1114 Plants that 1 1960 Nongrandf	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement	519.9 491.1 1,011.0 sions of less than 138.4 138.4	45.3 276.5 321.8 1 t/d and are not 60.7 60.7	32.9% 67.5% w sulphur recove 69.5%	69.7 Pry 70.0	135.5 669.7 138.3 138.3
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 is for new plants in 111,228.4 34,352.6 99,964.0	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 1,37.69 1,257.70	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8%	98.4 98.3 98.4	135.5 669.7 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 137.69 1,257.70 141.80	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.8%	98.4 98.3 98.4 98.3	135.5 669.7 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1 2001) 1,602.80 137.69 1,257.70 141.80 3,007.81	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.8% 98.9%	98.4 98.3 98.4 98.3 98.5	135.5 669.7 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 111,620.0 274,964.2 109,828.1	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1 2001) 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.0%	98.4 98.3 98.4 98.3 98.5 98.4	135.5 669.7 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 34.35.6 99.964.0 111,620.0 274,964.2 109,828.1 1,756,064.6	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.8% 99.0% 99.9%	98.4 98.3 98.4 98.3 98.4 98.3	135.5 669.7 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9%	98.4 98.3 98.4 98.3 98.4 98.3 98.5 98.5	135.5 669.7 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.8% 98.9% 99.9% 99.9% 98.9%	98.4 98.3 98.4 98.3 98.5 98.5 98.4 99.5	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1	45.3 276.5 321.8 1 t/d and are noted 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.0% 99.9% 98.9% 98.7%	98.4 98.3 98.4 98.3 98.5 98.4 98.5 98.6	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen (Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83	32.9% 67.5% w sulphur recove 69.5% 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9% 99.9% 98.7% 95.5% 96.9%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.4 99.5	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9% 98.9% 95.5% 96.9% 100.0%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.4 99.5	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638 13 1629	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 1,602.80 1,257.70 1,41.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.0% 99.9% 98.9% 98.9% 96.9% 100.0% 100.0%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.4 99.5	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 11 1045 11 1045 11 1638 13 1629 14 1506	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 1,257.70 1,41.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.0% 99.9% 98.9% 99.9% 100.0% 100.0% 97.8%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.7 99.5	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638 13 1629 14 1506 15 1654	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.2.6 99.964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35 159.94	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 98.9% 99.9% 100.0% 100.0% 97.8% 71.3%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.7 99.5 98.7 99.7	135.5 669.7 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638 13 1629 14 1506 15 1654 16 1658	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 111,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 1,257.70 1,41.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.0% 99.9% 98.9% 99.9% 100.0% 100.0% 97.8%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.7 99.5	135.5 669.7 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11 396.86 3,922.50
1 1096 2 1114 Plants that 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 1 1585 11 1045 11 1045 11 1045 11 1638 11 1629 14 1506 15 1654 16 1658 17 1051	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 11,1,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5 4,081.4	45.3 276.5 321.8 1 t/d and are noted for a few services of the	32.9% 67.5% w sulphur recove 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.0% 99.9% 98.9% 95.5% 96.9% 100.0% 100.0% 97.8% 71.3%	98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.7 99.5 99.7 99.7 99.7 99.9	135.5 669.7 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11 396.86 3,922.50 141,065.80
1	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 11,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5 4,081.4 134,107.9 40,411.3 135,566.1	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35 159.94 150.11 1,435.60 394.38 1,550.90	32.9% 67.5% w sulphur recove 69.5% 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9% 95.5% 96.9% 100.0% 100.0% 97.8% 71.3% 96.3% 99.0% 99.9%	98.4 98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.6 90.0 95.9 69.7 69.7 69.7 96.5 70.0 95.9 98.6 98.8	135.5 669.7 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11 396.86 396.252.88 126,340.70
Nongrandf 1 1096 2 1114 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638 13 1629 14 1506 15 1654 16 1658 17 1051 18 1147 19 1892 20 1134	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Saddle Hills - EnCana Quirk Ck Imperial	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 11,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5 4,081.4 134,107.9 40,411.3 135,566.1 98,437.4	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35 159.94 150.11 1,435.60 394.38 1,550.90 1,355.20	32.9% 67.5% w sulphur recove 69.5% 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9% 95.5% 96.9% 100.0% 100.0% 97.8% 71.3% 96.3% 99.0% 98.9% 98.9%	98.4 98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.4 99.5 98.7 96.7 97.9 96.5 70.0 95.9 98.8 98.9 99.9	135.5 669.7 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 108,006.70 Injected (43686.59) 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,177.484 3,756.20 211.65 566.00 11,177.11 396.86 39,22.50 141,065.80 36,252.88 126,340.70 99,060.50
1	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 134.352.6 99.964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5 4,081.4 134,107.9 40,411.3 135,566.1 98,437.4 127,213.3	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35 159.94 150.11 1,435.60 394.38 1,550.90 1,385.20 1,388.38	32.9% 67.5% w sulphur recove 69.5% 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9% 95.5% 96.9% 100.0% 100.0% 97.8% 71.3% 96.3% 99.0% 99.9%	98.4 98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.6 90.0 95.9 69.7 69.7 69.7 96.5 70.0 95.9 98.6 98.8	135.5 669.7 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11 396.86 39,22.50 141,065.80 36,252.88 126,340.70 99,060.50 128,912.44
Nongrandf 1 1096 2 1114 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638 13 1629 14 1506 15 1654 16 1658 17 1051 18 1147 19 1892 20 1134	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Quirk Ck Imperial Brazeau R Petro-Canada	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 11,228.4 34,352.6 99,964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5 4,081.4 134,107.9 40,411.3 135,566.1 98,437.4	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35 159.94 150.11 1,435.60 394.38 1,550.90 1,355.20	32.9% 67.5% w sulphur recove 69.5% 69.5% 69.5% 98.5% 99.7% 98.8% 98.9% 99.9% 99.9% 95.5% 96.9% 100.0% 100.0% 97.8% 71.3% 96.3% 99.0% 98.9% 98.9%	98.4 98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.4 99.5 98.7 96.7 97.9 96.5 70.0 95.9 98.8 98.9 99.9	135.5 669.7 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 138.3 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11 396.86 39,22.50 141,065.80 36,252.88 126,340.70 99,060.50 128,912.44
Nongrandf 1 1096 2 1114 1 1960 Nongrandf 1 1079 2 1105 3 1021 4 1004 5 1360 6 1458 7 1662 8 1002 9 1060 10 1585 11 1045 12 1638 13 1629 14 1506 15 1654 16 1658 17 1051 18 1147 19 1892 20 1134 21 1482	Wilson Creek - Petro-Canada Bantry - AltaGas t were previously acid gas flaring that had emis Valhalla - Primewest fathered plants (plants meeting the requirement Crossfield E Primewest Rainbow - Husky Garrington (Olds) - Esprit Homeglen Rimbey - Keyera Basing (Hanlan Robb) - Petro-Canada Brazeau R. (West Pembina) - Atco Midstream Caroline - Shell Nevis - Duke Energy Harmattan - Solex Hays - Anadarko Bonnie Glen - Imperial Campbell-Namao (Carbondale) - Atco Midstream Progress - Suncor Progress - Anadarko Swalwell - Viking Holdings Rainbow - AltaGas Savanna Ck. (Coleman) - Northstar Sinclair (Hythe Brainard) - EnCana Quirk Ck Imperial Brazeau R Petro-Canada	519.9 491.1 1,011.0 sions of less than 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 138.4 134.352.6 99.964.0 11,620.0 274,964.2 109,828.1 1,756,064.6 32,768.1 7,852.9 2,355.1 4,100.4 213.88 559.90 11,379.1 548.5 4,081.4 134,107.9 40,411.3 135,566.1 98,437.4 127,213.3	45.3 276.5 321.8 1 t/d and are not 60.7 60.7 60.7 1,602.80 137.69 1,257.70 141.80 3,007.81 1,229.70 2,168.00 366.70 104.56 102.80 119.83 251.35 159.94 150.11 1,435.60 394.38 1,550.90 1,385.20 1,388.38	32.9% 67.5% w sulphur recove 69.5% 69.5% 69.5% 98.5% 99.7% 98.8% 98.8% 98.9% 99.9% 99.9% 95.5% 96.9% 100.0% 100.0% 97.8% 71.3% 96.3% 99.0% 98.9% 98.9%	98.4 98.4 98.3 98.4 98.3 98.5 98.4 99.5 98.4 99.5 98.7 96.7 97.9 96.5 70.0 95.9 98.8 98.9 99.9	534.2 135.5 669.7 138.3 101,044.00 12,084.80 270,619.52 120,309.50 1,777,475.80 32,315.00 7,943.49 2,171.84 3,756.20 211.65 566.00 11,177.11 396.86 3,922.50 141,065.80 36,252.88 126,340.70 99,060.50 128,912.44 2,983,633.3